

Local Coverage Article: Billing and Coding: CT of the Abdomen and Pelvis (A56421)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

| CONTRACTOR NAME | CONTRACT TYPE | CONTRACT NUMBER | JURISDICTION | STATE(S) |
|-----------------|---------------------|-----------------|--------------|----------------|
| Palmetto GBA | A and B MAC | 10111 - MAC A | J - J | Alabama |
| Palmetto GBA | A and B MAC | 10112 - MAC B | J - J | Alabama |
| Palmetto GBA | A and B MAC | 10211 - MAC A | J - J | Georgia |
| Palmetto GBA | A and B MAC | 10212 - MAC B | J - J | Georgia |
| Palmetto GBA | A and B MAC | 10311 - MAC A | J - J | Tennessee |
| Palmetto GBA | A and B MAC | 10312 - MAC B | J - J | Tennessee |
| Palmetto GBA | A and B and HHH MAC | 11201 - MAC A | J - M | South Carolina |
| Palmetto GBA | A and B and HHH MAC | 11202 - MAC B | J - M | South Carolina |
| Palmetto GBA | A and B and HHH MAC | 11301 - MAC A | J - M | Virginia |
| Palmetto GBA | A and B and HHH MAC | 11302 - MAC B | J - M | Virginia |
| Palmetto GBA | A and B and HHH MAC | 11401 - MAC A | J - M | West Virginia |
| Palmetto GBA | A and B and HHH MAC | 11402 - MAC B | J - M | West Virginia |
| Palmetto GBA | A and B and HHH MAC | 11501 - MAC A | J - M | North Carolina |
| Palmetto GBA | A and B and HHH MAC | 11502 - MAC B | J - M | North Carolina |

Article Information

General Information

Article ID

A56421

Original Effective Date

03/28/2019

Article Title

Billing and Coding: CT of the Abdomen and Pelvis

Revision Effective Date

10/10/2019

Article Type

Billing and Coding

Revision Ending Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are

Retirement Date

N/A

copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

Title XVIII of the Social Security Act, §1833 (e) states that no payment shall be made to any provider for any claim which lacks the necessary information to process the claim.

CMS Internet-Only Manual, Pub 100-04, Medicare Claims Processing Manual, Chapter 6, §20.1.2

CMS Internet-Only Manual, Pub. 100-20, One-Time Notification, Transmittal 477, dated April 24, 2009, Change Request 6338

Article Guidance

Article Text:

The information in this article contains billing, coding or other guidelines that complement the Local Coverage Determination (LCD) for CT of the Abdomen and Pelvis L34415.

Coding Information

CPT/HCPCS Codes

Group 1 Paragraph:

N/A

Group 1 Codes:

| CODE | DESCRIPTION |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 72192 | COMPUTED TOMOGRAPHY, PELVIS; WITHOUT CONTRAST MATERIAL |
| 72193 | COMPUTED TOMOGRAPHY, PELVIS; WITH CONTRAST MATERIAL(S) |
| 72194 | COMPUTED TOMOGRAPHY, PELVIS; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS |
| 74150 | COMPUTED TOMOGRAPHY, ABDOMEN; WITHOUT CONTRAST MATERIAL |
| 74160 | COMPUTED TOMOGRAPHY, ABDOMEN; WITH CONTRAST MATERIAL(S) |
| 74170 | COMPUTED TOMOGRAPHY, ABDOMEN; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS |
| 74176 | COMPUTED TOMOGRAPHY, ABDOMEN AND PELVIS; WITHOUT CONTRAST MATERIAL |
| 74177 | COMPUTED TOMOGRAPHY, ABDOMEN AND PELVIS; WITH CONTRAST MATERIAL(S) |
| 74178 | COMPUTED TOMOGRAPHY, ABDOMEN AND PELVIS; WITHOUT CONTRAST MATERIAL IN ONE OR BOTH BODY REGIONS, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS IN ONE OR BOTH BODY REGIONS |

CPT/HCPCS Modifiers

N/A

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph:

N/A

Group 1 Codes:

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------|
| A06.0 | Acute amebic dysentery |
| A06.1 | Chronic intestinal amebiasis |
| A06.2 | Amebic nondysenteric colitis |
| A06.3 | Ameboma of intestine |
| A06.4 | Amebic liver abscess |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------|
| A06.5 | Amebic lung abscess |
| A06.6 | Amebic brain abscess |
| A06.7 | Cutaneous amebiasis |
| A06.81 | Amebic cystitis |
| A06.82 | Other amebic genitourinary infections |
| A06.89 | Other amebic infections |
| A06.9 | Amebiasis, unspecified |
| A18.01 | Tuberculosis of spine |
| A18.10 | Tuberculosis of genitourinary system, unspecified |
| A18.11 | Tuberculosis of kidney and ureter |
| A18.12 | Tuberculosis of bladder |
| A18.13 | Tuberculosis of other urinary organs |
| A18.14 | Tuberculosis of prostate |
| A18.15 | Tuberculosis of other male genital organs |
| A18.16 | Tuberculosis of cervix |
| A18.17 | Tuberculous female pelvic inflammatory disease |
| A18.18 | Tuberculosis of other female genital organs |
| A18.2 | Tuberculous peripheral lymphadenopathy |
| A18.31 | Tuberculous peritonitis |
| A18.32 | Tuberculous enteritis |
| A18.39 | Retroperitoneal tuberculosis |
| A18.7 | Tuberculosis of adrenal glands |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A18.85 | Tuberculosis of spleen |
| A34 | Obstetrical tetanus |
| A39.1 | Waterhouse-Friderichsen syndrome |
| A41.3 | Sepsis due to Hemophilus influenzae |
| A41.4 | Sepsis due to anaerobes |
| A41.50 | Gram-negative sepsis, unspecified |
| A41.51 | Sepsis due to Escherichia coli [E. coli] |
| A41.52 | Sepsis due to Pseudomonas |
| A41.53 | Sepsis due to Serratia |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------|
| A41.59 | Other Gram-negative sepsis |
| A52.01 | Syphilitic aneurysm of aorta |
| A56.11 | Chlamydial female pelvic inflammatory disease |
| B15.0 | Hepatitis A with hepatic coma |
| B15.9 | Hepatitis A without hepatic coma |
| B16.0 | Acute hepatitis B with delta-agent with hepatic coma |
| B16.1 | Acute hepatitis B with delta-agent without hepatic coma |
| B16.2 | Acute hepatitis B without delta-agent with hepatic coma |
| B16.9 | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0 | Acute delta-(super) infection of hepatitis B carrier |
| B17.10 | Acute hepatitis C without hepatic coma |
| B17.11 | Acute hepatitis C with hepatic coma |
| B17.2 | Acute hepatitis E |
| B17.8 | Other specified acute viral hepatitis |
| B17.9 | Acute viral hepatitis, unspecified |
| B18.0 | Chronic viral hepatitis B with delta-agent |
| B18.1 | Chronic viral hepatitis B without delta-agent |
| B18.2 | Chronic viral hepatitis C |
| B18.8 | Other chronic viral hepatitis |
| B18.9 | Chronic viral hepatitis, unspecified |
| B19.0 | Unspecified viral hepatitis with hepatic coma |
| B19.10 | Unspecified viral hepatitis B without hepatic coma |
| B19.11 | Unspecified viral hepatitis B with hepatic coma |
| B19.20 | Unspecified viral hepatitis C without hepatic coma |
| B19.21 | Unspecified viral hepatitis C with hepatic coma |
| B19.9 | Unspecified viral hepatitis without hepatic coma |
| B25.1 | Cytomegaloviral hepatitis |
| B25.2 | Cytomegaloviral pancreatitis |
| B65.0 | Schistosomiasis due to <i>Schistosoma haematobium</i> [urinary schistosomiasis] |
| B65.1 | Schistosomiasis due to <i>Schistosoma mansoni</i> [intestinal schistosomiasis] |
| B65.2 | Schistosomiasis due to <i>Schistosoma japonicum</i> |
| B65.3 | Cercarial dermatitis |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------|
| B65.8 | Other schistosomiasis |
| B65.9 | Schistosomiasis, unspecified |
| B66.0 | Opisthorchiasis |
| B66.1 | Clonorchiasis |
| B66.2 | Dicrocoeliasis |
| B66.3 | Fascioliasis |
| B66.4 | Paragonimiasis |
| B66.5 | Fasciolopsiasis |
| B66.8 | Other specified fluke infections |
| B66.9 | Fluke infection, unspecified |
| B67.0 | Echinococcus granulosus infection of liver |
| B67.5 | Echinococcus multilocularis infection of liver |
| B67.8 | Echinococcosis, unspecified, of liver |
| B72 | Dracunculiasis |
| B73.00 | Onchocerciasis with eye involvement, unspecified |
| B73.01 | Onchocerciasis with endophthalmitis |
| B73.02 | Onchocerciasis with glaucoma |
| B73.09 | Onchocerciasis with other eye involvement |
| B73.1 | Onchocerciasis without eye disease |
| B74.0 | Filariasis due to Wuchereria bancrofti |
| B74.1 | Filariasis due to Brugia malayi |
| B74.2 | Filariasis due to Brugia timori |
| B74.3 | Loiasis |
| B74.4 | Mansonelliasis |
| B74.8 | Other filariases |
| B74.9 | Filariasis, unspecified |
| C15.3 | Malignant neoplasm of upper third of esophagus |
| C15.4 | Malignant neoplasm of middle third of esophagus |
| C15.5 | Malignant neoplasm of lower third of esophagus |
| C15.8 | Malignant neoplasm of overlapping sites of esophagus |
| C15.9 | Malignant neoplasm of esophagus, unspecified |
| C16.0 | Malignant neoplasm of cardia |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------|
| C16.1 | Malignant neoplasm of fundus of stomach |
| C16.2 | Malignant neoplasm of body of stomach |
| C16.3 | Malignant neoplasm of pyloric antrum |
| C16.4 | Malignant neoplasm of pylorus |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified |
| C16.8 | Malignant neoplasm of overlapping sites of stomach |
| C16.9 | Malignant neoplasm of stomach, unspecified |
| C17.0 | Malignant neoplasm of duodenum |
| C17.1 | Malignant neoplasm of jejunum |
| C17.2 | Malignant neoplasm of ileum |
| C17.3 | Meckel's diverticulum, malignant |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine |
| C17.9 | Malignant neoplasm of small intestine, unspecified |
| C18.0 | Malignant neoplasm of cecum |
| C18.1 | Malignant neoplasm of appendix |
| C18.2 | Malignant neoplasm of ascending colon |
| C18.3 | Malignant neoplasm of hepatic flexure |
| C18.4 | Malignant neoplasm of transverse colon |
| C18.5 | Malignant neoplasm of splenic flexure |
| C18.6 | Malignant neoplasm of descending colon |
| C18.7 | Malignant neoplasm of sigmoid colon |
| C18.8 | Malignant neoplasm of overlapping sites of colon |
| C18.9 | Malignant neoplasm of colon, unspecified |
| C19 | Malignant neoplasm of rectosigmoid junction |
| C20 | Malignant neoplasm of rectum |
| C21.0 | Malignant neoplasm of anus, unspecified |
| C21.1 | Malignant neoplasm of anal canal |
| C21.2 | Malignant neoplasm of cloacogenic zone |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C22.0 | Liver cell carcinoma |
| C22.1 | Intrahepatic bile duct carcinoma |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------|
| C22.2 | Hepatoblastoma |
| C22.3 | Angiosarcoma of liver |
| C22.4 | Other sarcomas of liver |
| C22.7 | Other specified carcinomas of liver |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary |
| C23 | Malignant neoplasm of gallbladder |
| C24.0 | Malignant neoplasm of extrahepatic bile duct |
| C24.1 | Malignant neoplasm of ampulla of Vater |
| C24.8 | Malignant neoplasm of overlapping sites of biliary tract |
| C24.9 | Malignant neoplasm of biliary tract, unspecified |
| C25.0 | Malignant neoplasm of head of pancreas |
| C25.1 | Malignant neoplasm of body of pancreas |
| C25.2 | Malignant neoplasm of tail of pancreas |
| C25.3 | Malignant neoplasm of pancreatic duct |
| C25.4 | Malignant neoplasm of endocrine pancreas |
| C25.7 | Malignant neoplasm of other parts of pancreas |
| C25.8 | Malignant neoplasm of overlapping sites of pancreas |
| C25.9 | Malignant neoplasm of pancreas, unspecified |
| C26.0 | Malignant neoplasm of intestinal tract, part unspecified |
| C26.1 | Malignant neoplasm of spleen |
| C26.9 | Malignant neoplasm of ill-defined sites within the digestive system |
| C33 | Malignant neoplasm of trachea |
| C34.00 | Malignant neoplasm of unspecified main bronchus |
| C34.01 | Malignant neoplasm of right main bronchus |
| C34.02 | Malignant neoplasm of left main bronchus |
| C34.11 | Malignant neoplasm of upper lobe, right bronchus or lung |
| C34.12 | Malignant neoplasm of upper lobe, left bronchus or lung |
| C34.2 | Malignant neoplasm of middle lobe, bronchus or lung |
| C34.31 | Malignant neoplasm of lower lobe, right bronchus or lung |
| C34.32 | Malignant neoplasm of lower lobe, left bronchus or lung |
| C34.81 | Malignant neoplasm of overlapping sites of right bronchus and lung |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------|
| C34.82 | Malignant neoplasm of overlapping sites of left bronchus and lung |
| C34.90 | Malignant neoplasm of unspecified part of unspecified bronchus or lung |
| C34.91 | Malignant neoplasm of unspecified part of right bronchus or lung |
| C34.92 | Malignant neoplasm of unspecified part of left bronchus or lung |
| C38.4 | Malignant neoplasm of pleura |
| C43.0 | Malignant melanoma of lip |
| C43.111 | Malignant melanoma of right upper eyelid, including canthus |
| C43.112 | Malignant melanoma of right lower eyelid, including canthus |
| C43.121 | Malignant melanoma of left upper eyelid, including canthus |
| C43.122 | Malignant melanoma of left lower eyelid, including canthus |
| C43.21 | Malignant melanoma of right ear and external auricular canal |
| C43.22 | Malignant melanoma of left ear and external auricular canal |
| C43.30 | Malignant melanoma of unspecified part of face |
| C43.31 | Malignant melanoma of nose |
| C43.39 | Malignant melanoma of other parts of face |
| C43.4 | Malignant melanoma of scalp and neck |
| C43.51 | Malignant melanoma of anal skin |
| C43.52 | Malignant melanoma of skin of breast |
| C43.59 | Malignant melanoma of other part of trunk |
| C43.60 | Malignant melanoma of unspecified upper limb, including shoulder |
| C43.61 | Malignant melanoma of right upper limb, including shoulder |
| C43.62 | Malignant melanoma of left upper limb, including shoulder |
| C43.71 | Malignant melanoma of right lower limb, including hip |
| C43.72 | Malignant melanoma of left lower limb, including hip |
| C43.8 | Malignant melanoma of overlapping sites of skin |
| C43.9 | Malignant melanoma of skin, unspecified |
| C4A.111 | Merkel cell carcinoma of right upper eyelid, including canthus |
| C4A.112 | Merkel cell carcinoma of right lower eyelid, including canthus |
| C4A.121 | Merkel cell carcinoma of left upper eyelid, including canthus |
| C4A.122 | Merkel cell carcinoma of left lower eyelid, including canthus |
| C44.00 | Unspecified malignant neoplasm of skin of lip |
| C44.01 | Basal cell carcinoma of skin of lip |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| C44.02 | Squamous cell carcinoma of skin of lip |
| C44.09 | Other specified malignant neoplasm of skin of lip |
| C44.1021 | Unspecified malignant neoplasm of skin of right upper eyelid, including canthus |
| C44.1022 | Unspecified malignant neoplasm of skin of right lower eyelid, including canthus |
| ICD-10 CODE | DESCRIPTION |
| C44.1091 | Unspecified malignant neoplasm of skin of left upper eyelid, including canthus |
| C44.1092 | Unspecified malignant neoplasm of skin of left lower eyelid, including canthus |
| C44.1121 | Basal cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1122 | Basal cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1191 | Basal cell carcinoma of skin of left upper eyelid, including canthus |
| C44.1192 | Basal cell carcinoma of skin of left lower eyelid, including canthus |
| C44.1221 | Squamous cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1222 | Squamous cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1291 | Squamous cell carcinoma of skin of left upper eyelid, including canthus |
| C44.1292 | Squamous cell carcinoma of skin of left lower eyelid, including canthus |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus |
| C44.1921 | Other specified malignant neoplasm of skin of right upper eyelid, including canthus |
| C44.1922 | Other specified malignant neoplasm of skin of right lower eyelid, including canthus |
| C44.1991 | Other specified malignant neoplasm of skin of left upper eyelid, including canthus |
| C44.1992 | Other specified malignant neoplasm of skin of left lower eyelid, including canthus |
| C44.202 | Unspecified malignant neoplasm of skin of right ear and external auricular canal |
| C44.209 | Unspecified malignant neoplasm of skin of left ear and external auricular canal |
| C44.212 | Basal cell carcinoma of skin of right ear and external auricular canal |
| C44.219 | Basal cell carcinoma of skin of left ear and external auricular canal |
| C44.222 | Squamous cell carcinoma of skin of right ear and external auricular canal |
| C44.229 | Squamous cell carcinoma of skin of left ear and external auricular canal |
| C44.292 | Other specified malignant neoplasm of skin of right ear and external auricular canal |
| C44.299 | Other specified malignant neoplasm of skin of left ear and external auricular canal |
| C44.300 | Unspecified malignant neoplasm of skin of unspecified part of face |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------|
| C44.301 | Unspecified malignant neoplasm of skin of nose |
| C44.309 | Unspecified malignant neoplasm of skin of other parts of face |
| C44.310 | Basal cell carcinoma of skin of unspecified parts of face |
| C44.311 | Basal cell carcinoma of skin of nose |
| C44.319 | Basal cell carcinoma of skin of other parts of face |
| C44.320 | Squamous cell carcinoma of skin of unspecified parts of face |
| C44.321 | Squamous cell carcinoma of skin of nose |
| C44.329 | Squamous cell carcinoma of skin of other parts of face |
| C44.390 | Other specified malignant neoplasm of skin of unspecified parts of face |
| C44.391 | Other specified malignant neoplasm of skin of nose |
| C44.399 | Other specified malignant neoplasm of skin of other parts of face |
| C44.40 | Unspecified malignant neoplasm of skin of scalp and neck |
| C44.41 | Basal cell carcinoma of skin of scalp and neck |
| C44.42 | Squamous cell carcinoma of skin of scalp and neck |
| C44.49 | Other specified malignant neoplasm of skin of scalp and neck |
| C44.500 | Unspecified malignant neoplasm of anal skin |
| C44.501 | Unspecified malignant neoplasm of skin of breast |
| C44.509 | Unspecified malignant neoplasm of skin of other part of trunk |
| C44.510 | Basal cell carcinoma of anal skin |
| C44.511 | Basal cell carcinoma of skin of breast |
| C44.519 | Basal cell carcinoma of skin of other part of trunk |
| C44.520 | Squamous cell carcinoma of anal skin |
| C44.521 | Squamous cell carcinoma of skin of breast |
| C44.529 | Squamous cell carcinoma of skin of other part of trunk |
| C44.590 | Other specified malignant neoplasm of anal skin |
| C44.591 | Other specified malignant neoplasm of skin of breast |
| C44.599 | Other specified malignant neoplasm of skin of other part of trunk |
| C44.602 | Unspecified malignant neoplasm of skin of right upper limb, including shoulder |
| C44.609 | Unspecified malignant neoplasm of skin of left upper limb, including shoulder |
| C44.612 | Basal cell carcinoma of skin of right upper limb, including shoulder |
| C44.619 | Basal cell carcinoma of skin of left upper limb, including shoulder |
| C44.622 | Squamous cell carcinoma of skin of right upper limb, including shoulder |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------|
| C44.629 | Squamous cell carcinoma of skin of left upper limb, including shoulder |
| C44.692 | Other specified malignant neoplasm of skin of right upper limb, including shoulder |
| C44.699 | Other specified malignant neoplasm of skin of left upper limb, including shoulder |
| C44.702 | Unspecified malignant neoplasm of skin of right lower limb, including hip |
| C44.709 | Unspecified malignant neoplasm of skin of left lower limb, including hip |
| C44.712 | Basal cell carcinoma of skin of right lower limb, including hip |
| C44.719 | Basal cell carcinoma of skin of left lower limb, including hip |
| C44.722 | Squamous cell carcinoma of skin of right lower limb, including hip |
| C44.729 | Squamous cell carcinoma of skin of left lower limb, including hip |
| C44.792 | Other specified malignant neoplasm of skin of right lower limb, including hip |
| C44.799 | Other specified malignant neoplasm of skin of left lower limb, including hip |
| C45.0 | Mesothelioma of pleura |
| C45.1 | Mesothelioma of peritoneum |
| C46.4 | Kaposi's sarcoma of gastrointestinal sites |
| C47.4 | Malignant neoplasm of peripheral nerves of abdomen |
| C47.5 | Malignant neoplasm of peripheral nerves of pelvis |
| C48.0 | Malignant neoplasm of retroperitoneum |
| C48.1 | Malignant neoplasm of specified parts of peritoneum |
| C48.2 | Malignant neoplasm of peritoneum, unspecified |
| C48.8 | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum |
| C49.4 | Malignant neoplasm of connective and soft tissue of abdomen |
| C49.5 | Malignant neoplasm of connective and soft tissue of pelvis |
| C49.A0 | Gastrointestinal stromal tumor, unspecified site |
| C49.A1 | Gastrointestinal stromal tumor of esophagus |
| C49.A2 | Gastrointestinal stromal tumor of stomach |
| C49.A3 | Gastrointestinal stromal tumor of small intestine |
| C49.A4 | Gastrointestinal stromal tumor of large intestine |
| C49.A5 | Gastrointestinal stromal tumor of rectum |
| C49.A9 | Gastrointestinal stromal tumor of other sites |
| C50.011 | Malignant neoplasm of nipple and areola, right female breast |
| C50.012 | Malignant neoplasm of nipple and areola, left female breast |
| C50.021 | Malignant neoplasm of nipple and areola, right male breast |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-------------------------------------------------------------------|
| C50.022 | Malignant neoplasm of nipple and areola, left male breast |
| C50.111 | Malignant neoplasm of central portion of right female breast |
| C50.112 | Malignant neoplasm of central portion of left female breast |
| C50.121 | Malignant neoplasm of central portion of right male breast |
| C50.122 | Malignant neoplasm of central portion of left male breast |
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast |
| ICD-10 CODE | DESCRIPTION |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast |
| C50.511 | Malignant neoplasm of lower-outer quadrant of right female breast |
| C50.512 | Malignant neoplasm of lower-outer quadrant of left female breast |
| C50.521 | Malignant neoplasm of lower-outer quadrant of right male breast |
| C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast |
| C50.611 | Malignant neoplasm of axillary tail of right female breast |
| C50.612 | Malignant neoplasm of axillary tail of left female breast |
| C50.621 | Malignant neoplasm of axillary tail of right male breast |
| C50.622 | Malignant neoplasm of axillary tail of left male breast |
| C50.811 | Malignant neoplasm of overlapping sites of right female breast |
| C50.812 | Malignant neoplasm of overlapping sites of left female breast |
| C50.821 | Malignant neoplasm of overlapping sites of right male breast |
| C50.822 | Malignant neoplasm of overlapping sites of left male breast |
| C50.911 | Malignant neoplasm of unspecified site of right female breast |
| C50.912 | Malignant neoplasm of unspecified site of left female breast |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------|
| C50.921 | Malignant neoplasm of unspecified site of right male breast |
| C50.922 | Malignant neoplasm of unspecified site of left male breast |
| C51.0 | Malignant neoplasm of labium majus |
| C51.1 | Malignant neoplasm of labium minus |
| C51.2 | Malignant neoplasm of clitoris |
| C51.8 | Malignant neoplasm of overlapping sites of vulva |
| C51.9 | Malignant neoplasm of vulva, unspecified |
| C52 | Malignant neoplasm of vagina |
| C53.0 | Malignant neoplasm of endocervix |
| C53.1 | Malignant neoplasm of exocervix |
| C53.8 | Malignant neoplasm of overlapping sites of cervix uteri |
| C53.9 | Malignant neoplasm of cervix uteri, unspecified |
| C54.0 | Malignant neoplasm of isthmus uteri |
| C54.1 | Malignant neoplasm of endometrium |
| C54.2 | Malignant neoplasm of myometrium |
| C54.3 | Malignant neoplasm of fundus uteri |
| C54.8 | Malignant neoplasm of overlapping sites of corpus uteri |
| C54.9 | Malignant neoplasm of corpus uteri, unspecified |
| C55 | Malignant neoplasm of uterus, part unspecified |
| C56.1 | Malignant neoplasm of right ovary |
| C56.2 | Malignant neoplasm of left ovary |
| C57.01 | Malignant neoplasm of right fallopian tube |
| C57.02 | Malignant neoplasm of left fallopian tube |
| C57.11 | Malignant neoplasm of right broad ligament |
| C57.12 | Malignant neoplasm of left broad ligament |
| C57.21 | Malignant neoplasm of right round ligament |
| C57.22 | Malignant neoplasm of left round ligament |
| C57.3 | Malignant neoplasm of parametrium |
| C57.4 | Malignant neoplasm of uterine adnexa, unspecified |
| C57.7 | Malignant neoplasm of other specified female genital organs |
| C57.8 | Malignant neoplasm of overlapping sites of female genital organs |
| C58 | Malignant neoplasm of placenta |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------|
| C60.0 | Malignant neoplasm of prepuce |
| C60.1 | Malignant neoplasm of glans penis |
| C60.2 | Malignant neoplasm of body of penis |
| C60.8 | Malignant neoplasm of overlapping sites of penis |
| C60.9 | Malignant neoplasm of penis, unspecified |
| C61 | Malignant neoplasm of prostate |
| C62.01 | Malignant neoplasm of undescended right testis |
| C62.02 | Malignant neoplasm of undescended left testis |
| C62.11 | Malignant neoplasm of descended right testis |
| C62.12 | Malignant neoplasm of descended left testis |
| C62.91 | Malignant neoplasm of right testis, unspecified whether descended or undescended |
| C62.92 | Malignant neoplasm of left testis, unspecified whether descended or undescended |
| C63.01 | Malignant neoplasm of right epididymis |
| C63.02 | Malignant neoplasm of left epididymis |
| C63.11 | Malignant neoplasm of right spermatic cord |
| C63.12 | Malignant neoplasm of left spermatic cord |
| C63.2 | Malignant neoplasm of scrotum |
| C63.7 | Malignant neoplasm of other specified male genital organs |
| C63.8 | Malignant neoplasm of overlapping sites of male genital organs |
| C64.1 | Malignant neoplasm of right kidney, except renal pelvis |
| C64.2 | Malignant neoplasm of left kidney, except renal pelvis |
| C65.1 | Malignant neoplasm of right renal pelvis |
| C65.2 | Malignant neoplasm of left renal pelvis |
| C66.1 | Malignant neoplasm of right ureter |
| C66.2 | Malignant neoplasm of left ureter |
| C67.0 | Malignant neoplasm of trigone of bladder |
| C67.1 | Malignant neoplasm of dome of bladder |
| C67.2 | Malignant neoplasm of lateral wall of bladder |
| C67.3 | Malignant neoplasm of anterior wall of bladder |
| C67.4 | Malignant neoplasm of posterior wall of bladder |
| C67.5 | Malignant neoplasm of bladder neck |
| C67.6 | Malignant neoplasm of ureteric orifice |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------|
| C67.7 | Malignant neoplasm of urachus |
| C67.8 | Malignant neoplasm of overlapping sites of bladder |
| C67.9 | Malignant neoplasm of bladder, unspecified |
| C68.0 | Malignant neoplasm of urethra |
| C68.1 | Malignant neoplasm of paraurethral glands |
| C68.8 | Malignant neoplasm of overlapping sites of urinary organs |
| C69.00 | Malignant neoplasm of unspecified conjunctiva |
| C69.01 | Malignant neoplasm of right conjunctiva |
| C69.02 | Malignant neoplasm of left conjunctiva |
| C69.10 | Malignant neoplasm of unspecified cornea |
| C69.11 | Malignant neoplasm of right cornea |
| C69.12 | Malignant neoplasm of left cornea |
| C69.30 | Malignant neoplasm of unspecified choroid |
| C69.31 | Malignant neoplasm of right choroid |
| ICD-10 CODE | DESCRIPTION |
| C69.32 | Malignant neoplasm of left choroid |
| C69.40 | Malignant neoplasm of unspecified ciliary body |
| C69.41 | Malignant neoplasm of right ciliary body |
| C69.42 | Malignant neoplasm of left ciliary body |
| C74.01 | Malignant neoplasm of cortex of right adrenal gland |
| C74.02 | Malignant neoplasm of cortex of left adrenal gland |
| C74.11 | Malignant neoplasm of medulla of right adrenal gland |
| C74.12 | Malignant neoplasm of medulla of left adrenal gland |
| C74.91 | Malignant neoplasm of unspecified part of right adrenal gland |
| C74.92 | Malignant neoplasm of unspecified part of left adrenal gland |
| C7A.00 | Malignant carcinoid tumor of unspecified site |
| C7A.010 | Malignant carcinoid tumor of the duodenum |
| C7A.011 | Malignant carcinoid tumor of the jejunum |
| C7A.012 | Malignant carcinoid tumor of the ileum |
| C7A.019 | Malignant carcinoid tumor of the small intestine, unspecified portion |
| C7A.020 | Malignant carcinoid tumor of the appendix |
| C7A.021 | Malignant carcinoid tumor of the cecum |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------|
| C7A.022 | Malignant carcinoid tumor of the ascending colon |
| C7A.023 | Malignant carcinoid tumor of the transverse colon |
| C7A.024 | Malignant carcinoid tumor of the descending colon |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon |
| C7A.026 | Malignant carcinoid tumor of the rectum |
| C7A.029 | Malignant carcinoid tumor of the large intestine, unspecified portion |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung |
| C7A.091 | Malignant carcinoid tumor of the thymus |
| C7A.092 | Malignant carcinoid tumor of the stomach |
| C7A.093 | Malignant carcinoid tumor of the kidney |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified |
| C7A.098 | Malignant carcinoid tumors of other sites |
| C7A.1 | Malignant poorly differentiated neuroendocrine tumors |
| C7A.8 | Other malignant neuroendocrine tumors |
| C7B.1 | Secondary Merkel cell carcinoma |
| C76.2 | Malignant neoplasm of abdomen |
| C76.3 | Malignant neoplasm of pelvis |
| C77.0 | Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck |
| C77.1 | Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes |
| C77.2 | Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes |
| C77.3 | Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes |
| C77.4 | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes |
| C77.5 | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes |
| C77.8 | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions |
| C77.9 | Secondary and unspecified malignant neoplasm of lymph node, unspecified |
| C78.01 | Secondary malignant neoplasm of right lung |
| C78.02 | Secondary malignant neoplasm of left lung |
| C78.1 | Secondary malignant neoplasm of mediastinum |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| C78.2 | Secondary malignant neoplasm of pleura |
| C78.39 | Secondary malignant neoplasm of other respiratory organs |
| C78.4 | Secondary malignant neoplasm of small intestine |
| C78.5 | Secondary malignant neoplasm of large intestine and rectum |
| C78.6 | Secondary malignant neoplasm of retroperitoneum and peritoneum |
| C78.7 | Secondary malignant neoplasm of liver and intrahepatic bile duct |
| C78.89 | Secondary malignant neoplasm of other digestive organs |
| C79.01 | Secondary malignant neoplasm of right kidney and renal pelvis |
| C79.02 | Secondary malignant neoplasm of left kidney and renal pelvis |
| C79.11 | Secondary malignant neoplasm of bladder |
| C79.19 | Secondary malignant neoplasm of other urinary organs |
| C79.2 | Secondary malignant neoplasm of skin |
| C79.31 | Secondary malignant neoplasm of brain |
| C79.32 | Secondary malignant neoplasm of cerebral meninges |
| C79.40 | Secondary malignant neoplasm of unspecified part of nervous system |
| C79.49 | Secondary malignant neoplasm of other parts of nervous system |
| C79.51 | Secondary malignant neoplasm of bone |
| C79.52 | Secondary malignant neoplasm of bone marrow |
| C79.61 | Secondary malignant neoplasm of right ovary |
| C79.62 | Secondary malignant neoplasm of left ovary |
| C79.71 | Secondary malignant neoplasm of right adrenal gland |
| C79.72 | Secondary malignant neoplasm of left adrenal gland |
| C79.81 | Secondary malignant neoplasm of breast |
| C79.82 | Secondary malignant neoplasm of genital organs |
| C79.89 | Secondary malignant neoplasm of other specified sites |
| C80.0 | Disseminated malignant neoplasm, unspecified |
| C80.2 | Malignant neoplasm associated with transplanted organ |
| C81.00 | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site |
| C81.01 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.02 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.03 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------|
| C81.04 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.05 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.07 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen |
| C81.08 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.09 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites |
| C81.10 | Nodular sclerosis Hodgkin lymphoma, unspecified site |
| C81.11 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.12 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.13 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.14 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.15 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.16 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.17 | Nodular sclerosis Hodgkin lymphoma, spleen |
| C81.18 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.19 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites |
| C81.20 | Mixed cellularity Hodgkin lymphoma, unspecified site |
| C81.21 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.22 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.23 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.24 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.25 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| ICD-10 CODE | DESCRIPTION |
| C81.26 | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.27 | Mixed cellularity Hodgkin lymphoma, spleen |
| C81.28 | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.29 | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites |
| C81.30 | Lymphocyte depleted Hodgkin lymphoma, unspecified site |
| C81.31 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.32 | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------|
| C81.33 | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.34 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.35 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36 | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.37 | Lymphocyte depleted Hodgkin lymphoma, spleen |
| C81.38 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.39 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites |
| C81.40 | Lymphocyte-rich Hodgkin lymphoma, unspecified site |
| C81.41 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.42 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.43 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.44 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.45 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.46 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.47 | Lymphocyte-rich Hodgkin lymphoma, spleen |
| C81.48 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.49 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites |
| C81.70 | Other Hodgkin lymphoma, unspecified site |
| C81.71 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.72 | Other Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.73 | Other Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.77 | Other Hodgkin lymphoma, spleen |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites |
| C81.90 | Hodgkin lymphoma, unspecified, unspecified site |
| C81.91 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck |
| C81.92 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes |
| C81.93 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------|
| C81.94 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C81.95 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C81.96 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes |
| C81.97 | Hodgkin lymphoma, unspecified, spleen |
| C81.98 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites |
| C81.99 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites |
| C82.00 | Follicular lymphoma grade I, unspecified site |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face, and neck |
| C82.02 | Follicular lymphoma grade I, intrathoracic lymph nodes |
| C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes |
| C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb |
| C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb |
| C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes |
| C82.07 | Follicular lymphoma grade I, spleen |
| C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites |
| C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites |
| C82.10 | Follicular lymphoma grade II, unspecified site |
| C82.11 | Follicular lymphoma grade II, lymph nodes of head, face, and neck |
| C82.12 | Follicular lymphoma grade II, intrathoracic lymph nodes |
| C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes |
| C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb |
| C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb |
| C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes |
| C82.17 | Follicular lymphoma grade II, spleen |
| C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites |
| C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites |
| C82.20 | Follicular lymphoma grade III, unspecified, unspecified site |
| C82.21 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck |
| C82.22 | Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes |
| C82.23 | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes |
| C82.24 | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb |
| C82.25 | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------|
| | lower limb |
| C82.26 | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes |
| C82.27 | Follicular lymphoma grade III, unspecified, spleen |
| C82.28 | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites |
| C82.29 | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites |
| C82.30 | Follicular lymphoma grade IIIa, unspecified site |
| C82.31 | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck |
| C82.32 | Follicular lymphoma grade IIIa, intrathoracic lymph nodes |
| C82.33 | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes |
| C82.34 | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb |
| C82.35 | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb |
| C82.36 | Follicular lymphoma grade IIIa, intrapelvic lymph nodes |
| C82.37 | Follicular lymphoma grade IIIa, spleen |
| C82.38 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites |
| C82.39 | Follicular lymphoma grade IIIa, extranodal and solid organ sites |
| C82.40 | Follicular lymphoma grade IIIb, unspecified site |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck |
| C82.42 | Follicular lymphoma grade IIIb, intrathoracic lymph nodes |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes |
| C82.47 | Follicular lymphoma grade IIIb, spleen |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites |
| C82.50 | Diffuse follicle center lymphoma, unspecified site |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes |
| C82.57 | Diffuse follicle center lymphoma, spleen |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------|
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites |
| C82.60 | Cutaneous follicle center lymphoma, unspecified site |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes |
| C82.67 | Cutaneous follicle center lymphoma, spleen |
| C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites |
| C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites |
| C82.80 | Other types of follicular lymphoma, unspecified site |
| C82.81 | Other types of follicular lymphoma, lymph nodes of head, face, and neck |
| C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes |
| C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes |
| C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb |
| C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes |
| C82.87 | Other types of follicular lymphoma, spleen |
| C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites |
| C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites |
| C82.90 | Follicular lymphoma, unspecified, unspecified site |
| C82.91 | Follicular lymphoma, unspecified, lymph nodes of head, face, and neck |
| C82.92 | Follicular lymphoma, unspecified, intrathoracic lymph nodes |
| C82.93 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes |
| C82.94 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C82.95 | Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C82.96 | Follicular lymphoma, unspecified, intrapelvic lymph nodes |
| C82.97 | Follicular lymphoma, unspecified, spleen |
| C82.98 | Follicular lymphoma, unspecified, lymph nodes of multiple sites |
| C82.99 | Follicular lymphoma, unspecified, extranodal and solid organ sites |
| C83.00 | Small cell B-cell lymphoma, unspecified site |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------|
| C83.01 | Small cell B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.02 | Small cell B-cell lymphoma, intrathoracic lymph nodes |
| C83.03 | Small cell B-cell lymphoma, intra-abdominal lymph nodes |
| C83.04 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb |
| C83.05 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.06 | Small cell B-cell lymphoma, intrapelvic lymph nodes |
| C83.07 | Small cell B-cell lymphoma, spleen |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites |
| C83.09 | Small cell B-cell lymphoma, extranodal and solid organ sites |
| C83.10 | Mantle cell lymphoma, unspecified site |
| C83.13 | Mantle cell lymphoma, intra-abdominal lymph nodes |
| C83.15 | Mantle cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.16 | Mantle cell lymphoma, intrapelvic lymph nodes |
| C83.17 | Mantle cell lymphoma, spleen |
| C83.18 | Mantle cell lymphoma, lymph nodes of multiple sites |
| C83.19 | Mantle cell lymphoma, extranodal and solid organ sites |
| C83.30 | Diffuse large B-cell lymphoma, unspecified site |
| C83.33 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes |
| C83.37 | Diffuse large B-cell lymphoma, spleen |
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites |
| C83.39 | Diffuse large B-cell lymphoma, extranodal and solid organ sites |
| C83.50 | Lymphoblastic (diffuse) lymphoma, unspecified site |
| C83.53 | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes |
| C83.55 | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb |
| C83.56 | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes |
| C83.57 | Lymphoblastic (diffuse) lymphoma, spleen |
| C83.58 | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites |
| C83.59 | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites |
| C83.70 | Burkitt lymphoma, unspecified site |
| C83.73 | Burkitt lymphoma, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------|
| C83.75 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb |
| C83.76 | Burkitt lymphoma, intrapelvic lymph nodes |
| C83.77 | Burkitt lymphoma, spleen |
| C83.78 | Burkitt lymphoma, lymph nodes of multiple sites |
| C83.79 | Burkitt lymphoma, extranodal and solid organ sites |
| C83.80 | Other non-follicular lymphoma, unspecified site |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face, and neck |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes |
| C83.87 | Other non-follicular lymphoma, spleen |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites |
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified, spleen |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites |
| C84.00 | Mycosis fungoides, unspecified site |
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes |
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------|
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes |
| C84.07 | Mycosis fungoides, spleen |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites |
| C84.09 | Mycosis fungoides, extranodal and solid organ sites |
| C84.13 | Sezary disease, intra-abdominal lymph nodes |
| ICD-10 CODE | DESCRIPTION |
| C84.17 | Sezary disease, spleen |
| C84.40 | Peripheral T-cell lymphoma, not classified, unspecified site |
| C84.43 | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes |
| C84.45 | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb |
| C84.46 | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes |
| C84.47 | Peripheral T-cell lymphoma, not classified, spleen |
| C84.48 | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites |
| C84.49 | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites |
| C84.60 | Anaplastic large cell lymphoma, ALK-positive, unspecified site |
| C84.63 | Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes |
| C84.65 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb |
| C84.66 | Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes |
| C84.67 | Anaplastic large cell lymphoma, ALK-positive, spleen |
| C84.68 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites |
| C84.69 | Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites |
| C84.70 | Anaplastic large cell lymphoma, ALK-negative, unspecified site |
| C84.73 | Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes |
| C84.75 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb |
| C84.76 | Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes |
| C84.77 | Anaplastic large cell lymphoma, ALK-negative, spleen |
| C84.78 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites |
| C84.79 | Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites |
| C84.A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site |
| C84.A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------|
| C84.A5 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C84.A6 | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes |
| C84.A7 | Cutaneous T-cell lymphoma, unspecified, spleen |
| C84.A8 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites |
| C84.A9 | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites |
| C84.Z0 | Other mature T/NK-cell lymphomas, unspecified site |
| C84.Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes |
| C84.Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb |
| C84.Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes |
| C84.Z7 | Other mature T/NK-cell lymphomas, spleen |
| C84.Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites |
| C84.Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites |
| C84.90 | Mature T/NK-cell lymphomas, unspecified, unspecified site |
| C84.93 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes |
| C84.95 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb |
| C84.96 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes |
| C84.97 | Mature T/NK-cell lymphomas, unspecified, spleen |
| C84.98 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites |
| C84.99 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites |
| C85.10 | Unspecified B-cell lymphoma, unspecified site |
| C85.13 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes |
| C85.15 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.16 | Unspecified B-cell lymphoma, intrapelvic lymph nodes |
| C85.17 | Unspecified B-cell lymphoma, spleen |
| C85.18 | Unspecified B-cell lymphoma, lymph nodes of multiple sites |
| C85.19 | Unspecified B-cell lymphoma, extranodal and solid organ sites |
| C85.20 | Mediastinal (thymic) large B-cell lymphoma, unspecified site |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------|
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen |
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites |
| C85.90 | Non-Hodgkin lymphoma, unspecified, unspecified site |
| C85.93 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes |
| C85.95 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C85.96 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes |
| C85.97 | Non-Hodgkin lymphoma, unspecified, spleen |
| C85.98 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites |
| C85.99 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites |
| C86.1 | Hepatosplenic T-cell lymphoma |
| C86.2 | Enteropathy-type (intestinal) T-cell lymphoma |
| C86.3 | Subcutaneous panniculitis-like T-cell lymphoma |
| C86.4 | Blastic NK-cell lymphoma |
| C86.5 | Angioimmunoblastic T-cell lymphoma |
| C86.6 | Primary cutaneous CD30-positive T-cell proliferations |
| C88.0 | Waldenstrom macroglobulinemia |
| C88.4 | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] |
| C91.00 | Acute lymphoblastic leukemia not having achieved remission |
| C91.01 | Acute lymphoblastic leukemia, in remission |
| C91.02 | Acute lymphoblastic leukemia, in relapse |
| C91.10 | Chronic lymphocytic leukemia of B-cell type not having achieved remission |
| C91.11 | Chronic lymphocytic leukemia of B-cell type in remission |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------|
| C91.12 | Chronic lymphocytic leukemia of B-cell type in relapse |
| C91.30 | Prolymphocytic leukemia of B-cell type not having achieved remission |
| C91.31 | Prolymphocytic leukemia of B-cell type, in remission |
| C91.32 | Prolymphocytic leukemia of B-cell type, in relapse |
| C91.40 | Hairy cell leukemia not having achieved remission |
| C91.41 | Hairy cell leukemia, in remission |
| C91.42 | Hairy cell leukemia, in relapse |
| C91.50 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission |
| C91.52 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse |
| C91.60 | Prolymphocytic leukemia of T-cell type not having achieved remission |
| C91.61 | Prolymphocytic leukemia of T-cell type, in remission |
| C91.62 | Prolymphocytic leukemia of T-cell type, in relapse |
| C91.A0 | Mature B-cell leukemia Burkitt-type not having achieved remission |
| C91.A1 | Mature B-cell leukemia Burkitt-type, in remission |
| C91.A2 | Mature B-cell leukemia Burkitt-type, in relapse |
| ICD-10 CODE | DESCRIPTION |
| C91.Z0 | Other lymphoid leukemia not having achieved remission |
| C91.Z1 | Other lymphoid leukemia, in remission |
| C91.Z2 | Other lymphoid leukemia, in relapse |
| C91.90 | Lymphoid leukemia, unspecified not having achieved remission |
| C91.91 | Lymphoid leukemia, unspecified, in remission |
| C91.92 | Lymphoid leukemia, unspecified, in relapse |
| C92.00 | Acute myeloblastic leukemia, not having achieved remission |
| C92.01 | Acute myeloblastic leukemia, in remission |
| C92.02 | Acute myeloblastic leukemia, in relapse |
| C92.10 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission |
| C92.11 | Chronic myeloid leukemia, BCR/ABL-positive, in remission |
| C92.12 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse |
| C92.20 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |
| C92.21 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------|
| C92.22 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse |
| C92.30 | Myeloid sarcoma, not having achieved remission |
| C92.31 | Myeloid sarcoma, in remission |
| C92.32 | Myeloid sarcoma, in relapse |
| C92.40 | Acute promyelocytic leukemia, not having achieved remission |
| C92.41 | Acute promyelocytic leukemia, in remission |
| C92.42 | Acute promyelocytic leukemia, in relapse |
| C92.50 | Acute myelomonocytic leukemia, not having achieved remission |
| C92.51 | Acute myelomonocytic leukemia, in remission |
| C92.52 | Acute myelomonocytic leukemia, in relapse |
| C92.60 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission |
| C92.61 | Acute myeloid leukemia with 11q23-abnormality in remission |
| C92.62 | Acute myeloid leukemia with 11q23-abnormality in relapse |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse |
| C92.Z0 | Other myeloid leukemia not having achieved remission |
| C92.Z1 | Other myeloid leukemia, in remission |
| C92.Z2 | Other myeloid leukemia, in relapse |
| C92.90 | Myeloid leukemia, unspecified, not having achieved remission |
| C92.91 | Myeloid leukemia, unspecified in remission |
| C92.92 | Myeloid leukemia, unspecified in relapse |
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission |
| C93.11 | Chronic myelomonocytic leukemia, in remission |
| C93.12 | Chronic myelomonocytic leukemia, in relapse |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission |
| C93.31 | Juvenile myelomonocytic leukemia, in remission |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse |
| C93.Z0 | Other monocytic leukemia, not having achieved remission |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------|
| C93.Z1 | Other monocytic leukemia, in remission |
| C93.Z2 | Other monocytic leukemia, in relapse |
| C93.90 | Monocytic leukemia, unspecified, not having achieved remission |
| C93.91 | Monocytic leukemia, unspecified in remission |
| C93.92 | Monocytic leukemia, unspecified in relapse |
| C94.00 | Acute erythroid leukemia, not having achieved remission |
| C94.01 | Acute erythroid leukemia, in remission |
| C94.02 | Acute erythroid leukemia, in relapse |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission |
| C94.21 | Acute megakaryoblastic leukemia, in remission |
| C94.22 | Acute megakaryoblastic leukemia, in relapse |
| C94.30 | Mast cell leukemia not having achieved remission |
| C94.31 | Mast cell leukemia, in remission |
| C94.32 | Mast cell leukemia, in relapse |
| C94.80 | Other specified leukemias not having achieved remission |
| C94.81 | Other specified leukemias, in remission |
| C94.82 | Other specified leukemias, in relapse |
| C95.00 | Acute leukemia of unspecified cell type not having achieved remission |
| C95.01 | Acute leukemia of unspecified cell type, in remission |
| C95.02 | Acute leukemia of unspecified cell type, in relapse |
| C95.10 | Chronic leukemia of unspecified cell type not having achieved remission |
| C95.11 | Chronic leukemia of unspecified cell type, in remission |
| C95.12 | Chronic leukemia of unspecified cell type, in relapse |
| C95.90 | Leukemia, unspecified not having achieved remission |
| C95.91 | Leukemia, unspecified, in remission |
| C95.92 | Leukemia, unspecified, in relapse |
| C96.0 | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis |
| C96.20 | Malignant mast cell neoplasm, unspecified |
| C96.21 | Aggressive systemic mastocytosis |
| C96.22 | Mast cell sarcoma |
| C96.29 | Other malignant mast cell neoplasm |
| C96.5 | Multifocal and unisystemic Langerhans-cell histiocytosis |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------|
| C96.6 | Unifocal Langerhans-cell histiocytosis |
| D00.2 | Carcinoma in situ of stomach |
| D01.0 | Carcinoma in situ of colon |
| D01.1 | Carcinoma in situ of rectosigmoid junction |
| D01.2 | Carcinoma in situ of rectum |
| D01.49 | Carcinoma in situ of other parts of intestine |
| D01.5 | Carcinoma in situ of liver, gallbladder and bile ducts |
| D01.7 | Carcinoma in situ of other specified digestive organs |
| D01.9 | Carcinoma in situ of digestive organ, unspecified |
| D03.0 | Melanoma in situ of lip |
| D03.111 | Melanoma in situ of right upper eyelid, including canthus |
| D03.112 | Melanoma in situ of right lower eyelid, including canthus |
| D03.121 | Melanoma in situ of left upper eyelid, including canthus |
| D03.122 | Melanoma in situ of left lower eyelid, including canthus |
| D03.21 | Melanoma in situ of right ear and external auricular canal |
| D03.22 | Melanoma in situ of left ear and external auricular canal |
| D03.30 | Melanoma in situ of unspecified part of face |
| D03.39 | Melanoma in situ of other parts of face |
| D03.4 | Melanoma in situ of scalp and neck |
| D03.51 | Melanoma in situ of anal skin |
| D03.52 | Melanoma in situ of breast (skin) (soft tissue) |
| D03.59 | Melanoma in situ of other part of trunk |
| ICD-10 CODE | DESCRIPTION |
| D03.61 | Melanoma in situ of right upper limb, including shoulder |
| D03.62 | Melanoma in situ of left upper limb, including shoulder |
| D03.71 | Melanoma in situ of right lower limb, including hip |
| D03.72 | Melanoma in situ of left lower limb, including hip |
| D03.8 | Melanoma in situ of other sites |
| D04.111 | Carcinoma in situ of skin of right upper eyelid, including canthus |
| D04.112 | Carcinoma in situ of skin of right lower eyelid, including canthus |
| D04.121 | Carcinoma in situ of skin of left upper eyelid, including canthus |
| D04.122 | Carcinoma in situ of skin of left lower eyelid, including canthus |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------|
| D06.0 | Carcinoma in situ of endocervix |
| D06.1 | Carcinoma in situ of exocervix |
| D06.7 | Carcinoma in situ of other parts of cervix |
| D06.9 | Carcinoma in situ of cervix, unspecified |
| D07.0 | Carcinoma in situ of endometrium |
| D07.1 | Carcinoma in situ of vulva |
| D07.2 | Carcinoma in situ of vagina |
| D07.39 | Carcinoma in situ of other female genital organs |
| D07.4 | Carcinoma in situ of penis |
| D07.5 | Carcinoma in situ of prostate |
| D07.61 | Carcinoma in situ of scrotum |
| D07.69 | Carcinoma in situ of other male genital organs |
| D09.0 | Carcinoma in situ of bladder |
| D09.19 | Carcinoma in situ of other urinary organs |
| D12.0 | Benign neoplasm of cecum |
| D12.1 | Benign neoplasm of appendix |
| D12.2 | Benign neoplasm of ascending colon |
| D12.3 | Benign neoplasm of transverse colon |
| D12.4 | Benign neoplasm of descending colon |
| D12.5 | Benign neoplasm of sigmoid colon |
| D12.6 | Benign neoplasm of colon, unspecified |
| D13.1 | Benign neoplasm of stomach |
| D13.2 | Benign neoplasm of duodenum |
| D13.30 | Benign neoplasm of unspecified part of small intestine |
| D13.39 | Benign neoplasm of other parts of small intestine |
| D13.4 | Benign neoplasm of liver |
| D13.5 | Benign neoplasm of extrahepatic bile ducts |
| D13.6 | Benign neoplasm of pancreas |
| D13.7 | Benign neoplasm of endocrine pancreas |
| D17.5 | Benign lipomatous neoplasm of intra-abdominal organs |
| D17.71 | Benign lipomatous neoplasm of kidney |
| D18.03 | Hemangioma of intra-abdominal structures |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------|
| D18.1 | Lymphangioma, any site |
| D19.1 | Benign neoplasm of mesothelial tissue of peritoneum |
| D20.0 | Benign neoplasm of soft tissue of retroperitoneum |
| D20.1 | Benign neoplasm of soft tissue of peritoneum |
| D21.4 | Benign neoplasm of connective and other soft tissue of abdomen |
| D21.5 | Benign neoplasm of connective and other soft tissue of pelvis |
| D25.0 | Submucous leiomyoma of uterus |
| D25.1 | Intramural leiomyoma of uterus |
| D25.2 | Subserosal leiomyoma of uterus |
| D25.9 | Leiomyoma of uterus, unspecified |
| D26.0 | Other benign neoplasm of cervix uteri |
| D26.1 | Other benign neoplasm of corpus uteri |
| D26.7 | Other benign neoplasm of other parts of uterus |
| D26.9 | Other benign neoplasm of uterus, unspecified |
| D27.0 | Benign neoplasm of right ovary |
| D27.1 | Benign neoplasm of left ovary |
| D28.2 | Benign neoplasm of uterine tubes and ligaments |
| D30.01 | Benign neoplasm of right kidney |
| D30.02 | Benign neoplasm of left kidney |
| D30.11 | Benign neoplasm of right renal pelvis |
| D30.12 | Benign neoplasm of left renal pelvis |
| D30.21 | Benign neoplasm of right ureter |
| D30.22 | Benign neoplasm of left ureter |
| D30.3 | Benign neoplasm of bladder |
| D35.01 | Benign neoplasm of right adrenal gland |
| D35.02 | Benign neoplasm of left adrenal gland |
| D3A.00 | Benign carcinoid tumor of unspecified site |
| D3A.010 | Benign carcinoid tumor of the duodenum |
| D3A.011 | Benign carcinoid tumor of the jejunum |
| D3A.012 | Benign carcinoid tumor of the ileum |
| D3A.019 | Benign carcinoid tumor of the small intestine, unspecified portion |
| D3A.020 | Benign carcinoid tumor of the appendix |

| ICD-10 CODE | DESCRIPTION |
|--------------------|---------------------------------------------------------------------|
| D3A.021 | Benign carcinoid tumor of the cecum |
| D3A.022 | Benign carcinoid tumor of the ascending colon |
| D3A.023 | Benign carcinoid tumor of the transverse colon |
| D3A.024 | Benign carcinoid tumor of the descending colon |
| D3A.025 | Benign carcinoid tumor of the sigmoid colon |
| D3A.026 | Benign carcinoid tumor of the rectum |
| D3A.029 | Benign carcinoid tumor of the large intestine, unspecified portion |
| D3A.090 | Benign carcinoid tumor of the bronchus and lung |
| D3A.091 | Benign carcinoid tumor of the thymus |
| D3A.092 | Benign carcinoid tumor of the stomach |
| D3A.093 | Benign carcinoid tumor of the kidney |
| D3A.094 | Benign carcinoid tumor of the foregut, unspecified |
| D3A.095 | Benign carcinoid tumor of the midgut, unspecified |
| D3A.096 | Benign carcinoid tumor of the hindgut, unspecified |
| D3A.098 | Benign carcinoid tumors of other sites |
| D3A.8 | Other benign neuroendocrine tumors |
| D37.1 | Neoplasm of uncertain behavior of stomach |
| D37.2 | Neoplasm of uncertain behavior of small intestine |
| D37.3 | Neoplasm of uncertain behavior of appendix |
| D37.4 | Neoplasm of uncertain behavior of colon |
| D37.5 | Neoplasm of uncertain behavior of rectum |
| D37.6 | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts |
| D39.0 | Neoplasm of uncertain behavior of uterus |
| D39.11 | Neoplasm of uncertain behavior of right ovary |
| D39.12 | Neoplasm of uncertain behavior of left ovary |
| D39.2 | Neoplasm of uncertain behavior of placenta |
| D40.0 | Neoplasm of uncertain behavior of prostate |
| ICD-10 CODE | DESCRIPTION |
| D41.01 | Neoplasm of uncertain behavior of right kidney |
| D41.02 | Neoplasm of uncertain behavior of left kidney |
| D41.11 | Neoplasm of uncertain behavior of right renal pelvis |
| D41.12 | Neoplasm of uncertain behavior of left renal pelvis |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------|
| D41.21 | Neoplasm of uncertain behavior of right ureter |
| D41.22 | Neoplasm of uncertain behavior of left ureter |
| D41.4 | Neoplasm of uncertain behavior of bladder |
| D44.11 | Neoplasm of uncertain behavior of right adrenal gland |
| D44.12 | Neoplasm of uncertain behavior of left adrenal gland |
| D45 | Polycythemia vera |
| D47.02 | Systemic mastocytosis |
| D47.09 | Other mast cell neoplasms of uncertain behavior |
| D47.Z1 | Post-transplant lymphoproliferative disorder (PTLD) |
| D47.Z2 | Castleman disease |
| D48.3 | Neoplasm of uncertain behavior of retroperitoneum |
| D48.4 | Neoplasm of uncertain behavior of peritoneum |
| D49.0 | Neoplasm of unspecified behavior of digestive system |
| D49.4 | Neoplasm of unspecified behavior of bladder |
| D49.511 | Neoplasm of unspecified behavior of right kidney |
| D49.512 | Neoplasm of unspecified behavior of left kidney |
| D49.519 | Neoplasm of unspecified behavior of unspecified kidney |
| D49.59 | Neoplasm of unspecified behavior of other genitourinary organ |
| D57.01 | Hb-SS disease with acute chest syndrome |
| D57.02 | Hb-SS disease with splenic sequestration |
| D57.211 | Sickle-cell/Hb-C disease with acute chest syndrome |
| D57.212 | Sickle-cell/Hb-C disease with splenic sequestration |
| D57.411 | Sickle-cell thalassemia with acute chest syndrome |
| D57.412 | Sickle-cell thalassemia with splenic sequestration |
| D57.811 | Other sickle-cell disorders with acute chest syndrome |
| D57.812 | Other sickle-cell disorders with splenic sequestration |
| D61.810 | Antineoplastic chemotherapy induced pancytopenia |
| D61.811 | Other drug-induced pancytopenia |
| D61.818 | Other pancytopenia |
| D69.6 | Thrombocytopenia, unspecified |
| D73.0 | Hyposplenism |
| D73.1 | Hypersplenism |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------|
| D73.2 | Chronic congestive splenomegaly |
| D73.3 | Abscess of spleen |
| D73.4 | Cyst of spleen |
| D73.5 | Infarction of spleen |
| D73.81 | Neutropenic splenomegaly |
| D73.89 | Other diseases of spleen |
| D73.9 | Disease of spleen, unspecified |
| D75.81 | Myelofibrosis |
| D78.01 | Intraoperative hemorrhage and hematoma of the spleen complicating a procedure on the spleen |
| D78.02 | Intraoperative hemorrhage and hematoma of the spleen complicating other procedure |
| D78.11 | Accidental puncture and laceration of the spleen during a procedure on the spleen |
| D78.12 | Accidental puncture and laceration of the spleen during other procedure |
| D78.21 | Postprocedural hemorrhage of the spleen following a procedure on the spleen |
| D78.22 | Postprocedural hemorrhage of the spleen following other procedure |
| E16.0 | Drug-induced hypoglycemia without coma |
| E16.1 | Other hypoglycemia |
| E16.3 | Increased secretion of glucagon |
| E16.4 | Increased secretion of gastrin |
| E16.8 | Other specified disorders of pancreatic internal secretion |
| E16.9 | Disorder of pancreatic internal secretion, unspecified |
| E24.0 | Pituitary-dependent Cushing's disease |
| E24.2 | Drug-induced Cushing's syndrome |
| E24.3 | Ectopic ACTH syndrome |
| E24.4 | Alcohol-induced pseudo-Cushing's syndrome |
| E24.8 | Other Cushing's syndrome |
| E24.9 | Cushing's syndrome, unspecified |
| E25.0 | Congenital adrenogenital disorders associated with enzyme deficiency |
| E25.8 | Other adrenogenital disorders |
| E25.9 | Adrenogenital disorder, unspecified |
| E26.01 | Conn's syndrome |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| E26.02 | Glucocorticoid-remediable aldosteronism |
| E26.09 | Other primary hyperaldosteronism |
| E26.1 | Secondary hyperaldosteronism |
| E26.81 | Bartter's syndrome |
| E26.89 | Other hyperaldosteronism |
| E26.9 | Hyperaldosteronism, unspecified |
| E28.2 | Polycystic ovarian syndrome |
| E28.310 | Symptomatic premature menopause |
| E28.319 | Asymptomatic premature menopause |
| E28.39 | Other primary ovarian failure |
| E28.9 | Ovarian dysfunction, unspecified |
| E36.01 | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating an endocrine system procedure |
| E36.02 | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating other procedure |
| E36.11 | Accidental puncture and laceration of an endocrine system organ or structure during an endocrine system procedure |
| E36.12 | Accidental puncture and laceration of an endocrine system organ or structure during other procedure |
| E71.39 | Other disorders of fatty-acid metabolism |
| E80.3 | Defects of catalase and peroxidase |
| E85.0 | Non-neuropathic heredofamilial amyloidosis |
| E85.1 | Neuropathic heredofamilial amyloidosis |
| E85.2 | Heredofamilial amyloidosis, unspecified |
| E85.3 | Secondary systemic amyloidosis |
| E85.4 | Organ-limited amyloidosis |
| E85.81 | Light chain (AL) amyloidosis |
| E85.82 | Wild-type transthyretin-related (ATTR) amyloidosis |
| E85.89 | Other amyloidosis |
| E85.9 | Amyloidosis, unspecified |
| E88.3 | Tumor lysis syndrome |
| E88.89 | Other specified metabolic disorders |
| E89.40 | Asymptomatic postprocedural ovarian failure |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------|
| E89.41 | Symptomatic postprocedural ovarian failure |
| G97.31 | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system procedure |
| G97.32 | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other procedure |
| G97.48 | Accidental puncture and laceration of other nervous system organ or structure during a nervous system procedure |
| G97.49 | Accidental puncture and laceration of other nervous system organ or structure during other procedure |
| ICD-10 CODE | DESCRIPTION |
| G97.51 | Postprocedural hemorrhage of a nervous system organ or structure following a nervous system procedure |
| G97.52 | Postprocedural hemorrhage of a nervous system organ or structure following other procedure |
| G97.61 | Postprocedural hematoma of a nervous system organ or structure following a nervous system procedure |
| G97.62 | Postprocedural hematoma of a nervous system organ or structure following other procedure |
| G97.63 | Postprocedural seroma of a nervous system organ or structure following a nervous system procedure |
| G97.64 | Postprocedural seroma of a nervous system organ or structure following other procedure |
| I08.0 | Rheumatic disorders of both mitral and aortic valves |
| I35.0 | Nonrheumatic aortic (valve) stenosis |
| I35.1 | Nonrheumatic aortic (valve) insufficiency |
| I35.2 | Nonrheumatic aortic (valve) stenosis with insufficiency |
| I35.8 | Other nonrheumatic aortic valve disorders |
| I35.9 | Nonrheumatic aortic valve disorder, unspecified |
| I71.00 | Dissection of unspecified site of aorta |
| I71.01 | Dissection of thoracic aorta |
| I71.02 | Dissection of abdominal aorta |
| I71.03 | Dissection of thoracoabdominal aorta |
| I71.1 | Thoracic aortic aneurysm, ruptured |
| I71.2 | Thoracic aortic aneurysm, without rupture |
| I71.3 | Abdominal aortic aneurysm, ruptured |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------|
| I71.4 | Abdominal aortic aneurysm, without rupture |
| I71.5 | Thoracoabdominal aortic aneurysm, ruptured |
| I71.6 | Thoracoabdominal aortic aneurysm, without rupture |
| I71.8 | Aortic aneurysm of unspecified site, ruptured |
| I71.9 | Aortic aneurysm of unspecified site, without rupture |
| I72.2 | Aneurysm of renal artery |
| I72.3 | Aneurysm of iliac artery |
| I72.4 | Aneurysm of artery of lower extremity |
| I72.8 | Aneurysm of other specified arteries |
| I74.01 | Saddle embolus of abdominal aorta |
| I74.09 | Other arterial embolism and thrombosis of abdominal aorta |
| I74.10 | Embolism and thrombosis of unspecified parts of aorta |
| I74.19 | Embolism and thrombosis of other parts of aorta |
| I74.5 | Embolism and thrombosis of iliac artery |
| I79.0 | Aneurysm of aorta in diseases classified elsewhere |
| I82.3 | Embolism and thrombosis of renal vein |
| I88.0 | Nonspecific mesenteric lymphadenitis |
| I89.0 | Lymphedema, not elsewhere classified |
| I97.410 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac catheterization |
| I97.411 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac bypass |
| I97.418 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other circulatory system procedure |
| I97.42 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other procedure |
| I97.51 | Accidental puncture and laceration of a circulatory system organ or structure during a circulatory system procedure |
| I97.52 | Accidental puncture and laceration of a circulatory system organ or structure during other procedure |
| I97.610 | Postprocedural hemorrhage of a circulatory system organ or structure following a cardiac catheterization |
| I97.611 | Postprocedural hemorrhage of a circulatory system organ or structure following cardiac bypass |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------|
| I97.618 | Postprocedural hemorrhage of a circulatory system organ or structure following other circulatory system procedure |
| I97.620 | Postprocedural hemorrhage of a circulatory system organ or structure following other procedure |
| I97.621 | Postprocedural hematoma of a circulatory system organ or structure following other procedure |
| I97.622 | Postprocedural seroma of a circulatory system organ or structure following other procedure |
| I97.630 | Postprocedural hematoma of a circulatory system organ or structure following a cardiac catheterization |
| I97.631 | Postprocedural hematoma of a circulatory system organ or structure following cardiac bypass |
| I97.638 | Postprocedural hematoma of a circulatory system organ or structure following other circulatory system procedure |
| I97.640 | Postprocedural seroma of a circulatory system organ or structure following a cardiac catheterization |
| I97.641 | Postprocedural seroma of a circulatory system organ or structure following cardiac bypass |
| I97.648 | Postprocedural seroma of a circulatory system organ or structure following other circulatory system procedure |
| K25.0 | Acute gastric ulcer with hemorrhage |
| K25.1 | Acute gastric ulcer with perforation |
| K25.2 | Acute gastric ulcer with both hemorrhage and perforation |
| K25.3 | Acute gastric ulcer without hemorrhage or perforation |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage |
| K25.5 | Chronic or unspecified gastric ulcer with perforation |
| K25.6 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation |
| K25.9 | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K26.0 | Acute duodenal ulcer with hemorrhage |
| K26.1 | Acute duodenal ulcer with perforation |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation |
| K26.3 | Acute duodenal ulcer without hemorrhage or perforation |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage |
| K26.5 | Chronic or unspecified duodenal ulcer with perforation |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------|
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation |
| K26.7 | Chronic duodenal ulcer without hemorrhage or perforation |
| K26.9 | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage |
| K27.1 | Acute peptic ulcer, site unspecified, with perforation |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation |
| K27.3 | Acute peptic ulcer, site unspecified, without hemorrhage or perforation |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage |
| K27.5 | Chronic or unspecified peptic ulcer, site unspecified, with perforation |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation |
| K27.7 | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation |
| K27.9 | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage |
| K28.1 | Acute gastrojejunal ulcer with perforation |
| K28.2 | Acute gastrojejunal ulcer with both hemorrhage and perforation |
| K28.3 | Acute gastrojejunal ulcer without hemorrhage or perforation |
| K28.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage |
| K28.5 | Chronic or unspecified gastrojejunal ulcer with perforation |
| K28.6 | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation |
| K28.7 | Chronic gastrojejunal ulcer without hemorrhage or perforation |
| K28.9 | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K29.00 | Acute gastritis without bleeding |
| K29.01 | Acute gastritis with bleeding |
| K29.20 | Alcoholic gastritis without bleeding |
| K29.21 | Alcoholic gastritis with bleeding |
| K29.30 | Chronic superficial gastritis without bleeding |
| K29.31 | Chronic superficial gastritis with bleeding |
| K29.40 | Chronic atrophic gastritis without bleeding |
| K29.41 | Chronic atrophic gastritis with bleeding |
| K29.50 | Unspecified chronic gastritis without bleeding |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------|
| K29.51 | Unspecified chronic gastritis with bleeding |
| K29.60 | Other gastritis without bleeding |
| K29.61 | Other gastritis with bleeding |
| K29.70 | Gastritis, unspecified, without bleeding |
| K29.71 | Gastritis, unspecified, with bleeding |
| K29.80 | Duodenitis without bleeding |
| K29.81 | Duodenitis with bleeding |
| K29.90 | Gastroduodenitis, unspecified, without bleeding |
| K29.91 | Gastroduodenitis, unspecified, with bleeding |
| K30 | Functional dyspepsia |
| K31.0 | Acute dilatation of stomach |
| K31.1 | Adult hypertrophic pyloric stenosis |
| K31.2 | Hourglass stricture and stenosis of stomach |
| K31.3 | Pylorospasm, not elsewhere classified |
| K31.4 | Gastric diverticulum |
| K31.5 | Obstruction of duodenum |
| K31.6 | Fistula of stomach and duodenum |
| K31.7 | Polyp of stomach and duodenum |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding |
| K31.819 | Angiodysplasia of stomach and duodenum without bleeding |
| K31.82 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum |
| K31.83 | Achlorhydria |
| K31.84 | Gastroparesis |
| K31.89 | Other diseases of stomach and duodenum |
| K31.9 | Disease of stomach and duodenum, unspecified |
| K35.20 | Acute appendicitis with generalized peritonitis, without abscess |
| K35.21 | Acute appendicitis with generalized peritonitis, with abscess |
| K35.30 | Acute appendicitis with localized peritonitis, without perforation or gangrene |
| K35.31 | Acute appendicitis with localized peritonitis and gangrene, without perforation |
| K35.32 | Acute appendicitis with perforation and localized peritonitis, without abscess |
| K35.33 | Acute appendicitis with perforation and localized peritonitis, with abscess |
| K35.80 | Unspecified acute appendicitis |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------|
| K35.890 | Other acute appendicitis without perforation or gangrene |
| K35.891 | Other acute appendicitis without perforation, with gangrene |
| K36 | Other appendicitis |
| K37 | Unspecified appendicitis |
| K38.0 | Hyperplasia of appendix |
| K38.1 | Appendicular concretions |
| K38.2 | Diverticulum of appendix |
| K38.3 | Fistula of appendix |
| K38.8 | Other specified diseases of appendix |
| K38.9 | Disease of appendix, unspecified |
| K40.00 | Bilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent |
| K40.01 | Bilateral inguinal hernia, with obstruction, without gangrene, recurrent |
| K40.10 | Bilateral inguinal hernia, with gangrene, not specified as recurrent |
| K40.11 | Bilateral inguinal hernia, with gangrene, recurrent |
| K40.20 | Bilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent |
| K40.21 | Bilateral inguinal hernia, without obstruction or gangrene, recurrent |
| K40.30 | Unilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent |
| K40.31 | Unilateral inguinal hernia, with obstruction, without gangrene, recurrent |
| K40.40 | Unilateral inguinal hernia, with gangrene, not specified as recurrent |
| K40.41 | Unilateral inguinal hernia, with gangrene, recurrent |
| K40.90 | Unilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent |
| K40.91 | Unilateral inguinal hernia, without obstruction or gangrene, recurrent |
| K41.00 | Bilateral femoral hernia, with obstruction, without gangrene, not specified as recurrent |
| K41.01 | Bilateral femoral hernia, with obstruction, without gangrene, recurrent |
| K41.10 | Bilateral femoral hernia, with gangrene, not specified as recurrent |
| K41.11 | Bilateral femoral hernia, with gangrene, recurrent |
| K41.20 | Bilateral femoral hernia, without obstruction or gangrene, not specified as recurrent |
| K41.21 | Bilateral femoral hernia, without obstruction or gangrene, recurrent |
| K41.30 | Unilateral femoral hernia, with obstruction, without gangrene, not specified as |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------|
| | recurrent |
| K41.31 | Unilateral femoral hernia, with obstruction, without gangrene, recurrent |
| K41.40 | Unilateral femoral hernia, with gangrene, not specified as recurrent |
| K41.41 | Unilateral femoral hernia, with gangrene, recurrent |
| K41.90 | Unilateral femoral hernia, without obstruction or gangrene, not specified as recurrent |
| K41.91 | Unilateral femoral hernia, without obstruction or gangrene, recurrent |
| K42.0 | Umbilical hernia with obstruction, without gangrene |
| K42.1 | Umbilical hernia with gangrene |
| K42.9 | Umbilical hernia without obstruction or gangrene |
| K43.0 | Incisional hernia with obstruction, without gangrene |
| K43.1 | Incisional hernia with gangrene |
| K43.2 | Incisional hernia without obstruction or gangrene |
| K43.3 | Parastomal hernia with obstruction, without gangrene |
| K43.4 | Parastomal hernia with gangrene |
| K43.5 | Parastomal hernia without obstruction or gangrene |
| K43.6 | Other and unspecified ventral hernia with obstruction, without gangrene |
| K43.7 | Other and unspecified ventral hernia with gangrene |
| K43.9 | Ventral hernia without obstruction or gangrene |
| K44.0 | Diaphragmatic hernia with obstruction, without gangrene |
| K44.1 | Diaphragmatic hernia with gangrene |
| K44.9 | Diaphragmatic hernia without obstruction or gangrene |
| K45.0 | Other specified abdominal hernia with obstruction, without gangrene |
| K45.1 | Other specified abdominal hernia with gangrene |
| K45.8 | Other specified abdominal hernia without obstruction or gangrene |
| K46.0 | Unspecified abdominal hernia with obstruction, without gangrene |
| K46.1 | Unspecified abdominal hernia with gangrene |
| K46.9 | Unspecified abdominal hernia without obstruction or gangrene |
| K50.00 | Crohn's disease of small intestine without complications |
| K50.011 | Crohn's disease of small intestine with rectal bleeding |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction |
| K50.013 | Crohn's disease of small intestine with fistula |

| ICD-10 CODE | DESCRIPTION |
|--------------------|----------------------------------------------------------------------------------|
| K50.014 | Crohn's disease of small intestine with abscess |
| K50.018 | Crohn's disease of small intestine with other complication |
| K50.019 | Crohn's disease of small intestine with unspecified complications |
| K50.10 | Crohn's disease of large intestine without complications |
| K50.111 | Crohn's disease of large intestine with rectal bleeding |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction |
| K50.113 | Crohn's disease of large intestine with fistula |
| K50.114 | Crohn's disease of large intestine with abscess |
| K50.118 | Crohn's disease of large intestine with other complication |
| ICD-10 CODE | DESCRIPTION |
| K50.119 | Crohn's disease of large intestine with unspecified complications |
| K50.80 | Crohn's disease of both small and large intestine without complications |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction |
| K50.813 | Crohn's disease of both small and large intestine with fistula |
| K50.814 | Crohn's disease of both small and large intestine with abscess |
| K50.818 | Crohn's disease of both small and large intestine with other complication |
| K50.819 | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90 | Crohn's disease, unspecified, without complications |
| K50.911 | Crohn's disease, unspecified, with rectal bleeding |
| K50.912 | Crohn's disease, unspecified, with intestinal obstruction |
| K50.913 | Crohn's disease, unspecified, with fistula |
| K50.914 | Crohn's disease, unspecified, with abscess |
| K50.918 | Crohn's disease, unspecified, with other complication |
| K50.919 | Crohn's disease, unspecified, with unspecified complications |
| K51.00 | Ulcerative (chronic) pancolitis without complications |
| K51.011 | Ulcerative (chronic) pancolitis with rectal bleeding |
| K51.012 | Ulcerative (chronic) pancolitis with intestinal obstruction |
| K51.013 | Ulcerative (chronic) pancolitis with fistula |
| K51.014 | Ulcerative (chronic) pancolitis with abscess |
| K51.018 | Ulcerative (chronic) pancolitis with other complication |
| K51.019 | Ulcerative (chronic) pancolitis with unspecified complications |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------|
| K51.20 | Ulcerative (chronic) proctitis without complications |
| K51.211 | Ulcerative (chronic) proctitis with rectal bleeding |
| K51.212 | Ulcerative (chronic) proctitis with intestinal obstruction |
| K51.213 | Ulcerative (chronic) proctitis with fistula |
| K51.214 | Ulcerative (chronic) proctitis with abscess |
| K51.218 | Ulcerative (chronic) proctitis with other complication |
| K51.219 | Ulcerative (chronic) proctitis with unspecified complications |
| K51.30 | Ulcerative (chronic) rectosigmoiditis without complications |
| K51.311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding |
| K51.312 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction |
| K51.313 | Ulcerative (chronic) rectosigmoiditis with fistula |
| K51.314 | Ulcerative (chronic) rectosigmoiditis with abscess |
| K51.318 | Ulcerative (chronic) rectosigmoiditis with other complication |
| K51.319 | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40 | Inflammatory polyps of colon without complications |
| K51.411 | Inflammatory polyps of colon with rectal bleeding |
| K51.412 | Inflammatory polyps of colon with intestinal obstruction |
| K51.413 | Inflammatory polyps of colon with fistula |
| K51.414 | Inflammatory polyps of colon with abscess |
| K51.418 | Inflammatory polyps of colon with other complication |
| K51.419 | Inflammatory polyps of colon with unspecified complications |
| K51.50 | Left sided colitis without complications |
| K51.511 | Left sided colitis with rectal bleeding |
| K51.512 | Left sided colitis with intestinal obstruction |
| K51.513 | Left sided colitis with fistula |
| K51.514 | Left sided colitis with abscess |
| K51.518 | Left sided colitis with other complication |
| K51.519 | Left sided colitis with unspecified complications |
| K51.80 | Other ulcerative colitis without complications |
| K51.811 | Other ulcerative colitis with rectal bleeding |
| K51.812 | Other ulcerative colitis with intestinal obstruction |
| K51.813 | Other ulcerative colitis with fistula |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------|
| K51.814 | Other ulcerative colitis with abscess |
| K51.818 | Other ulcerative colitis with other complication |
| K51.819 | Other ulcerative colitis with unspecified complications |
| K51.90 | Ulcerative colitis, unspecified, without complications |
| K51.911 | Ulcerative colitis, unspecified with rectal bleeding |
| K51.912 | Ulcerative colitis, unspecified with intestinal obstruction |
| K51.913 | Ulcerative colitis, unspecified with fistula |
| K51.914 | Ulcerative colitis, unspecified with abscess |
| K51.918 | Ulcerative colitis, unspecified with other complication |
| K51.919 | Ulcerative colitis, unspecified with unspecified complications |
| K52.0 | Gastroenteritis and colitis due to radiation |
| K52.1 | Toxic gastroenteritis and colitis |
| K52.21 | Food protein-induced enterocolitis syndrome |
| K52.22 | Food protein-induced enteropathy |
| K52.29 | Other allergic and dietetic gastroenteritis and colitis |
| K52.3 | Indeterminate colitis |
| K52.81 | Eosinophilic gastritis or gastroenteritis |
| K52.82 | Eosinophilic colitis |
| K52.831 | Collagenous colitis |
| K52.832 | Lymphocytic colitis |
| K52.838 | Other microscopic colitis |
| K52.839 | Microscopic colitis, unspecified |
| K52.89 | Other specified noninfective gastroenteritis and colitis |
| K52.9 | Noninfective gastroenteritis and colitis, unspecified |
| K55.011 | Focal (segmental) acute (reversible) ischemia of small intestine |
| K55.012 | Diffuse acute (reversible) ischemia of small intestine |
| K55.019 | Acute (reversible) ischemia of small intestine, extent unspecified |
| K55.021 | Focal (segmental) acute infarction of small intestine |
| K55.022 | Diffuse acute infarction of small intestine |
| K55.029 | Acute infarction of small intestine, extent unspecified |
| K55.031 | Focal (segmental) acute (reversible) ischemia of large intestine |
| K55.032 | Diffuse acute (reversible) ischemia of large intestine |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------|
| K55.039 | Acute (reversible) ischemia of large intestine, extent unspecified |
| K55.041 | Focal (segmental) acute infarction of large intestine |
| K55.042 | Diffuse acute infarction of large intestine |
| K55.049 | Acute infarction of large intestine, extent unspecified |
| K55.051 | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified |
| K55.052 | Diffuse acute (reversible) ischemia of intestine, part unspecified |
| K55.059 | Acute (reversible) ischemia of intestine, part and extent unspecified |
| K55.061 | Focal (segmental) acute infarction of intestine, part unspecified |
| K55.062 | Diffuse acute infarction of intestine, part unspecified |
| K55.069 | Acute infarction of intestine, part and extent unspecified |
| K55.1 | Chronic vascular disorders of intestine |
| K55.20 | Angiodysplasia of colon without hemorrhage |
| K55.21 | Angiodysplasia of colon with hemorrhage |
| K55.30 | Necrotizing enterocolitis, unspecified |
| ICD-10 CODE | DESCRIPTION |
| K55.31 | Stage 1 necrotizing enterocolitis |
| K55.32 | Stage 2 necrotizing enterocolitis |
| K55.33 | Stage 3 necrotizing enterocolitis |
| K55.8 | Other vascular disorders of intestine |
| K55.9 | Vascular disorder of intestine, unspecified |
| K56.0 | Paralytic ileus |
| K56.1 | Intussusception |
| K56.2 | Volvulus |
| K56.3 | Gallstone ileus |
| K56.41 | Fecal impaction |
| K56.49 | Other impaction of intestine |
| K56.50 | Intestinal adhesions [bands], unspecified as to partial versus complete obstruction |
| K56.51 | Intestinal adhesions [bands], with partial obstruction |
| K56.52 | Intestinal adhesions [bands] with complete obstruction |
| K56.600 | Partial intestinal obstruction, unspecified as to cause |
| K56.601 | Complete intestinal obstruction, unspecified as to cause |
| K56.609 | Unspecified intestinal obstruction, unspecified as to partial versus complete |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------|
| | obstruction |
| K56.690 | Other partial intestinal obstruction |
| K56.691 | Other complete intestinal obstruction |
| K56.699 | Other intestinal obstruction unspecified as to partial versus complete obstruction |
| K56.7 | Ileus, unspecified |
| K57.00 | Diverticulitis of small intestine with perforation and abscess without bleeding |
| K57.01 | Diverticulitis of small intestine with perforation and abscess with bleeding |
| K57.10 | Diverticulosis of small intestine without perforation or abscess without bleeding |
| K57.11 | Diverticulosis of small intestine without perforation or abscess with bleeding |
| K57.12 | Diverticulitis of small intestine without perforation or abscess without bleeding |
| K57.13 | Diverticulitis of small intestine without perforation or abscess with bleeding |
| K57.20 | Diverticulitis of large intestine with perforation and abscess without bleeding |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding |
| K57.30 | Diverticulosis of large intestine without perforation or abscess without bleeding |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding |
| K57.32 | Diverticulitis of large intestine without perforation or abscess without bleeding |
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding |
| K57.40 | Diverticulitis of both small and large intestine with perforation and abscess without bleeding |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding |
| K57.50 | Diverticulosis of both small and large intestine without perforation or abscess without bleeding |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding |
| K57.52 | Diverticulitis of both small and large intestine without perforation or abscess without bleeding |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding |
| K57.80 | Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding |
| K57.90 | Diverticulosis of intestine, part unspecified, without perforation or abscess without |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------|
| | bleeding |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding |
| K57.92 | Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding |
| K58.0 | Irritable bowel syndrome with diarrhea |
| K58.1 | Irritable bowel syndrome with constipation |
| K58.2 | Mixed irritable bowel syndrome |
| K58.8 | Other irritable bowel syndrome |
| K58.9 | Irritable bowel syndrome without diarrhea |
| K59.00 | Constipation, unspecified |
| K59.01 | Slow transit constipation |
| K59.02 | Outlet dysfunction constipation |
| K59.03 | Drug induced constipation |
| K59.04 | Chronic idiopathic constipation |
| K59.09 | Other constipation |
| K59.1 | Functional diarrhea |
| K59.2 | Neurogenic bowel, not elsewhere classified |
| K59.31 | Toxic megacolon |
| K59.39 | Other megacolon |
| K59.4 | Anal spasm |
| K59.8 | Other specified functional intestinal disorders |
| K59.9 | Functional intestinal disorder, unspecified |
| K61.0 | Anal abscess |
| K61.1 | Rectal abscess |
| K61.2 | Anorectal abscess |
| K61.31 | Horseshoe abscess |
| K61.39 | Other ischiorectal abscess |
| K61.4 | Intrasphincteric abscess |
| K61.5 | Suprlevator abscess |
| K62.6 | Ulcer of anus and rectum |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------|
| K62.7 | Radiation proctitis |
| K62.89 | Other specified diseases of anus and rectum |
| K62.9 | Disease of anus and rectum, unspecified |
| K63.0 | Abscess of intestine |
| K63.1 | Perforation of intestine (nontraumatic) |
| K63.2 | Fistula of intestine |
| K63.3 | Ulcer of intestine |
| K63.4 | Enteroptosis |
| K63.5 | Polyp of colon |
| K63.81 | Dieulafoy lesion of intestine |
| K63.89 | Other specified diseases of intestine |
| K65.0 | Generalized (acute) peritonitis |
| K65.1 | Peritoneal abscess |
| K65.2 | Spontaneous bacterial peritonitis |
| K65.3 | Choleperitonitis |
| K65.4 | Sclerosing mesenteritis |
| K65.8 | Other peritonitis |
| K65.9 | Peritonitis, unspecified |
| K66.0 | Peritoneal adhesions (postprocedural) (postinfection) |
| K66.1 | Hemoperitoneum |
| K66.8 | Other specified disorders of peritoneum |
| K66.9 | Disorder of peritoneum, unspecified |
| K67 | Disorders of peritoneum in infectious diseases classified elsewhere |
| K68.12 | Psoas muscle abscess |
| K68.19 | Other retroperitoneal abscess |
| K68.9 | Other disorders of retroperitoneum |
| K70.0 | Alcoholic fatty liver |
| K70.10 | Alcoholic hepatitis without ascites |
| K70.11 | Alcoholic hepatitis with ascites |
| ICD-10 CODE | DESCRIPTION |
| K70.2 | Alcoholic fibrosis and sclerosis of liver |
| K70.30 | Alcoholic cirrhosis of liver without ascites |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------|
| K70.31 | Alcoholic cirrhosis of liver with ascites |
| K70.40 | Alcoholic hepatic failure without coma |
| K70.41 | Alcoholic hepatic failure with coma |
| K70.9 | Alcoholic liver disease, unspecified |
| K71.0 | Toxic liver disease with cholestasis |
| K71.10 | Toxic liver disease with hepatic necrosis, without coma |
| K71.11 | Toxic liver disease with hepatic necrosis, with coma |
| K71.2 | Toxic liver disease with acute hepatitis |
| K71.3 | Toxic liver disease with chronic persistent hepatitis |
| K71.4 | Toxic liver disease with chronic lobular hepatitis |
| K71.50 | Toxic liver disease with chronic active hepatitis without ascites |
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites |
| K71.6 | Toxic liver disease with hepatitis, not elsewhere classified |
| K71.7 | Toxic liver disease with fibrosis and cirrhosis of liver |
| K71.8 | Toxic liver disease with other disorders of liver |
| K71.9 | Toxic liver disease, unspecified |
| K72.00 | Acute and subacute hepatic failure without coma |
| K72.01 | Acute and subacute hepatic failure with coma |
| K72.10 | Chronic hepatic failure without coma |
| K72.11 | Chronic hepatic failure with coma |
| K72.90 | Hepatic failure, unspecified without coma |
| K72.91 | Hepatic failure, unspecified with coma |
| K73.0 | Chronic persistent hepatitis, not elsewhere classified |
| K73.1 | Chronic lobular hepatitis, not elsewhere classified |
| K73.2 | Chronic active hepatitis, not elsewhere classified |
| K73.8 | Other chronic hepatitis, not elsewhere classified |
| K73.9 | Chronic hepatitis, unspecified |
| K74.0 | Hepatic fibrosis |
| K74.1 | Hepatic sclerosis |
| K74.2 | Hepatic fibrosis with hepatic sclerosis |
| K74.3 | Primary biliary cirrhosis |
| K74.4 | Secondary biliary cirrhosis |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------|
| K74.5 | Biliary cirrhosis, unspecified |
| K74.60 | Unspecified cirrhosis of liver |
| K74.69 | Other cirrhosis of liver |
| K75.0 | Abscess of liver |
| K75.1 | Phlebitis of portal vein |
| K75.2 | Nonspecific reactive hepatitis |
| K75.3 | Granulomatous hepatitis, not elsewhere classified |
| K75.4 | Autoimmune hepatitis |
| K75.81 | Nonalcoholic steatohepatitis (NASH) |
| K75.89 | Other specified inflammatory liver diseases |
| K75.9 | Inflammatory liver disease, unspecified |
| K76.0 | Fatty (change of) liver, not elsewhere classified |
| K76.1 | Chronic passive congestion of liver |
| K76.2 | Central hemorrhagic necrosis of liver |
| K76.3 | Infarction of liver |
| K76.4 | Peliosis hepatis |
| K76.5 | Hepatic veno-occlusive disease |
| K76.6 | Portal hypertension |
| K76.7 | Hepatorenal syndrome |
| K76.81 | Hepatopulmonary syndrome |
| K76.89 | Other specified diseases of liver |
| K76.9 | Liver disease, unspecified |
| K77 | Liver disorders in diseases classified elsewhere |
| K80.00 | Calculus of gallbladder with acute cholecystitis without obstruction |
| K80.01 | Calculus of gallbladder with acute cholecystitis with obstruction |
| K80.10 | Calculus of gallbladder with chronic cholecystitis without obstruction |
| K80.11 | Calculus of gallbladder with chronic cholecystitis with obstruction |
| K80.12 | Calculus of gallbladder with acute and chronic cholecystitis without obstruction |
| K80.13 | Calculus of gallbladder with acute and chronic cholecystitis with obstruction |
| K80.18 | Calculus of gallbladder with other cholecystitis without obstruction |
| K80.19 | Calculus of gallbladder with other cholecystitis with obstruction |
| K80.20 | Calculus of gallbladder without cholecystitis without obstruction |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------|
| K80.21 | Calculus of gallbladder without cholecystitis with obstruction |
| K80.30 | Calculus of bile duct with cholangitis, unspecified, without obstruction |
| K80.31 | Calculus of bile duct with cholangitis, unspecified, with obstruction |
| K80.32 | Calculus of bile duct with acute cholangitis without obstruction |
| K80.33 | Calculus of bile duct with acute cholangitis with obstruction |
| K80.34 | Calculus of bile duct with chronic cholangitis without obstruction |
| K80.35 | Calculus of bile duct with chronic cholangitis with obstruction |
| K80.36 | Calculus of bile duct with acute and chronic cholangitis without obstruction |
| K80.37 | Calculus of bile duct with acute and chronic cholangitis with obstruction |
| K80.40 | Calculus of bile duct with cholecystitis, unspecified, without obstruction |
| K80.41 | Calculus of bile duct with cholecystitis, unspecified, with obstruction |
| K80.42 | Calculus of bile duct with acute cholecystitis without obstruction |
| K80.43 | Calculus of bile duct with acute cholecystitis with obstruction |
| K80.44 | Calculus of bile duct with chronic cholecystitis without obstruction |
| K80.45 | Calculus of bile duct with chronic cholecystitis with obstruction |
| K80.46 | Calculus of bile duct with acute and chronic cholecystitis without obstruction |
| K80.47 | Calculus of bile duct with acute and chronic cholecystitis with obstruction |
| K80.50 | Calculus of bile duct without cholangitis or cholecystitis without obstruction |
| K80.51 | Calculus of bile duct without cholangitis or cholecystitis with obstruction |
| K80.60 | Calculus of gallbladder and bile duct with cholecystitis, unspecified, without obstruction |
| K80.61 | Calculus of gallbladder and bile duct with cholecystitis, unspecified, with obstruction |
| K80.62 | Calculus of gallbladder and bile duct with acute cholecystitis without obstruction |
| K80.63 | Calculus of gallbladder and bile duct with acute cholecystitis with obstruction |
| K80.64 | Calculus of gallbladder and bile duct with chronic cholecystitis without obstruction |
| K80.65 | Calculus of gallbladder and bile duct with chronic cholecystitis with obstruction |
| K80.66 | Calculus of gallbladder and bile duct with acute and chronic cholecystitis without obstruction |
| K80.67 | Calculus of gallbladder and bile duct with acute and chronic cholecystitis with obstruction |
| K80.70 | Calculus of gallbladder and bile duct without cholecystitis without obstruction |
| K80.71 | Calculus of gallbladder and bile duct without cholecystitis with obstruction |
| K80.80 | Other cholelithiasis without obstruction |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------|
| K80.81 | Other cholelithiasis with obstruction |
| K81.0 | Acute cholecystitis |
| K81.1 | Chronic cholecystitis |
| K81.2 | Acute cholecystitis with chronic cholecystitis |
| ICD-10 CODE | DESCRIPTION |
| K81.9 | Cholecystitis, unspecified |
| K82.0 | Obstruction of gallbladder |
| K82.1 | Hydrops of gallbladder |
| K82.2 | Perforation of gallbladder |
| K82.3 | Fistula of gallbladder |
| K82.4 | Cholesterolosis of gallbladder |
| K82.8 | Other specified diseases of gallbladder |
| K82.9 | Disease of gallbladder, unspecified |
| K82.A1 | Gangrene of gallbladder in cholecystitis |
| K82.A2 | Perforation of gallbladder in cholecystitis |
| K83.01 | Primary sclerosing cholangitis |
| K83.09 | Other cholangitis |
| K83.1 | Obstruction of bile duct |
| K83.2 | Perforation of bile duct |
| K83.3 | Fistula of bile duct |
| K83.4 | Spasm of sphincter of Oddi |
| K83.5 | Biliary cyst |
| K83.8 | Other specified diseases of biliary tract |
| K83.9 | Disease of biliary tract, unspecified |
| K85.00 | Idiopathic acute pancreatitis without necrosis or infection |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis |
| K85.10 | Biliary acute pancreatitis without necrosis or infection |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis |
| K85.12 | Biliary acute pancreatitis with infected necrosis |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection |
| K85.21 | Alcohol induced acute pancreatitis with uninfected necrosis |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------|
| K85.22 | Alcohol induced acute pancreatitis with infected necrosis |
| K85.30 | Drug induced acute pancreatitis without necrosis or infection |
| K85.31 | Drug induced acute pancreatitis with uninfected necrosis |
| K85.32 | Drug induced acute pancreatitis with infected necrosis |
| K85.80 | Other acute pancreatitis without necrosis or infection |
| K85.81 | Other acute pancreatitis with uninfected necrosis |
| K85.82 | Other acute pancreatitis with infected necrosis |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified |
| K86.0 | Alcohol-induced chronic pancreatitis |
| K86.1 | Other chronic pancreatitis |
| K86.2 | Cyst of pancreas |
| K86.3 | Pseudocyst of pancreas |
| K86.81 | Exocrine pancreatic insufficiency |
| K86.89 | Other specified diseases of pancreas |
| K86.9 | Disease of pancreas, unspecified |
| K87 | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.41 | Non-celiac gluten sensitivity |
| K90.49 | Malabsorption due to intolerance, not elsewhere classified |
| K91.0 | Vomiting following gastrointestinal surgery |
| K91.1 | Postgastric surgery syndromes |
| K91.30 | Postprocedural intestinal obstruction, unspecified as to partial versus complete |
| K91.31 | Postprocedural partial intestinal obstruction |
| K91.32 | Postprocedural complete intestinal obstruction |
| K91.5 | Postcholecystectomy syndrome |
| K91.61 | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating a digestive system procedure |
| K91.62 | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating other procedure |
| K91.71 | Accidental puncture and laceration of a digestive system organ or structure during a digestive system procedure |
| K91.72 | Accidental puncture and laceration of a digestive system organ or structure during |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------|
| | other procedure |
| K91.81 | Other intraoperative complications of digestive system |
| K91.82 | Postprocedural hepatic failure |
| K91.83 | Postprocedural hepatorenal syndrome |
| K91.840 | Postprocedural hemorrhage of a digestive system organ or structure following a digestive system procedure |
| K91.841 | Postprocedural hemorrhage of a digestive system organ or structure following other procedure |
| K91.850 | Pouchitis |
| K91.858 | Other complications of intestinal pouch |
| K91.870 | Postprocedural hematoma of a digestive system organ or structure following a digestive system procedure |
| K91.871 | Postprocedural hematoma of a digestive system organ or structure following other procedure |
| K91.872 | Postprocedural seroma of a digestive system organ or structure following a digestive system procedure |
| K91.873 | Postprocedural seroma of a digestive system organ or structure following other procedure |
| K91.89 | Other postprocedural complications and disorders of digestive system |
| K92.0 | Hematemesis |
| K92.1 | Melena |
| K92.2 | Gastrointestinal hemorrhage, unspecified |
| K92.89 | Other specified diseases of the digestive system |
| K94.01 | Colostomy hemorrhage |
| K94.02 | Colostomy infection |
| K94.03 | Colostomy malfunction |
| K94.09 | Other complications of colostomy |
| K94.11 | Enterostomy hemorrhage |
| K94.12 | Enterostomy infection |
| K94.13 | Enterostomy malfunction |
| K94.19 | Other complications of enterostomy |
| K94.20 | Gastrostomy complication, unspecified |
| K94.21 | Gastrostomy hemorrhage |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------|
| K94.22 | Gastrostomy infection |
| K94.23 | Gastrostomy malfunction |
| K94.29 | Other complications of gastrostomy |
| K95.01 | Infection due to gastric band procedure |
| K95.09 | Other complications of gastric band procedure |
| K95.81 | Infection due to other bariatric procedure |
| K95.89 | Other complications of other bariatric procedure |
| L02.211 | Cutaneous abscess of abdominal wall |
| L02.212 | Cutaneous abscess of back [any part, except buttock] |
| L02.214 | Cutaneous abscess of groin |
| L02.215 | Cutaneous abscess of perineum |
| L02.216 | Cutaneous abscess of umbilicus |
| L02.219 | Cutaneous abscess of trunk, unspecified |
| L02.31 | Cutaneous abscess of buttock |
| L03.311 | Cellulitis of abdominal wall |
| L03.312 | Cellulitis of back [any part except buttock] |
| L03.314 | Cellulitis of groin |
| ICD-10 CODE | DESCRIPTION |
| L03.315 | Cellulitis of perineum |
| L03.316 | Cellulitis of umbilicus |
| L03.321 | Acute lymphangitis of abdominal wall |
| L03.322 | Acute lymphangitis of back [any part except buttock] |
| L03.324 | Acute lymphangitis of groin |
| L03.325 | Acute lymphangitis of perineum |
| L03.326 | Acute lymphangitis of umbilicus |
| L03.327 | Acute lymphangitis of buttock |
| L76.01 | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating a dermatologic procedure |
| L76.02 | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating other procedure |
| L76.11 | Accidental puncture and laceration of skin and subcutaneous tissue during a dermatologic procedure |
| L76.12 | Accidental puncture and laceration of skin and subcutaneous tissue during other |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------|
| | procedure |
| L76.21 | Postprocedural hemorrhage of skin and subcutaneous tissue following a dermatologic procedure |
| L76.22 | Postprocedural hemorrhage of skin and subcutaneous tissue following other procedure |
| L98.3 | Eosinophilic cellulitis [Wells] |
| M25.551 | Pain in right hip |
| M25.552 | Pain in left hip |
| M96.810 | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating a musculoskeletal system procedure |
| M96.811 | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating other procedure |
| M96.820 | Accidental puncture and laceration of a musculoskeletal structure during a musculoskeletal system procedure |
| M96.821 | Accidental puncture and laceration of a musculoskeletal structure during other procedure |
| M96.830 | Postprocedural hemorrhage of a musculoskeletal structure following a musculoskeletal system procedure |
| M96.831 | Postprocedural hemorrhage of a musculoskeletal structure following other procedure |
| M96.840 | Postprocedural hematoma of a musculoskeletal structure following a musculoskeletal system procedure |
| M96.841 | Postprocedural hematoma of a musculoskeletal structure following other procedure |
| M96.842 | Postprocedural seroma of a musculoskeletal structure following a musculoskeletal system procedure |
| M96.843 | Postprocedural seroma of a musculoskeletal structure following other procedure |
| N02.2 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis |
| N02.4 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis |
| N02.7 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis |
| N11.1 | Chronic obstructive pyelonephritis |
| N13.1 | Hydronephrosis with ureteral stricture, not elsewhere classified |
| N13.2 | Hydronephrosis with renal and ureteral calculous obstruction |
| N13.30 | Unspecified hydronephrosis |
| N13.39 | Other hydronephrosis |
| N13.4 | Hydroureter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------|
| N13.5 | Crossing vessel and stricture of ureter without hydronephrosis |
| N13.70 | Vesicoureteral-reflux, unspecified |
| N13.71 | Vesicoureteral-reflux without reflux nephropathy |
| N13.721 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unilateral |
| N13.722 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, bilateral |
| N13.729 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unspecified |
| N13.731 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unilateral |
| N13.732 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, bilateral |
| N13.739 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unspecified |
| N13.8 | Other obstructive and reflux uropathy |
| N13.9 | Obstructive and reflux uropathy, unspecified |
| N15.1 | Renal and perinephric abscess |
| N20.0 | Calculus of kidney |
| N20.1 | Calculus of ureter |
| N20.2 | Calculus of kidney with calculus of ureter |
| N20.9 | Urinary calculus, unspecified |
| N22 | Calculus of urinary tract in diseases classified elsewhere |
| N28.0 | Ischemia and infarction of kidney |
| N28.1 | Cyst of kidney, acquired |
| N28.81 | Hypertrophy of kidney |
| N28.82 | Megaloureter |
| N28.83 | Nephroptosis |
| N28.89 | Other specified disorders of kidney and ureter |
| N28.9 | Disorder of kidney and ureter, unspecified |
| N29 | Other disorders of kidney and ureter in diseases classified elsewhere |
| N30.00 | Acute cystitis without hematuria |
| N30.01 | Acute cystitis with hematuria |
| N30.10 | Interstitial cystitis (chronic) without hematuria |
| N30.11 | Interstitial cystitis (chronic) with hematuria |
| N30.20 | Other chronic cystitis without hematuria |
| N30.21 | Other chronic cystitis with hematuria |
| N30.30 | Trigonitis without hematuria |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------|
| N30.31 | Trigonitis with hematuria |
| N30.40 | Irradiation cystitis without hematuria |
| N30.41 | Irradiation cystitis with hematuria |
| N30.80 | Other cystitis without hematuria |
| N30.81 | Other cystitis with hematuria |
| N30.90 | Cystitis, unspecified without hematuria |
| N30.91 | Cystitis, unspecified with hematuria |
| N32.0 | Bladder-neck obstruction |
| N32.89 | Other specified disorders of bladder |
| N33 | Bladder disorders in diseases classified elsewhere |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| N35.812 | Other urethral bulbous stricture, male |
| N35.813 | Other membranous urethral stricture, male |
| N35.814 | Other anterior urethral stricture, male |
| N35.816 | Other urethral stricture, male, overlapping sites |
| N35.819 | Other urethral stricture, male, unspecified site |
| N35.82 | Other urethral stricture, female |
| N35.912 | Unspecified bulbous urethral stricture, male |
| N35.913 | Unspecified membranous urethral stricture, male |
| N35.914 | Unspecified anterior urethral stricture, male |
| N35.916 | Unspecified urethral stricture, male, overlapping sites |
| N35.919 | Unspecified urethral stricture, male, unspecified site |
| N35.92 | Unspecified urethral stricture, female |
| N36.0 | Urethral fistula |
| N40.0 | Benign prostatic hyperplasia without lower urinary tract symptoms |
| N40.1 | Benign prostatic hyperplasia with lower urinary tract symptoms |
| N40.2 | Nodular prostate without lower urinary tract symptoms |
| N40.3 | Nodular prostate with lower urinary tract symptoms |
| N70.01 | Acute salpingitis |
| N70.02 | Acute oophoritis |
| N70.03 | Acute salpingitis and oophoritis |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------|
| N70.11 | Chronic salpingitis |
| N70.12 | Chronic oophoritis |
| N70.13 | Chronic salpingitis and oophoritis |
| N70.91 | Salpingitis, unspecified |
| N70.92 | Oophoritis, unspecified |
| N70.93 | Salpingitis and oophoritis, unspecified |
| N71.0 | Acute inflammatory disease of uterus |
| N71.1 | Chronic inflammatory disease of uterus |
| N71.9 | Inflammatory disease of uterus, unspecified |
| N73.0 | Acute parametritis and pelvic cellulitis |
| N73.1 | Chronic parametritis and pelvic cellulitis |
| N73.2 | Unspecified parametritis and pelvic cellulitis |
| N73.3 | Female acute pelvic peritonitis |
| N73.4 | Female chronic pelvic peritonitis |
| N73.5 | Female pelvic peritonitis, unspecified |
| N73.6 | Female pelvic peritoneal adhesions (postinfective) |
| N73.8 | Other specified female pelvic inflammatory diseases |
| N73.9 | Female pelvic inflammatory disease, unspecified |
| N74 | Female pelvic inflammatory disorders in diseases classified elsewhere |
| N80.0 | Endometriosis of uterus |
| N80.1 | Endometriosis of ovary |
| N80.2 | Endometriosis of fallopian tube |
| N80.3 | Endometriosis of pelvic peritoneum |
| N80.4 | Endometriosis of rectovaginal septum and vagina |
| N80.5 | Endometriosis of intestine |
| N80.6 | Endometriosis in cutaneous scar |
| N80.8 | Other endometriosis |
| N80.9 | Endometriosis, unspecified |
| N81.0 | Urethrocele |
| N81.10 | Cystocele, unspecified |
| N81.11 | Cystocele, midline |
| N81.12 | Cystocele, lateral |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------|
| N81.2 | Incomplete uterovaginal prolapse |
| N81.6 | Rectocele |
| N81.81 | Perineocele |
| N81.82 | Incompetence or weakening of pubocervical tissue |
| N81.83 | Incompetence or weakening of rectovaginal tissue |
| N81.84 | Pelvic muscle wasting |
| N81.85 | Cervical stump prolapse |
| N81.89 | Other female genital prolapse |
| N81.9 | Female genital prolapse, unspecified |
| N82.0 | Vesicovaginal fistula |
| N82.1 | Other female urinary-genital tract fistulae |
| N82.2 | Fistula of vagina to small intestine |
| N82.3 | Fistula of vagina to large intestine |
| N82.4 | Other female intestinal-genital tract fistulae |
| N82.5 | Female genital tract-skin fistulae |
| N82.8 | Other female genital tract fistulae |
| N82.9 | Female genital tract fistula, unspecified |
| N83.01 | Follicular cyst of right ovary |
| N83.02 | Follicular cyst of left ovary |
| N83.11 | Corpus luteum cyst of right ovary |
| N83.12 | Corpus luteum cyst of left ovary |
| N83.201 | Unspecified ovarian cyst, right side |
| N83.202 | Unspecified ovarian cyst, left side |
| N83.291 | Other ovarian cyst, right side |
| N83.292 | Other ovarian cyst, left side |
| N83.311 | Acquired atrophy of right ovary |
| N83.312 | Acquired atrophy of left ovary |
| N83.321 | Acquired atrophy of right fallopian tube |
| N83.322 | Acquired atrophy of left fallopian tube |
| N83.331 | Acquired atrophy of right ovary and fallopian tube |
| N83.332 | Acquired atrophy of left ovary and fallopian tube |
| N83.41 | Prolapse and hernia of right ovary and fallopian tube |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| N83.42 | Prolapse and hernia of left ovary and fallopian tube |
| N83.511 | Torsion of right ovary and ovarian pedicle |
| N83.512 | Torsion of left ovary and ovarian pedicle |
| N83.521 | Torsion of right fallopian tube |
| N83.522 | Torsion of left fallopian tube |
| N83.53 | Torsion of ovary, ovarian pedicle and fallopian tube |
| N83.6 | Hematosalpinx |
| N83.7 | Hematoma of broad ligament |
| N83.8 | Other noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83.9 | Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified |
| N85.02 | Endometrial intraepithelial neoplasia [EIN] |
| N85.7 | Hematometra |
| N85.8 | Other specified noninflammatory disorders of uterus |
| N92.1 | Excessive and frequent menstruation with irregular cycle |
| N94.89 | Other specified conditions associated with female genital organs and menstrual cycle |
| N99.0 | Postprocedural (acute) (chronic) kidney failure |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites |
| N99.4 | Postprocedural pelvic peritoneal adhesions |
| N99.510 | Cystostomy hemorrhage |
| N99.511 | Cystostomy infection |
| N99.512 | Cystostomy malfunction |
| N99.518 | Other cystostomy complication |
| N99.520 | Hemorrhage of incontinent external stoma of urinary tract |
| N99.521 | Infection of incontinent external stoma of urinary tract |
| N99.522 | Malfunction of incontinent external stoma of urinary tract |
| N99.523 | Herniation of incontinent stoma of urinary tract |
| N99.524 | Stenosis of incontinent stoma of urinary tract |
| N99.528 | Other complication of incontinent external stoma of urinary tract |
| N99.530 | Hemorrhage of continent stoma of urinary tract |
| N99.531 | Infection of continent stoma of urinary tract |
| N99.532 | Malfunction of continent stoma of urinary tract |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------|
| N99.533 | Herniation of continent stoma of urinary tract |
| N99.534 | Stenosis of continent stoma of urinary tract |
| N99.538 | Other complication of continent stoma of urinary tract |
| N99.61 | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating a genitourinary system procedure |
| N99.62 | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating other procedure |
| ICD-10 CODE | DESCRIPTION |
| N99.71 | Accidental puncture and laceration of a genitourinary system organ or structure during a genitourinary system procedure |
| N99.72 | Accidental puncture and laceration of a genitourinary system organ or structure during other procedure |
| N99.81 | Other intraoperative complications of genitourinary system |
| N99.820 | Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure |
| N99.821 | Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure |
| N99.83 | Residual ovary syndrome |
| N99.840 | Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure |
| N99.841 | Postprocedural hematoma of a genitourinary system organ or structure following other procedure |
| N99.842 | Postprocedural seroma of a genitourinary system organ or structure following a genitourinary system procedure |
| N99.843 | Postprocedural seroma of a genitourinary system organ or structure following other procedure |
| N99.85 | Post endometrial ablation syndrome |
| N99.89 | Other postprocedural complications and disorders of genitourinary system |
| O02.0 | Blighted ovum and nonhydatidiform mole |
| O02.89 | Other abnormal products of conception |
| O02.9 | Abnormal product of conception, unspecified |
| O08.0 | Genital tract and pelvic infection following ectopic and molar pregnancy |
| O08.1 | Delayed or excessive hemorrhage following ectopic and molar pregnancy |
| O08.82 | Sepsis following ectopic and molar pregnancy |
| O71.1 | Rupture of uterus during labor |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| O71.4 | Obstetric high vaginal laceration alone |
| O71.5 | Other obstetric injury to pelvic organs |
| O85 | Puerperal sepsis |
| O86.00 | Infection of obstetric surgical wound, unspecified |
| O86.01 | Infection of obstetric surgical wound, superficial incisional site |
| O86.02 | Infection of obstetric surgical wound, deep incisional site |
| O86.03 | Infection of obstetric surgical wound, organ and space site |
| O86.04 | Sepsis following an obstetrical procedure |
| O86.09 | Infection of obstetric surgical wound, other surgical site |
| O86.12 | Endometritis following delivery |
| O86.81 | Puerperal septic thrombophlebitis |
| O86.89 | Other specified puerperal infections |
| Q26.5 | Anomalous portal venous connection |
| Q26.6 | Portal vein-hepatic artery fistula |
| Q27.33 | Arteriovenous malformation of digestive system vessel |
| Q39.5 | Congenital dilatation of esophagus |
| Q40.2 | Other specified congenital malformations of stomach |
| Q40.3 | Congenital malformation of stomach, unspecified |
| Q41.0 | Congenital absence, atresia and stenosis of duodenum |
| Q41.1 | Congenital absence, atresia and stenosis of jejunum |
| Q41.2 | Congenital absence, atresia and stenosis of ileum |
| Q41.8 | Congenital absence, atresia and stenosis of other specified parts of small intestine |
| Q41.9 | Congenital absence, atresia and stenosis of small intestine, part unspecified |
| Q42.0 | Congenital absence, atresia and stenosis of rectum with fistula |
| Q42.1 | Congenital absence, atresia and stenosis of rectum without fistula |
| Q42.2 | Congenital absence, atresia and stenosis of anus with fistula |
| Q42.3 | Congenital absence, atresia and stenosis of anus without fistula |
| Q42.8 | Congenital absence, atresia and stenosis of other parts of large intestine |
| Q42.9 | Congenital absence, atresia and stenosis of large intestine, part unspecified |
| Q43.0 | Meckel's diverticulum (displaced) (hypertrophic) |
| Q43.1 | Hirschsprung's disease |
| Q43.2 | Other congenital functional disorders of colon |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------|
| Q43.3 | Congenital malformations of intestinal fixation |
| Q43.4 | Duplication of intestine |
| Q43.5 | Ectopic anus |
| Q43.6 | Congenital fistula of rectum and anus |
| Q43.7 | Persistent cloaca |
| Q43.8 | Other specified congenital malformations of intestine |
| Q43.9 | Congenital malformation of intestine, unspecified |
| Q44.0 | Agenesis, aplasia and hypoplasia of gallbladder |
| Q44.1 | Other congenital malformations of gallbladder |
| Q44.2 | Atresia of bile ducts |
| Q44.3 | Congenital stenosis and stricture of bile ducts |
| Q44.4 | Choledochal cyst |
| Q44.5 | Other congenital malformations of bile ducts |
| Q44.6 | Cystic disease of liver |
| Q44.7 | Other congenital malformations of liver |
| Q45.0 | Agenesis, aplasia and hypoplasia of pancreas |
| Q45.1 | Annular pancreas |
| Q45.2 | Congenital pancreatic cyst |
| Q45.3 | Other congenital malformations of pancreas and pancreatic duct |
| Q45.8 | Other specified congenital malformations of digestive system |
| Q45.9 | Congenital malformation of digestive system, unspecified |
| Q50.01 | Congenital absence of ovary, unilateral |
| Q50.02 | Congenital absence of ovary, bilateral |
| Q50.1 | Developmental ovarian cyst |
| Q50.2 | Congenital torsion of ovary |
| Q50.31 | Accessory ovary |
| Q50.32 | Ovarian streak |
| Q50.39 | Other congenital malformation of ovary |
| Q50.4 | Embryonic cyst of fallopian tube |
| Q50.5 | Embryonic cyst of broad ligament |
| Q50.6 | Other congenital malformations of fallopian tube and broad ligament |
| Q51.0 | Agenesis and aplasia of uterus |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------|
| Q51.20 | Other doubling of uterus, unspecified |
| Q51.21 | Other complete doubling of uterus |
| Q51.22 | Other partial doubling of uterus |
| Q51.28 | Other doubling of uterus, other specified |
| Q51.3 | Bicornate uterus |
| Q51.4 | Unicornate uterus |
| Q51.5 | Agenesis and aplasia of cervix |
| Q51.810 | Arcuate uterus |
| Q51.811 | Hypoplasia of uterus |
| Q51.818 | Other congenital malformations of uterus |
| Q51.820 | Cervical duplication |
| Q52.0 | Congenital absence of vagina |
| Q52.11 | Transverse vaginal septum |
| Q52.9 | Congenital malformation of female genitalia, unspecified |
| Q53.01 | Ectopic testis, unilateral |
| Q53.02 | Ectopic testes, bilateral |
| Q53.10 | Unspecified undescended testicle, unilateral |
| ICD-10 CODE | DESCRIPTION |
| Q53.111 | Unilateral intraabdominal testis |
| Q53.112 | Unilateral inguinal testis |
| Q53.12 | Ectopic perineal testis, unilateral |
| Q53.20 | Undescended testicle, unspecified, bilateral |
| Q53.211 | Bilateral intraabdominal testes |
| Q53.212 | Bilateral inguinal testes |
| Q53.22 | Ectopic perineal testis, bilateral |
| Q55.0 | Absence and aplasia of testis |
| Q55.1 | Hypoplasia of testis and scrotum |
| Q55.21 | Polyorchism |
| Q55.22 | Retractile testis |
| Q55.23 | Scrotal transposition |
| Q55.29 | Other congenital malformations of testis and scrotum |
| Q55.3 | Atresia of vas deferens |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------|
| Q55.4 | Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate |
| Q55.7 | Congenital vasocutaneous fistula |
| Q55.8 | Other specified congenital malformations of male genital organs |
| Q60.0 | Renal agenesis, unilateral |
| Q60.1 | Renal agenesis, bilateral |
| Q60.3 | Renal hypoplasia, unilateral |
| Q60.4 | Renal hypoplasia, bilateral |
| Q60.6 | Potter's syndrome |
| Q61.00 | Congenital renal cyst, unspecified |
| Q61.01 | Congenital single renal cyst |
| Q61.02 | Congenital multiple renal cysts |
| Q61.11 | Cystic dilatation of collecting ducts |
| Q61.19 | Other polycystic kidney, infantile type |
| Q61.2 | Polycystic kidney, adult type |
| Q61.3 | Polycystic kidney, unspecified |
| Q61.4 | Renal dysplasia |
| Q61.5 | Medullary cystic kidney |
| Q61.8 | Other cystic kidney diseases |
| Q61.9 | Cystic kidney disease, unspecified |
| Q62.0 | Congenital hydronephrosis |
| Q62.10 | Congenital occlusion of ureter, unspecified |
| Q62.11 | Congenital occlusion of ureteropelvic junction |
| Q62.12 | Congenital occlusion of ureterovesical orifice |
| Q62.2 | Congenital megaureter |
| Q62.31 | Congenital ureterocele, orthotopic |
| Q62.32 | Cecoureterocele |
| Q62.39 | Other obstructive defects of renal pelvis and ureter |
| Q62.4 | Agenesis of ureter |
| Q62.5 | Duplication of ureter |
| Q62.60 | Malposition of ureter, unspecified |
| Q62.61 | Deviation of ureter |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------|
| Q62.62 | Displacement of ureter |
| Q62.63 | Anomalous implantation of ureter |
| Q62.69 | Other malposition of ureter |
| Q62.7 | Congenital vesico-uretero-renal reflux |
| Q62.8 | Other congenital malformations of ureter |
| Q63.0 | Accessory kidney |
| Q63.1 | Lobulated, fused and horseshoe kidney |
| Q63.2 | Ectopic kidney |
| Q63.3 | Hyperplastic and giant kidney |
| Q63.8 | Other specified congenital malformations of kidney |
| Q63.9 | Congenital malformation of kidney, unspecified |
| Q64.10 | Exstrophy of urinary bladder, unspecified |
| Q64.11 | Supravesical fissure of urinary bladder |
| Q64.12 | Cloacal exstrophy of urinary bladder |
| Q64.19 | Other exstrophy of urinary bladder |
| Q64.2 | Congenital posterior urethral valves |
| Q64.31 | Congenital bladder neck obstruction |
| Q64.32 | Congenital stricture of urethra |
| Q64.33 | Congenital stricture of urinary meatus |
| Q64.39 | Other atresia and stenosis of urethra and bladder neck |
| Q64.4 | Malformation of urachus |
| Q64.5 | Congenital absence of bladder and urethra |
| Q64.6 | Congenital diverticulum of bladder |
| Q64.70 | Unspecified congenital malformation of bladder and urethra |
| Q64.71 | Congenital prolapse of urethra |
| Q64.72 | Congenital prolapse of urinary meatus |
| Q64.73 | Congenital urethrorectal fistula |
| Q64.74 | Double urethra |
| Q64.75 | Double urinary meatus |
| Q64.79 | Other congenital malformations of bladder and urethra |
| Q64.8 | Other specified congenital malformations of urinary system |
| Q64.9 | Congenital malformation of urinary system, unspecified |

| ICD-10 CODE | DESCRIPTION |
|--------------------|---------------------------------------------------|
| Q89.01 | Asplenia (congenital) |
| Q89.09 | Congenital malformations of spleen |
| Q89.1 | Congenital malformations of adrenal gland |
| R10.0 | Acute abdomen |
| R10.10 | Upper abdominal pain, unspecified |
| R10.11 | Right upper quadrant pain |
| R10.12 | Left upper quadrant pain |
| R10.13 | Epigastric pain |
| R10.2 | Pelvic and perineal pain |
| R10.30 | Lower abdominal pain, unspecified |
| R10.31 | Right lower quadrant pain |
| R10.32 | Left lower quadrant pain |
| R10.33 | Periumbilical pain |
| R10.811 | Right upper quadrant abdominal tenderness |
| R10.812 | Left upper quadrant abdominal tenderness |
| R10.813 | Right lower quadrant abdominal tenderness |
| R10.814 | Left lower quadrant abdominal tenderness |
| R10.815 | Periumbilic abdominal tenderness |
| R10.816 | Epigastric abdominal tenderness |
| R10.817 | Generalized abdominal tenderness |
| R10.819 | Abdominal tenderness, unspecified site |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.822 | Left upper quadrant rebound abdominal tenderness |
| ICD-10 CODE | DESCRIPTION |
| R10.823 | Right lower quadrant rebound abdominal tenderness |
| R10.824 | Left lower quadrant rebound abdominal tenderness |
| R10.825 | Periumbilic rebound abdominal tenderness |
| R10.826 | Epigastric rebound abdominal tenderness |
| R10.827 | Generalized rebound abdominal tenderness |
| R10.829 | Rebound abdominal tenderness, unspecified site |
| R10.83 | Colic |
| R10.84 | Generalized abdominal pain |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------|
| R10.9 | Unspecified abdominal pain |
| R11.10 | Vomiting, unspecified |
| R11.13 | Vomiting of fecal matter |
| R11.15 | Cyclical vomiting syndrome unrelated to migraine |
| R16.0 | Hepatomegaly, not elsewhere classified |
| R16.1 | Splenomegaly, not elsewhere classified |
| R16.2 | Hepatomegaly with splenomegaly, not elsewhere classified |
| R17 | Unspecified jaundice |
| R18.0 | Malignant ascites |
| R18.8 | Other ascites |
| R19.00 | Intra-abdominal and pelvic swelling, mass and lump, unspecified site |
| R19.01 | Right upper quadrant abdominal swelling, mass and lump |
| R19.02 | Left upper quadrant abdominal swelling, mass and lump |
| R19.03 | Right lower quadrant abdominal swelling, mass and lump |
| R19.04 | Left lower quadrant abdominal swelling, mass and lump |
| R19.05 | Periumbilic swelling, mass or lump |
| R19.06 | Epigastric swelling, mass or lump |
| R19.07 | Generalized intra-abdominal and pelvic swelling, mass and lump |
| R19.09 | Other intra-abdominal and pelvic swelling, mass and lump |
| R19.30 | Abdominal rigidity, unspecified site |
| R19.31 | Right upper quadrant abdominal rigidity |
| R19.32 | Left upper quadrant abdominal rigidity |
| R19.33 | Right lower quadrant abdominal rigidity |
| R19.34 | Left lower quadrant abdominal rigidity |
| R19.35 | Periumbilic abdominal rigidity |
| R19.36 | Epigastric abdominal rigidity |
| R19.37 | Generalized abdominal rigidity |
| R19.8 | Other specified symptoms and signs involving the digestive system and abdomen |
| R31.0 | Gross hematuria |
| R31.1 | Benign essential microscopic hematuria |
| R31.21 | Asymptomatic microscopic hematuria |
| R31.29 | Other microscopic hematuria |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------|
| R31.9 | Hematuria, unspecified |
| R50.81 | Fever presenting with conditions classified elsewhere |
| R50.82 | Postprocedural fever |
| R50.9 | Fever, unspecified |
| R58 | Hemorrhage, not elsewhere classified |
| R59.0 | Localized enlarged lymph nodes |
| R59.1 | Generalized enlarged lymph nodes |
| R59.9 | Enlarged lymph nodes, unspecified |
| R62.7 | Adult failure to thrive |
| R63.4 | Abnormal weight loss |
| R64 | Cachexia |
| R68.83 | Chills (without fever) |
| R76.0 | Raised antibody titer |
| R76.8 | Other specified abnormal immunological findings in serum |
| R76.9 | Abnormal immunological finding in serum, unspecified |
| R80.2 | Orthostatic proteinuria, unspecified |
| R90.89 | Other abnormal findings on diagnostic imaging of central nervous system |
| R93.2 | Abnormal findings on diagnostic imaging of liver and biliary tract |
| R93.3 | Abnormal findings on diagnostic imaging of other parts of digestive tract |
| R93.41 | Abnormal radiologic findings on diagnostic imaging of renal pelvis, ureter, or bladder |
| R93.421 | Abnormal radiologic findings on diagnostic imaging of right kidney |
| R93.422 | Abnormal radiologic findings on diagnostic imaging of left kidney |
| R93.429 | Abnormal radiologic findings on diagnostic imaging of unspecified kidney |
| R93.49 | Abnormal radiologic findings on diagnostic imaging of other urinary organs |
| R93.5 | Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum |
| R93.811 | Abnormal radiologic findings on diagnostic imaging of right testicle |
| R93.812 | Abnormal radiologic findings on diagnostic imaging of left testicle |
| R93.813 | Abnormal radiologic findings on diagnostic imaging of testicles, bilateral |
| R93.819 | Abnormal radiologic findings on diagnostic imaging of unspecified testicle |
| R93.89 | Abnormal findings on diagnostic imaging of other specified body structures |
| R94.4 | Abnormal results of kidney function studies |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| R94.5 | Abnormal results of liver function studies |
| R94.8 | Abnormal results of function studies of other organs and systems |
| R97.0 | Elevated carcinoembryonic antigen [CEA] |
| R97.1 | Elevated cancer antigen 125 [CA 125] |
| R97.8 | Other abnormal tumor markers |
| S21.201A | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.201D | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.201S | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.202A | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.202D | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.202S | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.211A | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.211D | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.211S | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.212A | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.212D | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.212S | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.221A | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.221D | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.221S | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.222A | Laceration with foreign body of left back wall of thorax without penetration into |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|
| | thoracic cavity, initial encounter |
| S21.222D | Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.222S | Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.231A | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.231D | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.231S | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.232A | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.232D | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.232S | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| ICD-10 CODE | DESCRIPTION |
| S21.241A | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.241D | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.241S | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.242A | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.242D | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.242S | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela |
| S21.251A | Open bite of right back wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.251D | Open bite of right back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.251S | Open bite of right back wall of thorax without penetration into thoracic cavity, sequela |
| S21.252A | Open bite of left back wall of thorax without penetration into thoracic cavity, initial |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------|
| | encounter |
| S21.252D | Open bite of left back wall of thorax without penetration into thoracic cavity, subsequent encounter |
| S21.252S | Open bite of left back wall of thorax without penetration into thoracic cavity, sequela |
| S29.022A | Laceration of muscle and tendon of back wall of thorax, initial encounter |
| S29.022D | Laceration of muscle and tendon of back wall of thorax, subsequent encounter |
| S29.022S | Laceration of muscle and tendon of back wall of thorax, sequela |
| S30.1XXA | Contusion of abdominal wall, initial encounter |
| S30.1XXD | Contusion of abdominal wall, subsequent encounter |
| S30.1XXS | Contusion of abdominal wall, sequela |
| S31.000A | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, initial encounter |
| S31.000D | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.000S | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.001A | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.001D | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.001S | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.010A | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter |
| S31.010D | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.010S | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.011A | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.011D | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.011S | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.020A | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| S31.020D | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.020S | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.021A | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.021D | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.021S | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.030A | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter |
| S31.030D | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.030S | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.031A | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.031D | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.031S | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.040A | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter |
| S31.040D | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter |
| S31.040S | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.041A | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.041D | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.041S | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.050A | Open bite of lower back and pelvis without penetration into retroperitoneum, initial encounter |
| S31.050D | Open bite of lower back and pelvis without penetration into retroperitoneum, |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|
| | subsequent encounter |
| S31.050S | Open bite of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.051A | Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.051D | Open bite of lower back and pelvis with penetration into retroperitoneum, subsequent encounter |
| S31.051S | Open bite of lower back and pelvis with penetration into retroperitoneum, sequela |
| S31.100A | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.100D | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.100S | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.101A | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.101D | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.101S | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.102A | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.102D | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.102S | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.103A | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.103D | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.103S | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.104A | Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.104D | Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.104S | Unspecified open wound of abdominal wall, left lower quadrant without penetration |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|
| | into peritoneal cavity, sequela |
| S31.105A | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter |
| S31.105D | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.105S | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.110A | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.110D | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.110S | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.111A | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.111D | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.111S | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.112A | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.112D | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.112S | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.113A | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.113D | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.113S | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.114A | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.114D | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.114S | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela |

| ICD-10 CODE | DESCRIPTION |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| S31.115A | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter |
| S31.115D | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.115S | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.120A | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.120D | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.120S | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.121A | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.121D | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.121S | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.122A | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.122D | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.122S | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela |
| S31.123A | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| ICD-10 CODE | DESCRIPTION |
| S31.123D | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.123S | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.124A | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.124D | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.124S | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| S31.125A | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, initial encounter |
| S31.125D | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.125S | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.130A | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.130D | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.130S | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.131A | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.131D | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.131S | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.132A | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.132D | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.132S | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, sequela |
| S31.133A | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.133D | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.133S | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.134A | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.134D | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.134S | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.135A | Puncture wound of abdominal wall without foreign body, periumbilic region without |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| | penetration into peritoneal cavity, initial encounter |
| S31.135D | Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.135S | Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.140A | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.140D | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.140S | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.141A | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.141D | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.141S | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.142A | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.142D | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.142S | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela |
| S31.143A | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.143D | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.143S | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.144A | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.144D | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.144S | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.145A | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| S31.145D | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter |
| S31.145S | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.150A | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.150D | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.150S | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.151A | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter |
| S31.151D | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.151S | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela |
| S31.152A | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter |
| S31.152D | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter |
| S31.152S | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela |
| S31.153A | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.153D | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.153S | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.154A | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter |
| S31.154D | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter |
| S31.154S | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela |
| S31.155A | Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter |
| S31.155D | Open bite of abdominal wall, periumbilic region without penetration into peritoneal |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------|
| | cavity, subsequent encounter |
| S31.155S | Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela |
| S31.600A | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.600D | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.600S | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.601A | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.601D | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.601S | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.602A | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.602D | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.602S | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.603A | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.603D | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.603S | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.604A | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.604D | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.604S | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.605A | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.605D | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|
| S31.605S | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.610A | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.610D | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.610S | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.611A | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.611D | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.611S | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.612A | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.612D | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.612S | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.613A | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.613D | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.613S | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.614A | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.614D | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.614S | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.615A | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.615D | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.615S | Laceration without foreign body of abdominal wall, periumbilic region with |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|
| | penetration into peritoneal cavity, sequela |
| S31.620A | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.620D | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| ICD-10 CODE | DESCRIPTION |
| S31.620S | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.621A | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.621D | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.621S | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.622A | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.622D | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.622S | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.623A | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.623D | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.623S | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.624A | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.624D | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.624S | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.625A | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.625D | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.625S | Laceration with foreign body of abdominal wall, periumbilic region with penetration |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| | into peritoneal cavity, sequela |
| S31.630A | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.630D | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.630S | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.631A | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.631D | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.631S | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.632A | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.632D | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.632S | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.633A | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.633D | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.633S | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.634A | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.634D | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.634S | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.635A | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.635D | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.635S | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------|
| S31.640A | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.640D | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.640S | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.641A | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.641D | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.641S | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.642A | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.642D | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.642S | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.643A | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.643D | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.643S | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.644A | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.644D | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.644S | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.645A | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.645D | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.645S | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.650A | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------|
| | cavity, initial encounter |
| S31.650D | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.650S | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.651A | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.651D | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.651S | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela |
| S31.652A | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter |
| S31.652D | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter |
| S31.652S | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela |
| S31.653A | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.653D | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.653S | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.654A | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.654D | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter |
| S31.654S | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela |
| S31.655A | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter |
| S31.655D | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter |
| S31.655S | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela |
| S31.831A | Laceration without foreign body of anus, initial encounter |
| S31.831D | Laceration without foreign body of anus, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------|
| S31.831S | Laceration without foreign body of anus, sequela |
| S31.832A | Laceration with foreign body of anus, initial encounter |
| S31.832D | Laceration with foreign body of anus, subsequent encounter |
| S31.832S | Laceration with foreign body of anus, sequela |
| S31.833A | Puncture wound without foreign body of anus, initial encounter |
| S31.833D | Puncture wound without foreign body of anus, subsequent encounter |
| S31.833S | Puncture wound without foreign body of anus, sequela |
| S31.834A | Puncture wound with foreign body of anus, initial encounter |
| S31.834D | Puncture wound with foreign body of anus, subsequent encounter |
| S31.834S | Puncture wound with foreign body of anus, sequela |
| S31.835A | Open bite of anus, initial encounter |
| S31.835D | Open bite of anus, subsequent encounter |
| S31.835S | Open bite of anus, sequela |
| S31.839A | Unspecified open wound of anus, initial encounter |
| S31.839D | Unspecified open wound of anus, subsequent encounter |
| S31.839S | Unspecified open wound of anus, sequela |
| S32.10XA | Unspecified fracture of sacrum, initial encounter for closed fracture |
| S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture |
| S32.10XD | Unspecified fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.10XG | Unspecified fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.10XK | Unspecified fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.10XS | Unspecified fracture of sacrum, sequela |
| S32.110A | Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.110B | Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.110D | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.110G | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.110K | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.110S | Nondisplaced Zone I fracture of sacrum, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------|
| S32.111A | Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.111B | Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.111D | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.111G | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.111K | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.111S | Minimally displaced Zone I fracture of sacrum, sequela |
| S32.112A | Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.112B | Severely displaced Zone I fracture of sacrum, initial encounter for open fracture |
| S32.112D | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.112G | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.112K | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.112S | Severely displaced Zone I fracture of sacrum, sequela |
| S32.119A | Unspecified Zone I fracture of sacrum, initial encounter for closed fracture |
| S32.119B | Unspecified Zone I fracture of sacrum, initial encounter for open fracture |
| S32.119D | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.119G | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.119K | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.119S | Unspecified Zone I fracture of sacrum, sequela |
| S32.120A | Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.120B | Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture |
| S32.120D | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.120G | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.120K | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------|
| S32.120S | Nondisplaced Zone II fracture of sacrum, sequela |
| S32.121A | Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.121B | Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture |
| S32.121D | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.121G | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.121K | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.121S | Minimally displaced Zone II fracture of sacrum, sequela |
| S32.122A | Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.122B | Severely displaced Zone II fracture of sacrum, initial encounter for open fracture |
| S32.122D | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.122G | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.122K | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.122S | Severely displaced Zone II fracture of sacrum, sequela |
| S32.129A | Unspecified Zone II fracture of sacrum, initial encounter for closed fracture |
| S32.129B | Unspecified Zone II fracture of sacrum, initial encounter for open fracture |
| S32.129D | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.129G | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.129K | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.129S | Unspecified Zone II fracture of sacrum, sequela |
| S32.130A | Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.130B | Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.130D | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.130G | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.130K | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------|
| | nonunion |
| S32.130S | Nondisplaced Zone III fracture of sacrum, sequela |
| S32.131A | Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.131B | Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.131D | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.131G | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.131K | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.131S | Minimally displaced Zone III fracture of sacrum, sequela |
| S32.132A | Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.132B | Severely displaced Zone III fracture of sacrum, initial encounter for open fracture |
| S32.132D | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.132G | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.132K | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.132S | Severely displaced Zone III fracture of sacrum, sequela |
| S32.139A | Unspecified Zone III fracture of sacrum, initial encounter for closed fracture |
| S32.139B | Unspecified Zone III fracture of sacrum, initial encounter for open fracture |
| S32.139D | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.139G | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.139K | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.139S | Unspecified Zone III fracture of sacrum, sequela |
| S32.14XA | Type 1 fracture of sacrum, initial encounter for closed fracture |
| S32.14XB | Type 1 fracture of sacrum, initial encounter for open fracture |
| S32.14XD | Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.14XG | Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.14XK | Type 1 fracture of sacrum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-----------------------------------------------------------------------------------|
| S32.14XS | Type 1 fracture of sacrum, sequela |
| S32.15XA | Type 2 fracture of sacrum, initial encounter for closed fracture |
| S32.15XB | Type 2 fracture of sacrum, initial encounter for open fracture |
| S32.15XD | Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.15XG | Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.15XK | Type 2 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.15XS | Type 2 fracture of sacrum, sequela |
| S32.16XA | Type 3 fracture of sacrum, initial encounter for closed fracture |
| S32.16XB | Type 3 fracture of sacrum, initial encounter for open fracture |
| S32.16XD | Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.16XG | Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.16XK | Type 3 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.16XS | Type 3 fracture of sacrum, sequela |
| S32.17XA | Type 4 fracture of sacrum, initial encounter for closed fracture |
| S32.17XB | Type 4 fracture of sacrum, initial encounter for open fracture |
| S32.17XD | Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.17XG | Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.17XK | Type 4 fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.17XS | Type 4 fracture of sacrum, sequela |
| S32.19XA | Other fracture of sacrum, initial encounter for closed fracture |
| S32.19XB | Other fracture of sacrum, initial encounter for open fracture |
| S32.19XD | Other fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.19XG | Other fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.19XK | Other fracture of sacrum, subsequent encounter for fracture with nonunion |
| S32.19XS | Other fracture of sacrum, sequela |
| S32.2XXA | Fracture of coccyx, initial encounter for closed fracture |
| S32.2XXB | Fracture of coccyx, initial encounter for open fracture |
| S32.2XXD | Fracture of coccyx, subsequent encounter for fracture with routine healing |
| S32.2XXG | Fracture of coccyx, subsequent encounter for fracture with delayed healing |
| ICD-10 CODE | DESCRIPTION |
| S32.2XXK | Fracture of coccyx, subsequent encounter for fracture with nonunion |
| S32.2XXS | Fracture of coccyx, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------|
| S32.301A | Unspecified fracture of right ilium, initial encounter for closed fracture |
| S32.301B | Unspecified fracture of right ilium, initial encounter for open fracture |
| S32.301D | Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.301G | Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.301K | Unspecified fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.301S | Unspecified fracture of right ilium, sequela |
| S32.302A | Unspecified fracture of left ilium, initial encounter for closed fracture |
| S32.302B | Unspecified fracture of left ilium, initial encounter for open fracture |
| S32.302D | Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.302G | Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.302K | Unspecified fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.302S | Unspecified fracture of left ilium, sequela |
| S32.311A | Displaced avulsion fracture of right ilium, initial encounter for closed fracture |
| S32.311B | Displaced avulsion fracture of right ilium, initial encounter for open fracture |
| S32.311D | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.311G | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.311K | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.311S | Displaced avulsion fracture of right ilium, sequela |
| S32.312A | Displaced avulsion fracture of left ilium, initial encounter for closed fracture |
| S32.312B | Displaced avulsion fracture of left ilium, initial encounter for open fracture |
| S32.312D | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.312G | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.312K | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.312S | Displaced avulsion fracture of left ilium, sequela |
| S32.314A | Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------|
| S32.314B | Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture |
| S32.314D | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.314G | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.314K | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.314S | Nondisplaced avulsion fracture of right ilium, sequela |
| S32.315A | Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture |
| S32.315B | Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture |
| S32.315D | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.315G | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.315K | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.315S | Nondisplaced avulsion fracture of left ilium, sequela |
| S32.391A | Other fracture of right ilium, initial encounter for closed fracture |
| S32.391B | Other fracture of right ilium, initial encounter for open fracture |
| S32.391D | Other fracture of right ilium, subsequent encounter for fracture with routine healing |
| S32.391G | Other fracture of right ilium, subsequent encounter for fracture with delayed healing |
| S32.391K | Other fracture of right ilium, subsequent encounter for fracture with nonunion |
| S32.391S | Other fracture of right ilium, sequela |
| S32.392A | Other fracture of left ilium, initial encounter for closed fracture |
| S32.392B | Other fracture of left ilium, initial encounter for open fracture |
| S32.392D | Other fracture of left ilium, subsequent encounter for fracture with routine healing |
| S32.392G | Other fracture of left ilium, subsequent encounter for fracture with delayed healing |
| S32.392K | Other fracture of left ilium, subsequent encounter for fracture with nonunion |
| S32.392S | Other fracture of left ilium, sequela |
| S32.401A | Unspecified fracture of right acetabulum, initial encounter for closed fracture |
| S32.401B | Unspecified fracture of right acetabulum, initial encounter for open fracture |
| S32.401D | Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.401G | Unspecified fracture of right acetabulum, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------|
| | delayed healing |
| S32.401K | Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.401S | Unspecified fracture of right acetabulum, sequela |
| S32.402A | Unspecified fracture of left acetabulum, initial encounter for closed fracture |
| S32.402B | Unspecified fracture of left acetabulum, initial encounter for open fracture |
| S32.402D | Unspecified fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.402G | Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.402K | Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.402S | Unspecified fracture of left acetabulum, sequela |
| S32.411A | Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture |
| S32.411B | Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture |
| S32.411D | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.411G | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.411K | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.411S | Displaced fracture of anterior wall of right acetabulum, sequela |
| S32.412A | Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture |
| S32.412B | Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture |
| S32.412D | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.412G | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.412K | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.412S | Displaced fracture of anterior wall of left acetabulum, sequela |
| S32.414A | Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------|
| | closed fracture |
| S32.414B | Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture |
| S32.414D | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.414G | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.414K | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.414S | Nondisplaced fracture of anterior wall of right acetabulum, sequela |
| S32.415A | Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture |
| S32.415B | Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture |
| S32.415D | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.415G | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.415K | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.415S | Nondisplaced fracture of anterior wall of left acetabulum, sequela |
| S32.421A | Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture |
| S32.421B | Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture |
| S32.421D | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.421G | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.421K | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.421S | Displaced fracture of posterior wall of right acetabulum, sequela |
| S32.422A | Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture |
| S32.422B | Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------|
| S32.422D | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.422G | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.422K | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.422S | Displaced fracture of posterior wall of left acetabulum, sequela |
| S32.424A | Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture |
| S32.424B | Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture |
| ICD-10 CODE | DESCRIPTION |
| S32.424D | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.424G | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.424K | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.424S | Nondisplaced fracture of posterior wall of right acetabulum, sequela |
| S32.425A | Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture |
| S32.425B | Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture |
| S32.425D | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.425G | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.425K | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.425S | Nondisplaced fracture of posterior wall of left acetabulum, sequela |
| S32.431A | Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture |
| S32.431B | Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture |
| S32.431D | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|
| S32.431G | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.431K | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.431S | Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.432A | Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture |
| S32.432B | Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture |
| S32.432D | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.432G | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.432K | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.432S | Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.434A | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture |
| S32.434B | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture |
| S32.434D | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.434G | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.434K | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.434S | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela |
| S32.435A | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture |
| S32.435B | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture |
| S32.435D | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.435G | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.435K | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|
| S32.435S | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela |
| S32.441A | Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture |
| S32.441B | Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture |
| S32.441D | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.441G | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.441K | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.441S | Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.442A | Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture |
| S32.442B | Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture |
| S32.442D | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.442G | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.442K | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.442S | Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.444A | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture |
| S32.444B | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture |
| S32.444D | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.444G | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.444K | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.444S | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela |
| S32.445A | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|
| S32.445B | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture |
| S32.445D | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.445G | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.445K | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.445S | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela |
| S32.451A | Displaced transverse fracture of right acetabulum, initial encounter for closed fracture |
| S32.451B | Displaced transverse fracture of right acetabulum, initial encounter for open fracture |
| S32.451D | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.451G | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.451K | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.451S | Displaced transverse fracture of right acetabulum, sequela |
| S32.452A | Displaced transverse fracture of left acetabulum, initial encounter for closed fracture |
| S32.452B | Displaced transverse fracture of left acetabulum, initial encounter for open fracture |
| S32.452D | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.452G | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.452K | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.452S | Displaced transverse fracture of left acetabulum, sequela |
| S32.454A | Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture |
| S32.454B | Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture |
| S32.454D | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.454G | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------|
| S32.454K | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.454S | Nondisplaced transverse fracture of right acetabulum, sequela |
| S32.455A | Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture |
| S32.455B | Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture |
| S32.455D | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.455G | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.455K | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.455S | Nondisplaced transverse fracture of left acetabulum, sequela |
| S32.461A | Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture |
| S32.461B | Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture |
| S32.461D | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.461G | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.461K | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.461S | Displaced associated transverse-posterior fracture of right acetabulum, sequela |
| S32.462A | Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture |
| S32.462B | Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture |
| S32.462D | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.462G | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.462K | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.462S | Displaced associated transverse-posterior fracture of left acetabulum, sequela |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| S32.464A | Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture |
| S32.464B | Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture |
| S32.464D | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.464G | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.464K | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.464S | Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela |
| ICD-10 CODE | DESCRIPTION |
| S32.465A | Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture |
| S32.465B | Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture |
| S32.465D | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.465G | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.465K | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.465S | Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela |
| S32.471A | Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture |
| S32.471B | Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture |
| S32.471D | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.471G | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.471K | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.471S | Displaced fracture of medial wall of right acetabulum, sequela |
| S32.472A | Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------|
| S32.472B | Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture |
| S32.472D | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.472G | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.472K | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.472S | Displaced fracture of medial wall of left acetabulum, sequela |
| S32.474A | Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture |
| S32.474B | Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture |
| S32.474D | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.474G | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.474K | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.474S | Nondisplaced fracture of medial wall of right acetabulum, sequela |
| S32.475A | Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture |
| S32.475B | Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture |
| S32.475D | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.475G | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.475K | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.475S | Nondisplaced fracture of medial wall of left acetabulum, sequela |
| S32.481A | Displaced dome fracture of right acetabulum, initial encounter for closed fracture |
| S32.481B | Displaced dome fracture of right acetabulum, initial encounter for open fracture |
| S32.481D | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.481G | Displaced dome fracture of right acetabulum, subsequent encounter for fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------|
| | with delayed healing |
| S32.481K | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.481S | Displaced dome fracture of right acetabulum, sequela |
| S32.482A | Displaced dome fracture of left acetabulum, initial encounter for closed fracture |
| S32.482B | Displaced dome fracture of left acetabulum, initial encounter for open fracture |
| S32.482D | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.482G | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.482K | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.482S | Displaced dome fracture of left acetabulum, sequela |
| S32.484A | Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture |
| S32.484B | Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture |
| S32.484D | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.484G | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.484K | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.484S | Nondisplaced dome fracture of right acetabulum, sequela |
| S32.485A | Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture |
| S32.485B | Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture |
| S32.485D | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.485G | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.485K | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.485S | Nondisplaced dome fracture of left acetabulum, sequela |
| S32.491A | Other specified fracture of right acetabulum, initial encounter for closed fracture |
| S32.491B | Other specified fracture of right acetabulum, initial encounter for open fracture |
| S32.491D | Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------|
| S32.491G | Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.491K | Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion |
| S32.491S | Other specified fracture of right acetabulum, sequela |
| S32.492A | Other specified fracture of left acetabulum, initial encounter for closed fracture |
| S32.492B | Other specified fracture of left acetabulum, initial encounter for open fracture |
| S32.492D | Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing |
| S32.492G | Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing |
| S32.492K | Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion |
| S32.492S | Other specified fracture of left acetabulum, sequela |
| S32.501A | Unspecified fracture of right pubis, initial encounter for closed fracture |
| S32.501B | Unspecified fracture of right pubis, initial encounter for open fracture |
| S32.501D | Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing |
| S32.501G | Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing |
| S32.501K | Unspecified fracture of right pubis, subsequent encounter for fracture with nonunion |
| S32.501S | Unspecified fracture of right pubis, sequela |
| S32.502A | Unspecified fracture of left pubis, initial encounter for closed fracture |
| S32.502B | Unspecified fracture of left pubis, initial encounter for open fracture |
| S32.502D | Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing |
| S32.502G | Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing |
| S32.502K | Unspecified fracture of left pubis, subsequent encounter for fracture with nonunion |
| S32.502S | Unspecified fracture of left pubis, sequela |
| S32.511A | Fracture of superior rim of right pubis, initial encounter for closed fracture |
| S32.511B | Fracture of superior rim of right pubis, initial encounter for open fracture |
| S32.511D | Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing |
| S32.511G | Fracture of superior rim of right pubis, subsequent encounter for fracture with |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------|
| | delayed healing |
| S32.511K | Fracture of superior rim of right pubis, subsequent encounter for fracture with nonunion |
| S32.511S | Fracture of superior rim of right pubis, sequela |
| S32.512A | Fracture of superior rim of left pubis, initial encounter for closed fracture |
| S32.512B | Fracture of superior rim of left pubis, initial encounter for open fracture |
| S32.512D | Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing |
| S32.512G | Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing |
| S32.512K | Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion |
| S32.512S | Fracture of superior rim of left pubis, sequela |
| S32.591A | Other specified fracture of right pubis, initial encounter for closed fracture |
| S32.591B | Other specified fracture of right pubis, initial encounter for open fracture |
| S32.591D | Other specified fracture of right pubis, subsequent encounter for fracture with routine healing |
| S32.591G | Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing |
| S32.591K | Other specified fracture of right pubis, subsequent encounter for fracture with nonunion |
| S32.591S | Other specified fracture of right pubis, sequela |
| S32.592A | Other specified fracture of left pubis, initial encounter for closed fracture |
| S32.592B | Other specified fracture of left pubis, initial encounter for open fracture |
| S32.592D | Other specified fracture of left pubis, subsequent encounter for fracture with routine healing |
| S32.592G | Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing |
| | |
| ICD-10 CODE | DESCRIPTION |
| S32.592K | Other specified fracture of left pubis, subsequent encounter for fracture with nonunion |
| S32.592S | Other specified fracture of left pubis, sequela |
| S32.601A | Unspecified fracture of right ischium, initial encounter for closed fracture |
| S32.601B | Unspecified fracture of right ischium, initial encounter for open fracture |
| S32.601D | Unspecified fracture of right ischium, subsequent encounter for fracture with routine |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------|
| | healing |
| S32.601G | Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.601K | Unspecified fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.601S | Unspecified fracture of right ischium, sequela |
| S32.602A | Unspecified fracture of left ischium, initial encounter for closed fracture |
| S32.602B | Unspecified fracture of left ischium, initial encounter for open fracture |
| S32.602D | Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.602G | Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.602K | Unspecified fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.602S | Unspecified fracture of left ischium, sequela |
| S32.611A | Displaced avulsion fracture of right ischium, initial encounter for closed fracture |
| S32.611B | Displaced avulsion fracture of right ischium, initial encounter for open fracture |
| S32.611D | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.611G | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.611K | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.611S | Displaced avulsion fracture of right ischium, sequela |
| S32.612A | Displaced avulsion fracture of left ischium, initial encounter for closed fracture |
| S32.612B | Displaced avulsion fracture of left ischium, initial encounter for open fracture |
| S32.612D | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.612G | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.612K | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.612S | Displaced avulsion fracture of left ischium, sequela |
| S32.614A | Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture |
| S32.614B | Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------|
| S32.614D | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.614G | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.614K | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.614S | Nondisplaced avulsion fracture of right ischium, sequela |
| S32.615A | Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture |
| S32.615B | Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture |
| S32.615D | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.615G | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.615K | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.615S | Nondisplaced avulsion fracture of left ischium, sequela |
| S32.691A | Other specified fracture of right ischium, initial encounter for closed fracture |
| S32.691B | Other specified fracture of right ischium, initial encounter for open fracture |
| S32.691D | Other specified fracture of right ischium, subsequent encounter for fracture with routine healing |
| S32.691G | Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing |
| S32.691K | Other specified fracture of right ischium, subsequent encounter for fracture with nonunion |
| S32.691S | Other specified fracture of right ischium, sequela |
| S32.692A | Other specified fracture of left ischium, initial encounter for closed fracture |
| S32.692B | Other specified fracture of left ischium, initial encounter for open fracture |
| S32.692D | Other specified fracture of left ischium, subsequent encounter for fracture with routine healing |
| S32.692G | Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing |
| S32.692K | Other specified fracture of left ischium, subsequent encounter for fracture with nonunion |
| S32.692S | Other specified fracture of left ischium, sequela |
| S32.810A | Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------|
| | closed fracture |
| S32.810B | Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture |
| S32.810D | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.810G | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.810K | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.810S | Multiple fractures of pelvis with stable disruption of pelvic ring, sequela |
| S32.811A | Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture |
| S32.811B | Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture |
| S32.811D | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.811G | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.811K | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.811S | Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela |
| S32.82XA | Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture |
| S32.82XB | Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture |
| S32.82XD | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.82XG | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.82XK | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with nonunion |
| S32.82XS | Multiple fractures of pelvis without disruption of pelvic ring, sequela |
| S32.89XA | Fracture of other parts of pelvis, initial encounter for closed fracture |
| S32.89XB | Fracture of other parts of pelvis, initial encounter for open fracture |
| S32.89XD | Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------|
| S32.89XG | Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing |
| S32.89XK | Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion |
| S32.89XS | Fracture of other parts of pelvis, sequela |
| S32.9XXA | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture |
| S32.9XXB | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture |
| S35.00XA | Unspecified injury of abdominal aorta, initial encounter |
| S35.00XD | Unspecified injury of abdominal aorta, subsequent encounter |
| S35.00XS | Unspecified injury of abdominal aorta, sequela |
| S35.01XA | Minor laceration of abdominal aorta, initial encounter |
| S35.01XD | Minor laceration of abdominal aorta, subsequent encounter |
| S35.01XS | Minor laceration of abdominal aorta, sequela |
| S35.02XA | Major laceration of abdominal aorta, initial encounter |
| S35.02XD | Major laceration of abdominal aorta, subsequent encounter |
| S35.02XS | Major laceration of abdominal aorta, sequela |
| S35.09XA | Other injury of abdominal aorta, initial encounter |
| S35.09XD | Other injury of abdominal aorta, subsequent encounter |
| S35.09XS | Other injury of abdominal aorta, sequela |
| S35.10XA | Unspecified injury of inferior vena cava, initial encounter |
| S35.10XD | Unspecified injury of inferior vena cava, subsequent encounter |
| S35.10XS | Unspecified injury of inferior vena cava, sequela |
| S35.11XA | Minor laceration of inferior vena cava, initial encounter |
| S35.11XD | Minor laceration of inferior vena cava, subsequent encounter |
| S35.11XS | Minor laceration of inferior vena cava, sequela |
| S35.12XA | Major laceration of inferior vena cava, initial encounter |
| S35.12XD | Major laceration of inferior vena cava, subsequent encounter |
| S35.12XS | Major laceration of inferior vena cava, sequela |
| S35.19XA | Other injury of inferior vena cava, initial encounter |
| S35.19XD | Other injury of inferior vena cava, subsequent encounter |
| S35.19XS | Other injury of inferior vena cava, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------|
| S35.211A | Minor laceration of celiac artery, initial encounter |
| S35.211D | Minor laceration of celiac artery, subsequent encounter |
| S35.211S | Minor laceration of celiac artery, sequela |
| S35.212A | Major laceration of celiac artery, initial encounter |
| S35.212D | Major laceration of celiac artery, subsequent encounter |
| S35.212S | Major laceration of celiac artery, sequela |
| S35.218A | Other injury of celiac artery, initial encounter |
| S35.218D | Other injury of celiac artery, subsequent encounter |
| S35.218S | Other injury of celiac artery, sequela |
| S35.219A | Unspecified injury of celiac artery, initial encounter |
| S35.219D | Unspecified injury of celiac artery, subsequent encounter |
| S35.219S | Unspecified injury of celiac artery, sequela |
| S35.221A | Minor laceration of superior mesenteric artery, initial encounter |
| S35.221D | Minor laceration of superior mesenteric artery, subsequent encounter |
| S35.221S | Minor laceration of superior mesenteric artery, sequela |
| S35.222A | Major laceration of superior mesenteric artery, initial encounter |
| S35.222D | Major laceration of superior mesenteric artery, subsequent encounter |
| S35.222S | Major laceration of superior mesenteric artery, sequela |
| S35.228A | Other injury of superior mesenteric artery, initial encounter |
| S35.228D | Other injury of superior mesenteric artery, subsequent encounter |
| S35.228S | Other injury of superior mesenteric artery, sequela |
| S35.229A | Unspecified injury of superior mesenteric artery, initial encounter |
| S35.229D | Unspecified injury of superior mesenteric artery, subsequent encounter |
| S35.229S | Unspecified injury of superior mesenteric artery, sequela |
| S35.231A | Minor laceration of inferior mesenteric artery, initial encounter |
| S35.231D | Minor laceration of inferior mesenteric artery, subsequent encounter |
| S35.231S | Minor laceration of inferior mesenteric artery, sequela |
| S35.232A | Major laceration of inferior mesenteric artery, initial encounter |
| S35.232D | Major laceration of inferior mesenteric artery, subsequent encounter |
| S35.232S | Major laceration of inferior mesenteric artery, sequela |
| S35.238A | Other injury of inferior mesenteric artery, initial encounter |
| S35.238D | Other injury of inferior mesenteric artery, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| S35.238S | Other injury of inferior mesenteric artery, sequela |
| S35.239A | Unspecified injury of inferior mesenteric artery, initial encounter |
| S35.239D | Unspecified injury of inferior mesenteric artery, subsequent encounter |
| S35.239S | Unspecified injury of inferior mesenteric artery, sequela |
| S35.291A | Minor laceration of branches of celiac and mesenteric artery, initial encounter |
| S35.291D | Minor laceration of branches of celiac and mesenteric artery, subsequent encounter |
| S35.291S | Minor laceration of branches of celiac and mesenteric artery, sequela |
| S35.292A | Major laceration of branches of celiac and mesenteric artery, initial encounter |
| S35.292D | Major laceration of branches of celiac and mesenteric artery, subsequent encounter |
| S35.292S | Major laceration of branches of celiac and mesenteric artery, sequela |
| S35.298A | Other injury of branches of celiac and mesenteric artery, initial encounter |
| S35.298D | Other injury of branches of celiac and mesenteric artery, subsequent encounter |
| S35.298S | Other injury of branches of celiac and mesenteric artery, sequela |
| S35.299A | Unspecified injury of branches of celiac and mesenteric artery, initial encounter |
| S35.299D | Unspecified injury of branches of celiac and mesenteric artery, subsequent encounter |
| S35.299S | Unspecified injury of branches of celiac and mesenteric artery, sequela |
| S35.311A | Laceration of portal vein, initial encounter |
| S35.311D | Laceration of portal vein, subsequent encounter |
| S35.311S | Laceration of portal vein, sequela |
| S35.318A | Other specified injury of portal vein, initial encounter |
| S35.318D | Other specified injury of portal vein, subsequent encounter |
| S35.318S | Other specified injury of portal vein, sequela |
| S35.319A | Unspecified injury of portal vein, initial encounter |
| S35.319D | Unspecified injury of portal vein, subsequent encounter |
| S35.319S | Unspecified injury of portal vein, sequela |
| S35.321A | Laceration of splenic vein, initial encounter |
| S35.321D | Laceration of splenic vein, subsequent encounter |
| S35.321S | Laceration of splenic vein, sequela |
| S35.328A | Other specified injury of splenic vein, initial encounter |
| S35.328D | Other specified injury of splenic vein, subsequent encounter |
| S35.328S | Other specified injury of splenic vein, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------|
| S35.329A | Unspecified injury of splenic vein, initial encounter |
| S35.329D | Unspecified injury of splenic vein, subsequent encounter |
| S35.329S | Unspecified injury of splenic vein, sequela |
| S35.331A | Laceration of superior mesenteric vein, initial encounter |
| S35.331D | Laceration of superior mesenteric vein, subsequent encounter |
| S35.331S | Laceration of superior mesenteric vein, sequela |
| S35.338A | Other specified injury of superior mesenteric vein, initial encounter |
| S35.338D | Other specified injury of superior mesenteric vein, subsequent encounter |
| S35.338S | Other specified injury of superior mesenteric vein, sequela |
| S35.339A | Unspecified injury of superior mesenteric vein, initial encounter |
| S35.339D | Unspecified injury of superior mesenteric vein, subsequent encounter |
| S35.339S | Unspecified injury of superior mesenteric vein, sequela |
| S35.341A | Laceration of inferior mesenteric vein, initial encounter |
| S35.341D | Laceration of inferior mesenteric vein, subsequent encounter |
| S35.341S | Laceration of inferior mesenteric vein, sequela |
| S35.348A | Other specified injury of inferior mesenteric vein, initial encounter |
| S35.348D | Other specified injury of inferior mesenteric vein, subsequent encounter |
| S35.348S | Other specified injury of inferior mesenteric vein, sequela |
| S35.349A | Unspecified injury of inferior mesenteric vein, initial encounter |
| S35.349D | Unspecified injury of inferior mesenteric vein, subsequent encounter |
| S35.349S | Unspecified injury of inferior mesenteric vein, sequela |
| S35.401A | Unspecified injury of right renal artery, initial encounter |
| S35.401D | Unspecified injury of right renal artery, subsequent encounter |
| S35.401S | Unspecified injury of right renal artery, sequela |
| S35.402A | Unspecified injury of left renal artery, initial encounter |
| S35.402D | Unspecified injury of left renal artery, subsequent encounter |
| S35.402S | Unspecified injury of left renal artery, sequela |
| S35.404A | Unspecified injury of right renal vein, initial encounter |
| S35.404D | Unspecified injury of right renal vein, subsequent encounter |
| S35.404S | Unspecified injury of right renal vein, sequela |
| S35.405A | Unspecified injury of left renal vein, initial encounter |
| S35.405D | Unspecified injury of left renal vein, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|--------------------|--------------------------------------------------------------------|
| S35.405S | Unspecified injury of left renal vein, sequela |
| S35.411A | Laceration of right renal artery, initial encounter |
| S35.411D | Laceration of right renal artery, subsequent encounter |
| S35.411S | Laceration of right renal artery, sequela |
| S35.412A | Laceration of left renal artery, initial encounter |
| ICD-10 CODE | DESCRIPTION |
| S35.412D | Laceration of left renal artery, subsequent encounter |
| S35.412S | Laceration of left renal artery, sequela |
| S35.414A | Laceration of right renal vein, initial encounter |
| S35.414D | Laceration of right renal vein, subsequent encounter |
| S35.414S | Laceration of right renal vein, sequela |
| S35.415A | Laceration of left renal vein, initial encounter |
| S35.415D | Laceration of left renal vein, subsequent encounter |
| S35.415S | Laceration of left renal vein, sequela |
| S35.491A | Other specified injury of right renal artery, initial encounter |
| S35.491D | Other specified injury of right renal artery, subsequent encounter |
| S35.491S | Other specified injury of right renal artery, sequela |
| S35.492A | Other specified injury of left renal artery, initial encounter |
| S35.492D | Other specified injury of left renal artery, subsequent encounter |
| S35.492S | Other specified injury of left renal artery, sequela |
| S35.494A | Other specified injury of right renal vein, initial encounter |
| S35.494D | Other specified injury of right renal vein, subsequent encounter |
| S35.494S | Other specified injury of right renal vein, sequela |
| S35.495A | Other specified injury of left renal vein, initial encounter |
| S35.495D | Other specified injury of left renal vein, subsequent encounter |
| S35.495S | Other specified injury of left renal vein, sequela |
| S35.511A | Injury of right iliac artery, initial encounter |
| S35.511D | Injury of right iliac artery, subsequent encounter |
| S35.511S | Injury of right iliac artery, sequela |
| S35.512A | Injury of left iliac artery, initial encounter |
| S35.512D | Injury of left iliac artery, subsequent encounter |
| S35.512S | Injury of left iliac artery, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------|
| S35.514A | Injury of right iliac vein, initial encounter |
| S35.514D | Injury of right iliac vein, subsequent encounter |
| S35.514S | Injury of right iliac vein, sequela |
| S35.515A | Injury of left iliac vein, initial encounter |
| S35.515D | Injury of left iliac vein, subsequent encounter |
| S35.515S | Injury of left iliac vein, sequela |
| S35.531A | Injury of right uterine artery, initial encounter |
| S35.531D | Injury of right uterine artery, subsequent encounter |
| S35.531S | Injury of right uterine artery, sequela |
| S35.532A | Injury of left uterine artery, initial encounter |
| S35.532D | Injury of left uterine artery, subsequent encounter |
| S35.532S | Injury of left uterine artery, sequela |
| S35.534A | Injury of right uterine vein, initial encounter |
| S35.534D | Injury of right uterine vein, subsequent encounter |
| S35.534S | Injury of right uterine vein, sequela |
| S35.535A | Injury of left uterine vein, initial encounter |
| S35.535D | Injury of left uterine vein, subsequent encounter |
| S35.535S | Injury of left uterine vein, sequela |
| S35.59XA | Injury of other iliac blood vessels, initial encounter |
| S35.59XD | Injury of other iliac blood vessels, subsequent encounter |
| S35.59XS | Injury of other iliac blood vessels, sequela |
| S35.8X1A | Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter |
| S35.8X1D | Laceration of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X1S | Laceration of other blood vessels at abdomen, lower back and pelvis level, sequela |
| S35.8X8A | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter |
| S35.8X8D | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X8S | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, sequela |
| S35.8X9A | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------|
| | initial encounter |
| S35.8X9D | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, subsequent encounter |
| S35.8X9S | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, sequela |
| S35.90XA | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S35.90XD | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.90XS | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S35.91XA | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S35.91XD | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.91XS | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S35.99XA | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S35.99XD | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, subsequent encounter |
| S35.99XS | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S36.00XA | Unspecified injury of spleen, initial encounter |
| S36.00XD | Unspecified injury of spleen, subsequent encounter |
| S36.00XS | Unspecified injury of spleen, sequela |
| S36.020A | Minor contusion of spleen, initial encounter |
| S36.020D | Minor contusion of spleen, subsequent encounter |
| S36.020S | Minor contusion of spleen, sequela |
| S36.021A | Major contusion of spleen, initial encounter |
| S36.021D | Major contusion of spleen, subsequent encounter |
| S36.021S | Major contusion of spleen, sequela |
| S36.029A | Unspecified contusion of spleen, initial encounter |
| S36.029D | Unspecified contusion of spleen, subsequent encounter |
| S36.029S | Unspecified contusion of spleen, sequela |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-------------------------------------------------------------------|
| S36.030A | Superficial (capsular) laceration of spleen, initial encounter |
| S36.030D | Superficial (capsular) laceration of spleen, subsequent encounter |
| S36.030S | Superficial (capsular) laceration of spleen, sequela |
| S36.031A | Moderate laceration of spleen, initial encounter |
| S36.031D | Moderate laceration of spleen, subsequent encounter |
| S36.031S | Moderate laceration of spleen, sequela |
| S36.032A | Major laceration of spleen, initial encounter |
| S36.032D | Major laceration of spleen, subsequent encounter |
| S36.032S | Major laceration of spleen, sequela |
| S36.039A | Unspecified laceration of spleen, initial encounter |
| S36.039D | Unspecified laceration of spleen, subsequent encounter |
| S36.039S | Unspecified laceration of spleen, sequela |
| S36.09XA | Other injury of spleen, initial encounter |
| S36.09XD | Other injury of spleen, subsequent encounter |
| S36.09XS | Other injury of spleen, sequela |
| S36.112A | Contusion of liver, initial encounter |
| S36.112D | Contusion of liver, subsequent encounter |
| S36.112S | Contusion of liver, sequela |
| S36.113A | Laceration of liver, unspecified degree, initial encounter |
| S36.113D | Laceration of liver, unspecified degree, subsequent encounter |
| S36.113S | Laceration of liver, unspecified degree, sequela |
| S36.114A | Minor laceration of liver, initial encounter |
| S36.114D | Minor laceration of liver, subsequent encounter |
| ICD-10 CODE | DESCRIPTION |
| S36.114S | Minor laceration of liver, sequela |
| S36.115A | Moderate laceration of liver, initial encounter |
| S36.115D | Moderate laceration of liver, subsequent encounter |
| S36.115S | Moderate laceration of liver, sequela |
| S36.116A | Major laceration of liver, initial encounter |
| S36.116D | Major laceration of liver, subsequent encounter |
| S36.116S | Major laceration of liver, sequela |
| S36.118A | Other injury of liver, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------|
| S36.118D | Other injury of liver, subsequent encounter |
| S36.118S | Other injury of liver, sequela |
| S36.119A | Unspecified injury of liver, initial encounter |
| S36.119D | Unspecified injury of liver, subsequent encounter |
| S36.119S | Unspecified injury of liver, sequela |
| S36.122A | Contusion of gallbladder, initial encounter |
| S36.122D | Contusion of gallbladder, subsequent encounter |
| S36.122S | Contusion of gallbladder, sequela |
| S36.123A | Laceration of gallbladder, initial encounter |
| S36.123D | Laceration of gallbladder, subsequent encounter |
| S36.123S | Laceration of gallbladder, sequela |
| S36.128A | Other injury of gallbladder, initial encounter |
| S36.128D | Other injury of gallbladder, subsequent encounter |
| S36.128S | Other injury of gallbladder, sequela |
| S36.129A | Unspecified injury of gallbladder, initial encounter |
| S36.129D | Unspecified injury of gallbladder, subsequent encounter |
| S36.129S | Unspecified injury of gallbladder, sequela |
| S36.13XA | Injury of bile duct, initial encounter |
| S36.13XD | Injury of bile duct, subsequent encounter |
| S36.13XS | Injury of bile duct, sequela |
| S36.200A | Unspecified injury of head of pancreas, initial encounter |
| S36.200D | Unspecified injury of head of pancreas, subsequent encounter |
| S36.200S | Unspecified injury of head of pancreas, sequela |
| S36.201A | Unspecified injury of body of pancreas, initial encounter |
| S36.201D | Unspecified injury of body of pancreas, subsequent encounter |
| S36.201S | Unspecified injury of body of pancreas, sequela |
| S36.202A | Unspecified injury of tail of pancreas, initial encounter |
| S36.202D | Unspecified injury of tail of pancreas, subsequent encounter |
| S36.202S | Unspecified injury of tail of pancreas, sequela |
| S36.209A | Unspecified injury of unspecified part of pancreas, initial encounter |
| S36.209D | Unspecified injury of unspecified part of pancreas, subsequent encounter |
| S36.209S | Unspecified injury of unspecified part of pancreas, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| S36.220A | Contusion of head of pancreas, initial encounter |
| S36.220D | Contusion of head of pancreas, subsequent encounter |
| S36.220S | Contusion of head of pancreas, sequela |
| S36.221A | Contusion of body of pancreas, initial encounter |
| S36.221D | Contusion of body of pancreas, subsequent encounter |
| S36.221S | Contusion of body of pancreas, sequela |
| S36.222A | Contusion of tail of pancreas, initial encounter |
| S36.222D | Contusion of tail of pancreas, subsequent encounter |
| S36.222S | Contusion of tail of pancreas, sequela |
| S36.229A | Contusion of unspecified part of pancreas, initial encounter |
| S36.229D | Contusion of unspecified part of pancreas, subsequent encounter |
| S36.229S | Contusion of unspecified part of pancreas, sequela |
| S36.230A | Laceration of head of pancreas, unspecified degree, initial encounter |
| S36.230D | Laceration of head of pancreas, unspecified degree, subsequent encounter |
| S36.230S | Laceration of head of pancreas, unspecified degree, sequela |
| S36.231A | Laceration of body of pancreas, unspecified degree, initial encounter |
| S36.231D | Laceration of body of pancreas, unspecified degree, subsequent encounter |
| S36.231S | Laceration of body of pancreas, unspecified degree, sequela |
| S36.232A | Laceration of tail of pancreas, unspecified degree, initial encounter |
| S36.232D | Laceration of tail of pancreas, unspecified degree, subsequent encounter |
| S36.232S | Laceration of tail of pancreas, unspecified degree, sequela |
| S36.239A | Laceration of unspecified part of pancreas, unspecified degree, initial encounter |
| S36.239D | Laceration of unspecified part of pancreas, unspecified degree, subsequent encounter |
| S36.239S | Laceration of unspecified part of pancreas, unspecified degree, sequela |
| S36.240A | Minor laceration of head of pancreas, initial encounter |
| S36.240D | Minor laceration of head of pancreas, subsequent encounter |
| S36.240S | Minor laceration of head of pancreas, sequela |
| S36.241A | Minor laceration of body of pancreas, initial encounter |
| S36.241D | Minor laceration of body of pancreas, subsequent encounter |
| S36.241S | Minor laceration of body of pancreas, sequela |
| S36.242A | Minor laceration of tail of pancreas, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------|
| S36.242D | Minor laceration of tail of pancreas, subsequent encounter |
| S36.242S | Minor laceration of tail of pancreas, sequela |
| S36.249A | Minor laceration of unspecified part of pancreas, initial encounter |
| S36.249D | Minor laceration of unspecified part of pancreas, subsequent encounter |
| S36.249S | Minor laceration of unspecified part of pancreas, sequela |
| S36.250A | Moderate laceration of head of pancreas, initial encounter |
| S36.250D | Moderate laceration of head of pancreas, subsequent encounter |
| S36.250S | Moderate laceration of head of pancreas, sequela |
| S36.251A | Moderate laceration of body of pancreas, initial encounter |
| S36.251D | Moderate laceration of body of pancreas, subsequent encounter |
| S36.251S | Moderate laceration of body of pancreas, sequela |
| S36.252A | Moderate laceration of tail of pancreas, initial encounter |
| S36.252D | Moderate laceration of tail of pancreas, subsequent encounter |
| S36.252S | Moderate laceration of tail of pancreas, sequela |
| S36.259A | Moderate laceration of unspecified part of pancreas, initial encounter |
| S36.259D | Moderate laceration of unspecified part of pancreas, subsequent encounter |
| S36.259S | Moderate laceration of unspecified part of pancreas, sequela |
| S36.260A | Major laceration of head of pancreas, initial encounter |
| S36.260D | Major laceration of head of pancreas, subsequent encounter |
| S36.260S | Major laceration of head of pancreas, sequela |
| S36.261A | Major laceration of body of pancreas, initial encounter |
| S36.261D | Major laceration of body of pancreas, subsequent encounter |
| S36.261S | Major laceration of body of pancreas, sequela |
| S36.262A | Major laceration of tail of pancreas, initial encounter |
| S36.262D | Major laceration of tail of pancreas, subsequent encounter |
| S36.262S | Major laceration of tail of pancreas, sequela |
| S36.269A | Major laceration of unspecified part of pancreas, initial encounter |
| S36.269D | Major laceration of unspecified part of pancreas, subsequent encounter |
| S36.269S | Major laceration of unspecified part of pancreas, sequela |
| ICD-10 CODE | DESCRIPTION |
| S36.290A | Other injury of head of pancreas, initial encounter |
| S36.290D | Other injury of head of pancreas, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------|
| S36.290S | Other injury of head of pancreas, sequela |
| S36.291A | Other injury of body of pancreas, initial encounter |
| S36.291D | Other injury of body of pancreas, subsequent encounter |
| S36.291S | Other injury of body of pancreas, sequela |
| S36.292A | Other injury of tail of pancreas, initial encounter |
| S36.292D | Other injury of tail of pancreas, subsequent encounter |
| S36.292S | Other injury of tail of pancreas, sequela |
| S36.299A | Other injury of unspecified part of pancreas, initial encounter |
| S36.299D | Other injury of unspecified part of pancreas, subsequent encounter |
| S36.299S | Other injury of unspecified part of pancreas, sequela |
| S36.30XA | Unspecified injury of stomach, initial encounter |
| S36.30XD | Unspecified injury of stomach, subsequent encounter |
| S36.30XS | Unspecified injury of stomach, sequela |
| S36.32XA | Contusion of stomach, initial encounter |
| S36.32XD | Contusion of stomach, subsequent encounter |
| S36.32XS | Contusion of stomach, sequela |
| S36.33XA | Laceration of stomach, initial encounter |
| S36.33XD | Laceration of stomach, subsequent encounter |
| S36.33XS | Laceration of stomach, sequela |
| S36.39XA | Other injury of stomach, initial encounter |
| S36.39XD | Other injury of stomach, subsequent encounter |
| S36.39XS | Other injury of stomach, sequela |
| S36.400A | Unspecified injury of duodenum, initial encounter |
| S36.400D | Unspecified injury of duodenum, subsequent encounter |
| S36.400S | Unspecified injury of duodenum, sequela |
| S36.408A | Unspecified injury of other part of small intestine, initial encounter |
| S36.408D | Unspecified injury of other part of small intestine, subsequent encounter |
| S36.408S | Unspecified injury of other part of small intestine, sequela |
| S36.409A | Unspecified injury of unspecified part of small intestine, initial encounter |
| S36.409D | Unspecified injury of unspecified part of small intestine, subsequent encounter |
| S36.409S | Unspecified injury of unspecified part of small intestine, sequela |
| S36.410A | Primary blast injury of duodenum, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------|
| S36.410D | Primary blast injury of duodenum, subsequent encounter |
| S36.410S | Primary blast injury of duodenum, sequela |
| S36.418A | Primary blast injury of other part of small intestine, initial encounter |
| S36.418D | Primary blast injury of other part of small intestine, subsequent encounter |
| S36.418S | Primary blast injury of other part of small intestine, sequela |
| S36.419A | Primary blast injury of unspecified part of small intestine, initial encounter |
| S36.419D | Primary blast injury of unspecified part of small intestine, subsequent encounter |
| S36.419S | Primary blast injury of unspecified part of small intestine, sequela |
| S36.420A | Contusion of duodenum, initial encounter |
| S36.420D | Contusion of duodenum, subsequent encounter |
| S36.420S | Contusion of duodenum, sequela |
| S36.428A | Contusion of other part of small intestine, initial encounter |
| S36.428D | Contusion of other part of small intestine, subsequent encounter |
| S36.428S | Contusion of other part of small intestine, sequela |
| S36.429A | Contusion of unspecified part of small intestine, initial encounter |
| S36.429D | Contusion of unspecified part of small intestine, subsequent encounter |
| S36.429S | Contusion of unspecified part of small intestine, sequela |
| S36.430A | Laceration of duodenum, initial encounter |
| S36.430D | Laceration of duodenum, subsequent encounter |
| S36.430S | Laceration of duodenum, sequela |
| S36.438A | Laceration of other part of small intestine, initial encounter |
| S36.438D | Laceration of other part of small intestine, subsequent encounter |
| S36.438S | Laceration of other part of small intestine, sequela |
| S36.439A | Laceration of unspecified part of small intestine, initial encounter |
| S36.439D | Laceration of unspecified part of small intestine, subsequent encounter |
| S36.439S | Laceration of unspecified part of small intestine, sequela |
| S36.490A | Other injury of duodenum, initial encounter |
| S36.490D | Other injury of duodenum, subsequent encounter |
| S36.490S | Other injury of duodenum, sequela |
| S36.498A | Other injury of other part of small intestine, initial encounter |
| S36.498D | Other injury of other part of small intestine, subsequent encounter |
| S36.498S | Other injury of other part of small intestine, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------|
| S36.499A | Other injury of unspecified part of small intestine, initial encounter |
| S36.499D | Other injury of unspecified part of small intestine, subsequent encounter |
| S36.499S | Other injury of unspecified part of small intestine, sequela |
| S36.500A | Unspecified injury of ascending [right] colon, initial encounter |
| S36.500D | Unspecified injury of ascending [right] colon, subsequent encounter |
| S36.500S | Unspecified injury of ascending [right] colon, sequela |
| S36.501A | Unspecified injury of transverse colon, initial encounter |
| S36.501D | Unspecified injury of transverse colon, subsequent encounter |
| S36.501S | Unspecified injury of transverse colon, sequela |
| S36.502A | Unspecified injury of descending [left] colon, initial encounter |
| S36.502D | Unspecified injury of descending [left] colon, subsequent encounter |
| S36.502S | Unspecified injury of descending [left] colon, sequela |
| S36.503A | Unspecified injury of sigmoid colon, initial encounter |
| S36.503D | Unspecified injury of sigmoid colon, subsequent encounter |
| S36.503S | Unspecified injury of sigmoid colon, sequela |
| S36.508A | Unspecified injury of other part of colon, initial encounter |
| S36.508D | Unspecified injury of other part of colon, subsequent encounter |
| S36.508S | Unspecified injury of other part of colon, sequela |
| S36.509A | Unspecified injury of unspecified part of colon, initial encounter |
| S36.509D | Unspecified injury of unspecified part of colon, subsequent encounter |
| S36.509S | Unspecified injury of unspecified part of colon, sequela |
| S36.510A | Primary blast injury of ascending [right] colon, initial encounter |
| S36.510D | Primary blast injury of ascending [right] colon, subsequent encounter |
| S36.510S | Primary blast injury of ascending [right] colon, sequela |
| S36.511A | Primary blast injury of transverse colon, initial encounter |
| S36.511D | Primary blast injury of transverse colon, subsequent encounter |
| S36.511S | Primary blast injury of transverse colon, sequela |
| S36.512A | Primary blast injury of descending [left] colon, initial encounter |
| S36.512D | Primary blast injury of descending [left] colon, subsequent encounter |
| S36.512S | Primary blast injury of descending [left] colon, sequela |
| S36.513A | Primary blast injury of sigmoid colon, initial encounter |
| S36.513D | Primary blast injury of sigmoid colon, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------|
| S36.513S | Primary blast injury of sigmoid colon, sequela |
| S36.518A | Primary blast injury of other part of colon, initial encounter |
| ICD-10 CODE | DESCRIPTION |
| S36.518D | Primary blast injury of other part of colon, subsequent encounter |
| S36.518S | Primary blast injury of other part of colon, sequela |
| S36.519A | Primary blast injury of unspecified part of colon, initial encounter |
| S36.519D | Primary blast injury of unspecified part of colon, subsequent encounter |
| S36.519S | Primary blast injury of unspecified part of colon, sequela |
| S36.520A | Contusion of ascending [right] colon, initial encounter |
| S36.520D | Contusion of ascending [right] colon, subsequent encounter |
| S36.520S | Contusion of ascending [right] colon, sequela |
| S36.521A | Contusion of transverse colon, initial encounter |
| S36.521D | Contusion of transverse colon, subsequent encounter |
| S36.521S | Contusion of transverse colon, sequela |
| S36.522A | Contusion of descending [left] colon, initial encounter |
| S36.522D | Contusion of descending [left] colon, subsequent encounter |
| S36.522S | Contusion of descending [left] colon, sequela |
| S36.523A | Contusion of sigmoid colon, initial encounter |
| S36.523D | Contusion of sigmoid colon, subsequent encounter |
| S36.523S | Contusion of sigmoid colon, sequela |
| S36.528A | Contusion of other part of colon, initial encounter |
| S36.528D | Contusion of other part of colon, subsequent encounter |
| S36.528S | Contusion of other part of colon, sequela |
| S36.529A | Contusion of unspecified part of colon, initial encounter |
| S36.529D | Contusion of unspecified part of colon, subsequent encounter |
| S36.529S | Contusion of unspecified part of colon, sequela |
| S36.530A | Laceration of ascending [right] colon, initial encounter |
| S36.530D | Laceration of ascending [right] colon, subsequent encounter |
| S36.530S | Laceration of ascending [right] colon, sequela |
| S36.531A | Laceration of transverse colon, initial encounter |
| S36.531D | Laceration of transverse colon, subsequent encounter |
| S36.531S | Laceration of transverse colon, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------|
| S36.532A | Laceration of descending [left] colon, initial encounter |
| S36.532D | Laceration of descending [left] colon, subsequent encounter |
| S36.532S | Laceration of descending [left] colon, sequela |
| S36.533A | Laceration of sigmoid colon, initial encounter |
| S36.533D | Laceration of sigmoid colon, subsequent encounter |
| S36.533S | Laceration of sigmoid colon, sequela |
| S36.538A | Laceration of other part of colon, initial encounter |
| S36.538D | Laceration of other part of colon, subsequent encounter |
| S36.538S | Laceration of other part of colon, sequela |
| S36.539A | Laceration of unspecified part of colon, initial encounter |
| S36.539D | Laceration of unspecified part of colon, subsequent encounter |
| S36.539S | Laceration of unspecified part of colon, sequela |
| S36.590A | Other injury of ascending [right] colon, initial encounter |
| S36.590D | Other injury of ascending [right] colon, subsequent encounter |
| S36.590S | Other injury of ascending [right] colon, sequela |
| S36.591A | Other injury of transverse colon, initial encounter |
| S36.591D | Other injury of transverse colon, subsequent encounter |
| S36.591S | Other injury of transverse colon, sequela |
| S36.592A | Other injury of descending [left] colon, initial encounter |
| S36.592D | Other injury of descending [left] colon, subsequent encounter |
| S36.592S | Other injury of descending [left] colon, sequela |
| S36.593A | Other injury of sigmoid colon, initial encounter |
| S36.593D | Other injury of sigmoid colon, subsequent encounter |
| S36.593S | Other injury of sigmoid colon, sequela |
| S36.598A | Other injury of other part of colon, initial encounter |
| S36.598D | Other injury of other part of colon, subsequent encounter |
| S36.598S | Other injury of other part of colon, sequela |
| S36.599A | Other injury of unspecified part of colon, initial encounter |
| S36.599D | Other injury of unspecified part of colon, subsequent encounter |
| S36.599S | Other injury of unspecified part of colon, sequela |
| S36.60XA | Unspecified injury of rectum, initial encounter |
| S36.60XD | Unspecified injury of rectum, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------|
| S36.60XS | Unspecified injury of rectum, sequela |
| S36.61XA | Primary blast injury of rectum, initial encounter |
| S36.61XD | Primary blast injury of rectum, subsequent encounter |
| S36.61XS | Primary blast injury of rectum, sequela |
| S36.62XA | Contusion of rectum, initial encounter |
| S36.62XD | Contusion of rectum, subsequent encounter |
| S36.62XS | Contusion of rectum, sequela |
| S36.63XA | Laceration of rectum, initial encounter |
| S36.63XD | Laceration of rectum, subsequent encounter |
| S36.63XS | Laceration of rectum, sequela |
| S36.69XA | Other injury of rectum, initial encounter |
| S36.69XD | Other injury of rectum, subsequent encounter |
| S36.69XS | Other injury of rectum, sequela |
| S36.81XA | Injury of peritoneum, initial encounter |
| S36.81XD | Injury of peritoneum, subsequent encounter |
| S36.81XS | Injury of peritoneum, sequela |
| S36.892A | Contusion of other intra-abdominal organs, initial encounter |
| S36.892D | Contusion of other intra-abdominal organs, subsequent encounter |
| S36.892S | Contusion of other intra-abdominal organs, sequela |
| S36.893A | Laceration of other intra-abdominal organs, initial encounter |
| S36.893D | Laceration of other intra-abdominal organs, subsequent encounter |
| S36.893S | Laceration of other intra-abdominal organs, sequela |
| S36.898A | Other injury of other intra-abdominal organs, initial encounter |
| S36.898D | Other injury of other intra-abdominal organs, subsequent encounter |
| S36.898S | Other injury of other intra-abdominal organs, sequela |
| S36.899A | Unspecified injury of other intra-abdominal organs, initial encounter |
| S36.899D | Unspecified injury of other intra-abdominal organs, subsequent encounter |
| S36.899S | Unspecified injury of other intra-abdominal organs, sequela |
| S36.90XA | Unspecified injury of unspecified intra-abdominal organ, initial encounter |
| S36.90XD | Unspecified injury of unspecified intra-abdominal organ, subsequent encounter |
| S36.90XS | Unspecified injury of unspecified intra-abdominal organ, sequela |
| S36.92XA | Contusion of unspecified intra-abdominal organ, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------|
| S36.92XD | Contusion of unspecified intra-abdominal organ, subsequent encounter |
| S36.92XS | Contusion of unspecified intra-abdominal organ, sequela |
| S36.93XA | Laceration of unspecified intra-abdominal organ, initial encounter |
| S36.93XD | Laceration of unspecified intra-abdominal organ, subsequent encounter |
| S36.93XS | Laceration of unspecified intra-abdominal organ, sequela |
| S36.99XA | Other injury of unspecified intra-abdominal organ, initial encounter |
| S36.99XD | Other injury of unspecified intra-abdominal organ, subsequent encounter |
| ICD-10 CODE | DESCRIPTION |
| S36.99XS | Other injury of unspecified intra-abdominal organ, sequela |
| S37.001A | Unspecified injury of right kidney, initial encounter |
| S37.001D | Unspecified injury of right kidney, subsequent encounter |
| S37.001S | Unspecified injury of right kidney, sequela |
| S37.002A | Unspecified injury of left kidney, initial encounter |
| S37.002D | Unspecified injury of left kidney, subsequent encounter |
| S37.002S | Unspecified injury of left kidney, sequela |
| S37.011A | Minor contusion of right kidney, initial encounter |
| S37.011D | Minor contusion of right kidney, subsequent encounter |
| S37.011S | Minor contusion of right kidney, sequela |
| S37.012A | Minor contusion of left kidney, initial encounter |
| S37.012D | Minor contusion of left kidney, subsequent encounter |
| S37.012S | Minor contusion of left kidney, sequela |
| S37.021A | Major contusion of right kidney, initial encounter |
| S37.021D | Major contusion of right kidney, subsequent encounter |
| S37.021S | Major contusion of right kidney, sequela |
| S37.022A | Major contusion of left kidney, initial encounter |
| S37.022D | Major contusion of left kidney, subsequent encounter |
| S37.022S | Major contusion of left kidney, sequela |
| S37.031A | Laceration of right kidney, unspecified degree, initial encounter |
| S37.031D | Laceration of right kidney, unspecified degree, subsequent encounter |
| S37.031S | Laceration of right kidney, unspecified degree, sequela |
| S37.032A | Laceration of left kidney, unspecified degree, initial encounter |
| S37.032D | Laceration of left kidney, unspecified degree, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------|
| S37.032S | Laceration of left kidney, unspecified degree, sequela |
| S37.041A | Minor laceration of right kidney, initial encounter |
| S37.041D | Minor laceration of right kidney, subsequent encounter |
| S37.041S | Minor laceration of right kidney, sequela |
| S37.042A | Minor laceration of left kidney, initial encounter |
| S37.042D | Minor laceration of left kidney, subsequent encounter |
| S37.042S | Minor laceration of left kidney, sequela |
| S37.051A | Moderate laceration of right kidney, initial encounter |
| S37.051D | Moderate laceration of right kidney, subsequent encounter |
| S37.051S | Moderate laceration of right kidney, sequela |
| S37.052A | Moderate laceration of left kidney, initial encounter |
| S37.052D | Moderate laceration of left kidney, subsequent encounter |
| S37.052S | Moderate laceration of left kidney, sequela |
| S37.061A | Major laceration of right kidney, initial encounter |
| S37.061D | Major laceration of right kidney, subsequent encounter |
| S37.061S | Major laceration of right kidney, sequela |
| S37.062A | Major laceration of left kidney, initial encounter |
| S37.062D | Major laceration of left kidney, subsequent encounter |
| S37.062S | Major laceration of left kidney, sequela |
| S37.091A | Other injury of right kidney, initial encounter |
| S37.091D | Other injury of right kidney, subsequent encounter |
| S37.091S | Other injury of right kidney, sequela |
| S37.092A | Other injury of left kidney, initial encounter |
| S37.092D | Other injury of left kidney, subsequent encounter |
| S37.092S | Other injury of left kidney, sequela |
| S37.10XA | Unspecified injury of ureter, initial encounter |
| S37.10XD | Unspecified injury of ureter, subsequent encounter |
| S37.10XS | Unspecified injury of ureter, sequela |
| S37.12XA | Contusion of ureter, initial encounter |
| S37.12XD | Contusion of ureter, subsequent encounter |
| S37.12XS | Contusion of ureter, sequela |
| S37.13XA | Laceration of ureter, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------|
| S37.13XD | Laceration of ureter, subsequent encounter |
| S37.13XS | Laceration of ureter, sequela |
| S37.19XA | Other injury of ureter, initial encounter |
| S37.19XD | Other injury of ureter, subsequent encounter |
| S37.19XS | Other injury of ureter, sequela |
| S37.20XA | Unspecified injury of bladder, initial encounter |
| S37.20XD | Unspecified injury of bladder, subsequent encounter |
| S37.20XS | Unspecified injury of bladder, sequela |
| S37.22XA | Contusion of bladder, initial encounter |
| S37.22XD | Contusion of bladder, subsequent encounter |
| S37.22XS | Contusion of bladder, sequela |
| S37.23XA | Laceration of bladder, initial encounter |
| S37.23XD | Laceration of bladder, subsequent encounter |
| S37.23XS | Laceration of bladder, sequela |
| S37.29XA | Other injury of bladder, initial encounter |
| S37.29XD | Other injury of bladder, subsequent encounter |
| S37.29XS | Other injury of bladder, sequela |
| S37.30XA | Unspecified injury of urethra, initial encounter |
| S37.30XD | Unspecified injury of urethra, subsequent encounter |
| S37.30XS | Unspecified injury of urethra, sequela |
| S37.32XA | Contusion of urethra, initial encounter |
| S37.32XD | Contusion of urethra, subsequent encounter |
| S37.32XS | Contusion of urethra, sequela |
| S37.33XA | Laceration of urethra, initial encounter |
| S37.33XD | Laceration of urethra, subsequent encounter |
| S37.33XS | Laceration of urethra, sequela |
| S37.39XA | Other injury of urethra, initial encounter |
| S37.39XD | Other injury of urethra, subsequent encounter |
| S37.39XS | Other injury of urethra, sequela |
| S37.401A | Unspecified injury of ovary, unilateral, initial encounter |
| S37.401D | Unspecified injury of ovary, unilateral, subsequent encounter |
| S37.401S | Unspecified injury of ovary, unilateral, sequela |

| ICD-10 CODE | DESCRIPTION |
|--------------------|--------------------------------------------------------------------------|
| S37.402A | Unspecified injury of ovary, bilateral, initial encounter |
| S37.402D | Unspecified injury of ovary, bilateral, subsequent encounter |
| S37.402S | Unspecified injury of ovary, bilateral, sequela |
| S37.421A | Contusion of ovary, unilateral, initial encounter |
| S37.421D | Contusion of ovary, unilateral, subsequent encounter |
| S37.421S | Contusion of ovary, unilateral, sequela |
| S37.422A | Contusion of ovary, bilateral, initial encounter |
| S37.422D | Contusion of ovary, bilateral, subsequent encounter |
| S37.422S | Contusion of ovary, bilateral, sequela |
| S37.431A | Laceration of ovary, unilateral, initial encounter |
| S37.431D | Laceration of ovary, unilateral, subsequent encounter |
| S37.431S | Laceration of ovary, unilateral, sequela |
| ICD-10 CODE | DESCRIPTION |
| S37.432A | Laceration of ovary, bilateral, initial encounter |
| S37.432D | Laceration of ovary, bilateral, subsequent encounter |
| S37.432S | Laceration of ovary, bilateral, sequela |
| S37.491A | Other injury of ovary, unilateral, initial encounter |
| S37.491D | Other injury of ovary, unilateral, subsequent encounter |
| S37.491S | Other injury of ovary, unilateral, sequela |
| S37.492A | Other injury of ovary, bilateral, initial encounter |
| S37.492D | Other injury of ovary, bilateral, subsequent encounter |
| S37.492S | Other injury of ovary, bilateral, sequela |
| S37.501A | Unspecified injury of fallopian tube, unilateral, initial encounter |
| S37.501D | Unspecified injury of fallopian tube, unilateral, subsequent encounter |
| S37.501S | Unspecified injury of fallopian tube, unilateral, sequela |
| S37.502A | Unspecified injury of fallopian tube, bilateral, initial encounter |
| S37.502D | Unspecified injury of fallopian tube, bilateral, subsequent encounter |
| S37.502S | Unspecified injury of fallopian tube, bilateral, sequela |
| S37.511A | Primary blast injury of fallopian tube, unilateral, initial encounter |
| S37.511D | Primary blast injury of fallopian tube, unilateral, subsequent encounter |
| S37.511S | Primary blast injury of fallopian tube, unilateral, sequela |
| S37.512A | Primary blast injury of fallopian tube, bilateral, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------|
| S37.512D | Primary blast injury of fallopian tube, bilateral, subsequent encounter |
| S37.512S | Primary blast injury of fallopian tube, bilateral, sequela |
| S37.519A | Primary blast injury of fallopian tube, unspecified, initial encounter |
| S37.521A | Contusion of fallopian tube, unilateral, initial encounter |
| S37.521D | Contusion of fallopian tube, unilateral, subsequent encounter |
| S37.521S | Contusion of fallopian tube, unilateral, sequela |
| S37.522A | Contusion of fallopian tube, bilateral, initial encounter |
| S37.522D | Contusion of fallopian tube, bilateral, subsequent encounter |
| S37.522S | Contusion of fallopian tube, bilateral, sequela |
| S37.531A | Laceration of fallopian tube, unilateral, initial encounter |
| S37.531D | Laceration of fallopian tube, unilateral, subsequent encounter |
| S37.531S | Laceration of fallopian tube, unilateral, sequela |
| S37.532A | Laceration of fallopian tube, bilateral, initial encounter |
| S37.532D | Laceration of fallopian tube, bilateral, subsequent encounter |
| S37.532S | Laceration of fallopian tube, bilateral, sequela |
| S37.591A | Other injury of fallopian tube, unilateral, initial encounter |
| S37.591D | Other injury of fallopian tube, unilateral, subsequent encounter |
| S37.591S | Other injury of fallopian tube, unilateral, sequela |
| S37.592A | Other injury of fallopian tube, bilateral, initial encounter |
| S37.592D | Other injury of fallopian tube, bilateral, subsequent encounter |
| S37.592S | Other injury of fallopian tube, bilateral, sequela |
| S37.60XA | Unspecified injury of uterus, initial encounter |
| S37.60XD | Unspecified injury of uterus, subsequent encounter |
| S37.60XS | Unspecified injury of uterus, sequela |
| S37.62XA | Contusion of uterus, initial encounter |
| S37.62XD | Contusion of uterus, subsequent encounter |
| S37.62XS | Contusion of uterus, sequela |
| S37.63XA | Laceration of uterus, initial encounter |
| S37.63XD | Laceration of uterus, subsequent encounter |
| S37.63XS | Laceration of uterus, sequela |
| S37.69XA | Other injury of uterus, initial encounter |
| S37.69XD | Other injury of uterus, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------|
| S37.69XS | Other injury of uterus, sequela |
| S37.812A | Contusion of adrenal gland, initial encounter |
| S37.812D | Contusion of adrenal gland, subsequent encounter |
| S37.812S | Contusion of adrenal gland, sequela |
| S37.813A | Laceration of adrenal gland, initial encounter |
| S37.813D | Laceration of adrenal gland, subsequent encounter |
| S37.813S | Laceration of adrenal gland, sequela |
| S37.818A | Other injury of adrenal gland, initial encounter |
| S37.818D | Other injury of adrenal gland, subsequent encounter |
| S37.818S | Other injury of adrenal gland, sequela |
| S37.819A | Unspecified injury of adrenal gland, initial encounter |
| S37.819D | Unspecified injury of adrenal gland, subsequent encounter |
| S37.819S | Unspecified injury of adrenal gland, sequela |
| S37.822A | Contusion of prostate, initial encounter |
| S37.822D | Contusion of prostate, subsequent encounter |
| S37.822S | Contusion of prostate, sequela |
| S37.823A | Laceration of prostate, initial encounter |
| S37.823D | Laceration of prostate, subsequent encounter |
| S37.823S | Laceration of prostate, sequela |
| S37.828A | Other injury of prostate, initial encounter |
| S37.828D | Other injury of prostate, subsequent encounter |
| S37.828S | Other injury of prostate, sequela |
| S37.829A | Unspecified injury of prostate, initial encounter |
| S37.829D | Unspecified injury of prostate, subsequent encounter |
| S37.829S | Unspecified injury of prostate, sequela |
| S37.892A | Contusion of other urinary and pelvic organ, initial encounter |
| S37.892D | Contusion of other urinary and pelvic organ, subsequent encounter |
| S37.892S | Contusion of other urinary and pelvic organ, sequela |
| S37.893A | Laceration of other urinary and pelvic organ, initial encounter |
| S37.893D | Laceration of other urinary and pelvic organ, subsequent encounter |
| S37.893S | Laceration of other urinary and pelvic organ, sequela |
| S37.898A | Other injury of other urinary and pelvic organ, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------|
| S37.898D | Other injury of other urinary and pelvic organ, subsequent encounter |
| S37.898S | Other injury of other urinary and pelvic organ, sequela |
| S37.899A | Unspecified injury of other urinary and pelvic organ, initial encounter |
| S37.899D | Unspecified injury of other urinary and pelvic organ, subsequent encounter |
| S37.899S | Unspecified injury of other urinary and pelvic organ, sequela |
| S38.1XXA | Crushing injury of abdomen, lower back, and pelvis, initial encounter |
| S38.1XXD | Crushing injury of abdomen, lower back, and pelvis, subsequent encounter |
| S38.1XXS | Crushing injury of abdomen, lower back, and pelvis, sequela |
| S39.001A | Unspecified injury of muscle, fascia and tendon of abdomen, initial encounter |
| S39.001D | Unspecified injury of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.001S | Unspecified injury of muscle, fascia and tendon of abdomen, sequela |
| S39.002A | Unspecified injury of muscle, fascia and tendon of lower back, initial encounter |
| S39.002D | Unspecified injury of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.002S | Unspecified injury of muscle, fascia and tendon of lower back, sequela |
| S39.003A | Unspecified injury of muscle, fascia and tendon of pelvis, initial encounter |
| S39.003D | Unspecified injury of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.003S | Unspecified injury of muscle, fascia and tendon of pelvis, sequela |
| ICD-10 CODE | DESCRIPTION |
| S39.011A | Strain of muscle, fascia and tendon of abdomen, initial encounter |
| S39.011D | Strain of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.011S | Strain of muscle, fascia and tendon of abdomen, sequela |
| S39.012A | Strain of muscle, fascia and tendon of lower back, initial encounter |
| S39.012D | Strain of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.012S | Strain of muscle, fascia and tendon of lower back, sequela |
| S39.013A | Strain of muscle, fascia and tendon of pelvis, initial encounter |
| S39.013D | Strain of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.013S | Strain of muscle, fascia and tendon of pelvis, sequela |
| S39.021A | Laceration of muscle, fascia and tendon of abdomen, initial encounter |
| S39.021D | Laceration of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.021S | Laceration of muscle, fascia and tendon of abdomen, sequela |
| S39.022A | Laceration of muscle, fascia and tendon of lower back, initial encounter |
| S39.022D | Laceration of muscle, fascia and tendon of lower back, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------|
| S39.022S | Laceration of muscle, fascia and tendon of lower back, sequela |
| S39.023A | Laceration of muscle, fascia and tendon of pelvis, initial encounter |
| S39.023D | Laceration of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.023S | Laceration of muscle, fascia and tendon of pelvis, sequela |
| S39.091A | Other injury of muscle, fascia and tendon of abdomen, initial encounter |
| S39.091D | Other injury of muscle, fascia and tendon of abdomen, subsequent encounter |
| S39.091S | Other injury of muscle, fascia and tendon of abdomen, sequela |
| S39.092A | Other injury of muscle, fascia and tendon of lower back, initial encounter |
| S39.092D | Other injury of muscle, fascia and tendon of lower back, subsequent encounter |
| S39.092S | Other injury of muscle, fascia and tendon of lower back, sequela |
| S39.093A | Other injury of muscle, fascia and tendon of pelvis, initial encounter |
| S39.093D | Other injury of muscle, fascia and tendon of pelvis, subsequent encounter |
| S39.093S | Other injury of muscle, fascia and tendon of pelvis, sequela |
| S39.81XA | Other specified injuries of abdomen, initial encounter |
| S39.81XD | Other specified injuries of abdomen, subsequent encounter |
| S39.81XS | Other specified injuries of abdomen, sequela |
| S39.82XA | Other specified injuries of lower back, initial encounter |
| S39.82XD | Other specified injuries of lower back, subsequent encounter |
| S39.82XS | Other specified injuries of lower back, sequela |
| S39.83XA | Other specified injuries of pelvis, initial encounter |
| S39.83XD | Other specified injuries of pelvis, subsequent encounter |
| S39.83XS | Other specified injuries of pelvis, sequela |
| S39.91XA | Unspecified injury of abdomen, initial encounter |
| S39.91XD | Unspecified injury of abdomen, subsequent encounter |
| S39.91XS | Unspecified injury of abdomen, sequela |
| S39.92XA | Unspecified injury of lower back, initial encounter |
| S39.92XD | Unspecified injury of lower back, subsequent encounter |
| S39.92XS | Unspecified injury of lower back, sequela |
| S39.93XA | Unspecified injury of pelvis, initial encounter |
| S39.93XD | Unspecified injury of pelvis, subsequent encounter |
| S39.93XS | Unspecified injury of pelvis, sequela |
| S72.001A | Fracture of unspecified part of neck of right femur, initial encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture |
| S72.001B | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II |
| S72.001C | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.001D | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.001E | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.001F | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.001G | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.001H | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.001J | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.001K | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.001M | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.001N | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.001P | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.001Q | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.001R | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.001S | Fracture of unspecified part of neck of right femur, sequela |
| S72.002A | Fracture of unspecified part of neck of left femur, initial encounter for closed fracture |
| S72.002B | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II |
| S72.002C | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.002D | Fracture of unspecified part of neck of left femur, subsequent encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture with routine healing |
| S72.002E | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.002F | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.002G | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.002H | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.002J | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.002K | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.002M | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.002N | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.002P | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.002Q | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.002R | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.002S | Fracture of unspecified part of neck of left femur, sequela |
| S72.011A | Unspecified intracapsular fracture of right femur, initial encounter for closed fracture |
| S72.011B | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II |
| S72.011C | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.011D | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.011E | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.011F | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.011G | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| S72.011H | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.011J | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.011K | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.011M | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.011N | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.011P | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.011Q | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.011R | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.011S | Unspecified intracapsular fracture of right femur, sequela |
| S72.012A | Unspecified intracapsular fracture of left femur, initial encounter for closed fracture |
| S72.012B | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II |
| S72.012C | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.012D | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.012E | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.012F | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.012G | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| ICD-10 CODE | DESCRIPTION |
| S72.012H | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.012J | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.012K | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| S72.012M | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.012N | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.012P | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.012Q | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.012R | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.012S | Unspecified intracapsular fracture of left femur, sequela |
| S72.021A | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture |
| S72.021B | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II |
| S72.021C | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.021D | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.021E | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.021F | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.021G | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.021H | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.021J | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.021K | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.021M | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.021N | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.021P | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| S72.021Q | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.021R | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.021S | Displaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.022A | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture |
| S72.022B | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II |
| S72.022C | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.022D | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing |
| S72.022E | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.022F | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.022G | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.022H | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.022J | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.022K | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.022M | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.022N | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.022P | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.022Q | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.022R | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.022S | Displaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.024A | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | encounter for closed fracture |
| S72.024B | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II |
| S72.024C | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.024D | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing |
| S72.024E | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.024F | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.024G | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.024H | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.024J | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.024K | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion |
| S72.024M | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.024N | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.024P | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion |
| S72.024Q | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.024R | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.024S | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela |
| S72.025A | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture |
| S72.025B | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II |
| S72.025C | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.025D | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | encounter for closed fracture with routine healing |
| S72.025E | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.025F | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.025G | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.025H | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.025J | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.025K | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion |
| S72.025M | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.025N | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.025P | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion |
| S72.025Q | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.025R | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.025S | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela |
| S72.031A | Displaced midcervical fracture of right femur, initial encounter for closed fracture |
| S72.031B | Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II |
| S72.031C | Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.031D | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.031E | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.031F | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.031G | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|
| S72.031H | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.031J | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.031K | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.031M | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.031N | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.031P | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.031Q | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.031R | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.031S | Displaced midcervical fracture of right femur, sequela |
| S72.032A | Displaced midcervical fracture of left femur, initial encounter for closed fracture |
| S72.032B | Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II |
| S72.032C | Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.032D | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.032E | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.032F | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.032G | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.032H | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.032J | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.032K | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.032M | Displaced midcervical fracture of left femur, subsequent encounter for open fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------|
| | type I or II with nonunion |
| ICD-10 CODE | DESCRIPTION |
| S72.032N | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.032P | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.032Q | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.032R | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.032S | Displaced midcervical fracture of left femur, sequela |
| S72.034A | Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture |
| S72.034B | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II |
| S72.034C | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.034D | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.034E | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.034F | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.034G | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.034H | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.034J | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.034K | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.034M | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.034N | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.034P | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|
| S72.034Q | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.034R | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.034S | Nondisplaced midcervical fracture of right femur, sequela |
| S72.035A | Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture |
| S72.035B | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II |
| S72.035C | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.035D | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.035E | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.035F | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.035G | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.035H | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.035J | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.035K | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.035M | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.035N | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.035P | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.035Q | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.035R | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.035S | Nondisplaced midcervical fracture of left femur, sequela |
| S72.041A | Displaced fracture of base of neck of right femur, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| S72.041B | Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II |
| S72.041C | Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.041D | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.041E | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.041F | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.041G | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.041H | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.041J | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.041K | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.041M | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.041N | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.041P | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.041Q | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.041R | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.041S | Displaced fracture of base of neck of right femur, sequela |
| S72.042A | Displaced fracture of base of neck of left femur, initial encounter for closed fracture |
| S72.042B | Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II |
| S72.042C | Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.042D | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.042E | Displaced fracture of base of neck of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with routine healing |
| S72.042F | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.042G | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.042H | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.042J | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.042K | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.042M | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.042N | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.042P | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.042Q | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.042R | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.042S | Displaced fracture of base of neck of left femur, sequela |
| S72.044A | Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture |
| S72.044B | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II |
| S72.044C | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.044D | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.044E | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.044F | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.044G | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.044H | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with delayed healing |
| S72.044J | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.044K | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.044M | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.044N | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.044P | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion |
| S72.044Q | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.044R | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.044S | Nondisplaced fracture of base of neck of right femur, sequela |
| S72.045A | Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture |
| S72.045B | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II |
| S72.045C | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.045D | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.045E | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.045F | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.045G | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.045H | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.045J | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.045K | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.045M | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with nonunion |
| S72.045N | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.045P | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.045Q | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.045R | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| ICD-10 CODE | DESCRIPTION |
| S72.045S | Nondisplaced fracture of base of neck of left femur, sequela |
| S72.051A | Unspecified fracture of head of right femur, initial encounter for closed fracture |
| S72.051B | Unspecified fracture of head of right femur, initial encounter for open fracture type I or II |
| S72.051C | Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.051D | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.051E | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.051F | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.051G | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.051H | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.051J | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.051K | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.051M | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.051N | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.051P | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|
| S72.051Q | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.051R | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.051S | Unspecified fracture of head of right femur, sequela |
| S72.052A | Unspecified fracture of head of left femur, initial encounter for closed fracture |
| S72.052B | Unspecified fracture of head of left femur, initial encounter for open fracture type I or II |
| S72.052C | Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.052D | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.052E | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.052F | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.052G | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.052H | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.052J | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.052K | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.052M | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.052N | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.052P | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.052Q | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.052R | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.052S | Unspecified fracture of head of left femur, sequela |
| S72.061A | Displaced articular fracture of head of right femur, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| S72.061B | Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II |
| S72.061C | Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.061D | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.061E | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.061F | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.061G | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.061H | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.061J | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.061K | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.061M | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.061N | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.061P | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.061Q | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.061R | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.061S | Displaced articular fracture of head of right femur, sequela |
| S72.062A | Displaced articular fracture of head of left femur, initial encounter for closed fracture |
| S72.062B | Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II |
| S72.062C | Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.062D | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.062E | Displaced articular fracture of head of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with routine healing |
| S72.062F | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.062G | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.062H | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.062J | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.062K | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.062M | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.062N | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.062P | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.062Q | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.062R | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.062S | Displaced articular fracture of head of left femur, sequela |
| S72.064A | Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture |
| S72.064B | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II |
| S72.064C | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.064D | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing |
| S72.064E | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.064F | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.064G | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.064H | Nondisplaced articular fracture of head of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| | open fracture type I or II with delayed healing |
| S72.064J | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.064K | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion |
| S72.064M | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.064N | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.064P | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion |
| S72.064Q | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.064R | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.064S | Nondisplaced articular fracture of head of right femur, sequela |
| S72.065A | Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture |
| S72.065B | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II |
| S72.065C | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.065D | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing |
| S72.065E | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.065F | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.065G | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.065H | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.065J | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.065K | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion |
| S72.065M | Nondisplaced articular fracture of head of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with nonunion |
| S72.065N | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.065P | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion |
| S72.065Q | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.065R | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.065S | Nondisplaced articular fracture of head of left femur, sequela |
| S72.091A | Other fracture of head and neck of right femur, initial encounter for closed fracture |
| S72.091B | Other fracture of head and neck of right femur, initial encounter for open fracture type I or II |
| S72.091C | Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| ICD-10 CODE | DESCRIPTION |
| S72.091D | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing |
| S72.091E | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.091F | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.091G | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.091H | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.091J | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.091K | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion |
| S72.091M | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.091N | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.091P | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|
| S72.091Q | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.091R | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.091S | Other fracture of head and neck of right femur, sequela |
| S72.092A | Other fracture of head and neck of left femur, initial encounter for closed fracture |
| S72.092B | Other fracture of head and neck of left femur, initial encounter for open fracture type I or II |
| S72.092C | Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.092D | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing |
| S72.092E | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.092F | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.092G | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.092H | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.092J | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.092K | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion |
| S72.092M | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.092N | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.092P | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion |
| S72.092Q | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.092R | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.092S | Other fracture of head and neck of left femur, sequela |
| S72.101A | Unspecified trochanteric fracture of right femur, initial encounter for closed fracture |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------|
| S72.101B | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.101C | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.101D | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.101E | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.101F | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.101G | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.101H | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.101J | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.101K | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.101M | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.101N | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.101P | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.101Q | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.101R | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.101S | Unspecified trochanteric fracture of right femur, sequela |
| S72.102A | Unspecified trochanteric fracture of left femur, initial encounter for closed fracture |
| S72.102B | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.102C | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.102D | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.102E | Unspecified trochanteric fracture of left femur, subsequent encounter for open |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture type I or II with routine healing |
| S72.102F | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.102G | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.102H | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.102J | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.102K | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.102M | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.102N | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.102P | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.102Q | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.102R | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.102S | Unspecified trochanteric fracture of left femur, sequela |
| S72.111A | Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture |
| S72.111B | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II |
| S72.111C | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.111D | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.111E | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.111F | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.111G | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.111H | Displaced fracture of greater trochanter of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| | open fracture type I or II with delayed healing |
| S72.111J | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.111K | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.111M | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.111N | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.111P | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.111Q | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.111R | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.111S | Displaced fracture of greater trochanter of right femur, sequela |
| S72.112A | Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture |
| S72.112B | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II |
| S72.112C | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.112D | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.112E | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.112F | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.112G | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.112H | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.112J | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.112K | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.112M | Displaced fracture of greater trochanter of left femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| | open fracture type I or II with nonunion |
| S72.112N | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.112P | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.112Q | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.112R | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.112S | Displaced fracture of greater trochanter of left femur, sequela |
| S72.114A | Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture |
| S72.114B | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II |
| S72.114C | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.114D | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.114E | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.114F | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.114G | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| ICD-10 CODE | DESCRIPTION |
| S72.114H | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.114J | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.114K | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.114M | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.114N | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.114P | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| S72.114Q | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.114R | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.114S | Nondisplaced fracture of greater trochanter of right femur, sequela |
| S72.115A | Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture |
| S72.115B | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II |
| S72.115C | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.115D | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.115E | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.115F | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.115G | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.115H | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.115J | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.115K | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.115M | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.115N | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.115P | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.115Q | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.115R | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.115S | Nondisplaced fracture of greater trochanter of left femur, sequela |
| S72.121A | Displaced fracture of lesser trochanter of right femur, initial encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture |
| S72.121B | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II |
| S72.121C | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.121D | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.121E | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.121F | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.121G | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.121H | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.121J | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.121K | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.121M | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.121N | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.121P | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.121Q | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.121R | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.121S | Displaced fracture of lesser trochanter of right femur, sequela |
| S72.122A | Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture |
| S72.122B | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II |
| S72.122C | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.122D | Displaced fracture of lesser trochanter of left femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | closed fracture with routine healing |
| S72.122E | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.122F | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.122G | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.122H | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.122J | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.122K | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion |
| S72.122M | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.122N | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.122P | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.122Q | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.122R | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.122S | Displaced fracture of lesser trochanter of left femur, sequela |
| S72.124A | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture |
| S72.124B | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II |
| S72.124C | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.124D | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing |
| S72.124E | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.124F | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.124G | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | closed fracture with delayed healing |
| S72.124H | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.124J | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.124K | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion |
| S72.124M | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.124N | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.124P | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion |
| S72.124Q | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.124R | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.124S | Nondisplaced fracture of lesser trochanter of right femur, sequela |
| S72.125A | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture |
| S72.125B | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II |
| S72.125C | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.125D | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing |
| S72.125E | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.125F | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.125G | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.125H | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.125J | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.125K | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| | closed fracture with nonunion |
| S72.125M | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.125N | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.125P | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion |
| S72.125Q | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.125R | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.125S | Nondisplaced fracture of lesser trochanter of left femur, sequela |
| S72.131A | Displaced apophyseal fracture of right femur, initial encounter for closed fracture |
| S72.131B | Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II |
| S72.131C | Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.131D | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.131E | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.131F | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.131G | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.131H | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.131J | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.131K | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.131M | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| ICD-10 CODE | DESCRIPTION |
| S72.131N | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------|
| S72.131P | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.131Q | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.131R | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.131S | Displaced apophyseal fracture of right femur, sequela |
| S72.132A | Displaced apophyseal fracture of left femur, initial encounter for closed fracture |
| S72.132B | Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II |
| S72.132C | Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.132D | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.132E | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.132F | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.132G | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.132H | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.132J | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.132K | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.132M | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.132N | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.132P | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.132Q | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.132R | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.132S | Displaced apophyseal fracture of left femur, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|
| S72.133A | Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture |
| S72.133B | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II |
| S72.133C | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.133D | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.133E | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.133F | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.133G | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.133H | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.133J | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.133K | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |
| S72.133M | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.133N | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.133P | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.133Q | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.133R | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.133S | Displaced apophyseal fracture of unspecified femur, sequela |
| S72.134A | Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture |
| S72.134B | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II |
| S72.134C | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.134D | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|
| | fracture with routine healing |
| S72.134E | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.134F | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.134G | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.134H | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.134J | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.134K | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.134M | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.134N | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.134P | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.134Q | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.134R | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.134S | Nondisplaced apophyseal fracture of right femur, sequela |
| S72.135A | Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture |
| S72.135B | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II |
| S72.135C | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.135D | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.135E | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.135F | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.135G | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| S72.135H | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.135J | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.135K | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.135M | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.135N | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.135P | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.135Q | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.135R | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.135S | Nondisplaced apophyseal fracture of left femur, sequela |
| S72.136A | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture |
| S72.136B | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II |
| S72.136C | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.136D | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing |
| S72.136E | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.136F | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.136G | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing |
| S72.136H | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.136J | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.136K | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| S72.136M | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.136N | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.136P | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion |
| S72.136Q | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion |
| S72.136R | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.136S | Nondisplaced apophyseal fracture of unspecified femur, sequela |
| S72.141A | Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.141B | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.141C | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.141D | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.141E | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.141F | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.141G | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.141H | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.141J | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.141K | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.141M | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.141N | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.141P | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|
| S72.141Q | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.141R | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| ICD-10 CODE | DESCRIPTION |
| S72.141S | Displaced intertrochanteric fracture of right femur, sequela |
| S72.142A | Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.142B | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.142C | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.142D | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.142E | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.142F | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.142G | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.142H | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.142J | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.142K | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.142M | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.142N | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.142P | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.142Q | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.142R | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.142S | Displaced intertrochanteric fracture of left femur, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| S72.144A | Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.144B | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.144C | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.144D | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.144E | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.144F | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.144G | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.144H | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.144J | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.144K | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.144M | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.144N | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.144P | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.144Q | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.144R | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.144S | Nondisplaced intertrochanteric fracture of right femur, sequela |
| S72.145A | Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.145B | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.145C | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| S72.145D | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.145E | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.145F | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.145G | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.145H | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.145J | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.145K | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.145M | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.145N | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.145P | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.145Q | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.145R | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.145S | Nondisplaced intertrochanteric fracture of left femur, sequela |
| S72.21XA | Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.21XB | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.21XC | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.21XD | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.21XE | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.21XF | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| S72.21XG | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.21XH | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.21XJ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.21XK | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.21XM | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.21XN | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.21XP | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion |
| S72.21XQ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.21XR | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.21XS | Displaced subtrochanteric fracture of right femur, sequela |
| S72.22XA | Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.22XB | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.22XC | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.22XD | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.22XE | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.22XF | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.22XG | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.22XH | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.22XJ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.22XK | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| | fracture with nonunion |
| S72.22XM | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.22XN | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.22XP | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.22XQ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.22XR | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.22XS | Displaced subtrochanteric fracture of left femur, sequela |
| S72.24XA | Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture |
| S72.24XB | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II |
| S72.24XC | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.24XD | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing |
| S72.24XE | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.24XF | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.24XG | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing |
| S72.24XH | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.24XJ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.24XK | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion |
| S72.24XM | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.24XN | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.24XP | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| | closed fracture with malunion |
| S72.24XQ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion |
| S72.24XR | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |
| S72.24XS | Nondisplaced subtrochanteric fracture of right femur, sequela |
| S72.25XA | Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture |
| S72.25XB | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II |
| S72.25XC | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| ICD-10 CODE | DESCRIPTION |
| S72.25XD | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing |
| S72.25XE | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.25XF | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.25XG | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing |
| S72.25XH | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing |
| S72.25XJ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.25XK | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion |
| S72.25XM | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion |
| S72.25XN | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion |
| S72.25XP | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion |
| S72.25XQ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion |
| S72.25XR | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------|
| S72.25XS | Nondisplaced subtrochanteric fracture of left femur, sequela |
| T18.2XXA | Foreign body in stomach, initial encounter |
| T18.2XXD | Foreign body in stomach, subsequent encounter |
| T18.2XXS | Foreign body in stomach, sequela |
| T18.3XXA | Foreign body in small intestine, initial encounter |
| T18.3XXD | Foreign body in small intestine, subsequent encounter |
| T18.3XXS | Foreign body in small intestine, sequela |
| T18.4XXA | Foreign body in colon, initial encounter |
| T18.4XXD | Foreign body in colon, subsequent encounter |
| T18.4XXS | Foreign body in colon, sequela |
| T18.5XXA | Foreign body in anus and rectum, initial encounter |
| T18.5XXD | Foreign body in anus and rectum, subsequent encounter |
| T18.5XXS | Foreign body in anus and rectum, sequela |
| T18.8XXA | Foreign body in other parts of alimentary tract, initial encounter |
| T18.8XXD | Foreign body in other parts of alimentary tract, subsequent encounter |
| T18.8XXS | Foreign body in other parts of alimentary tract, sequela |
| T18.9XXA | Foreign body of alimentary tract, part unspecified, initial encounter |
| T18.9XXD | Foreign body of alimentary tract, part unspecified, subsequent encounter |
| T18.9XXS | Foreign body of alimentary tract, part unspecified, sequela |
| T79.4XXA | Traumatic shock, initial encounter |
| T79.4XXD | Traumatic shock, subsequent encounter |
| T79.4XXS | Traumatic shock, sequela |
| T79.A21A | Traumatic compartment syndrome of right lower extremity, initial encounter |
| T79.A21D | Traumatic compartment syndrome of right lower extremity, subsequent encounter |
| T79.A21S | Traumatic compartment syndrome of right lower extremity, sequela |
| T79.A22A | Traumatic compartment syndrome of left lower extremity, initial encounter |
| T79.A22D | Traumatic compartment syndrome of left lower extremity, subsequent encounter |
| T79.A22S | Traumatic compartment syndrome of left lower extremity, sequela |
| T79.A3XA | Traumatic compartment syndrome of abdomen, initial encounter |
| T79.A3XD | Traumatic compartment syndrome of abdomen, subsequent encounter |
| T79.A3XS | Traumatic compartment syndrome of abdomen, sequela |
| T79.A9XA | Traumatic compartment syndrome of other sites, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------|
| T79.A9XD | Traumatic compartment syndrome of other sites, subsequent encounter |
| T79.A9XS | Traumatic compartment syndrome of other sites, sequela |
| T79.8XXA | Other early complications of trauma, initial encounter |
| T79.8XXD | Other early complications of trauma, subsequent encounter |
| T79.8XXS | Other early complications of trauma, sequela |
| T81.10XA | Postprocedural shock unspecified, initial encounter |
| T81.10XD | Postprocedural shock unspecified, subsequent encounter |
| T81.10XS | Postprocedural shock unspecified, sequela |
| T81.11XA | Postprocedural cardiogenic shock, initial encounter |
| T81.11XD | Postprocedural cardiogenic shock, subsequent encounter |
| T81.11XS | Postprocedural cardiogenic shock, sequela |
| T81.12XA | Postprocedural septic shock, initial encounter |
| T81.12XD | Postprocedural septic shock, subsequent encounter |
| T81.12XS | Postprocedural septic shock, sequela |
| T81.19XA | Other postprocedural shock, initial encounter |
| T81.19XD | Other postprocedural shock, subsequent encounter |
| T81.19XS | Other postprocedural shock, sequela |
| T81.30XA | Disruption of wound, unspecified, initial encounter |
| T81.30XD | Disruption of wound, unspecified, subsequent encounter |
| T81.30XS | Disruption of wound, unspecified, sequela |
| T81.31XA | Disruption of external operation (surgical) wound, not elsewhere classified, initial encounter |
| T81.31XD | Disruption of external operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.31XS | Disruption of external operation (surgical) wound, not elsewhere classified, sequela |
| T81.32XA | Disruption of internal operation (surgical) wound, not elsewhere classified, initial encounter |
| T81.32XD | Disruption of internal operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.32XS | Disruption of internal operation (surgical) wound, not elsewhere classified, sequela |
| T81.33XA | Disruption of traumatic injury wound repair, initial encounter |
| T81.33XD | Disruption of traumatic injury wound repair, subsequent encounter |
| T81.33XS | Disruption of traumatic injury wound repair, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------------------------------------|
| T81.40XA | Infection following a procedure, unspecified, initial encounter |
| T81.40XD | Infection following a procedure, unspecified, subsequent encounter |
| T81.40XS | Infection following a procedure, unspecified, sequela |
| T81.41XA | Infection following a procedure, superficial incisional surgical site, initial encounter |
| T81.41XD | Infection following a procedure, superficial incisional surgical site, subsequent encounter |
| T81.41XS | Infection following a procedure, superficial incisional surgical site, sequela |
| T81.42XA | Infection following a procedure, deep incisional surgical site, initial encounter |
| T81.42XD | Infection following a procedure, deep incisional surgical site, subsequent encounter |
| T81.42XS | Infection following a procedure, deep incisional surgical site, sequela |
| T81.43XA | Infection following a procedure, organ and space surgical site, initial encounter |
| T81.43XD | Infection following a procedure, organ and space surgical site, subsequent encounter |
| T81.43XS | Infection following a procedure, organ and space surgical site, sequela |
| T81.44XA | Sepsis following a procedure, initial encounter |
| T81.44XD | Sepsis following a procedure, subsequent encounter |
| T81.44XS | Sepsis following a procedure, sequela |
| T81.49XA | Infection following a procedure, other surgical site, initial encounter |
| T81.49XD | Infection following a procedure, other surgical site, subsequent encounter |
| T81.49XS | Infection following a procedure, other surgical site, sequela |
| T81.500A | Unspecified complication of foreign body accidentally left in body following surgical operation, initial encounter |
| T81.500D | Unspecified complication of foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.500S | Unspecified complication of foreign body accidentally left in body following surgical operation, sequela |
| T81.501A | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.501D | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.501S | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.502A | Unspecified complication of foreign body accidentally left in body following kidney dialysis, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| T81.502D | Unspecified complication of foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.502S | Unspecified complication of foreign body accidentally left in body following kidney dialysis, sequela |
| ICD-10 CODE | DESCRIPTION |
| T81.503A | Unspecified complication of foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.503D | Unspecified complication of foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.503S | Unspecified complication of foreign body accidentally left in body following injection or immunization, sequela |
| T81.504A | Unspecified complication of foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.504D | Unspecified complication of foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.504S | Unspecified complication of foreign body accidentally left in body following endoscopic examination, sequela |
| T81.505A | Unspecified complication of foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.505D | Unspecified complication of foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.505S | Unspecified complication of foreign body accidentally left in body following heart catheterization, sequela |
| T81.506A | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.506D | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.506S | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.507A | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.507D | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.507S | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.508A | Unspecified complication of foreign body accidentally left in body following other procedure, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------------------------|
| T81.508D | Unspecified complication of foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.508S | Unspecified complication of foreign body accidentally left in body following other procedure, sequela |
| T81.510A | Adhesions due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.510D | Adhesions due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.510S | Adhesions due to foreign body accidentally left in body following surgical operation, sequela |
| T81.511A | Adhesions due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.511D | Adhesions due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.511S | Adhesions due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.512A | Adhesions due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.512D | Adhesions due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.512S | Adhesions due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.513A | Adhesions due to foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.513D | Adhesions due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.513S | Adhesions due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.514A | Adhesions due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.514D | Adhesions due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.514S | Adhesions due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.515A | Adhesions due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.515D | Adhesions due to foreign body accidentally left in body following heart |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|
| | catheterization, subsequent encounter |
| T81.515S | Adhesions due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.516A | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.516D | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.516S | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.517A | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.517D | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.517S | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.518A | Adhesions due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.518D | Adhesions due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.518S | Adhesions due to foreign body accidentally left in body following other procedure, sequela |
| T81.519A | Adhesions due to foreign body accidentally left in body following unspecified procedure, initial encounter |
| T81.519D | Adhesions due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.519S | Adhesions due to foreign body accidentally left in body following unspecified procedure, sequela |
| T81.520A | Obstruction due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.520D | Obstruction due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.520S | Obstruction due to foreign body accidentally left in body following surgical operation, sequela |
| T81.521A | Obstruction due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.521D | Obstruction due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| T81.521S | Obstruction due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.522A | Obstruction due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.522D | Obstruction due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.522S | Obstruction due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.523A | Obstruction due to foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.523D | Obstruction due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.523S | Obstruction due to foreign body accidentally left in body following injection or immunization, sequela |
| T81.524A | Obstruction due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.524D | Obstruction due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.524S | Obstruction due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.525A | Obstruction due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.525D | Obstruction due to foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.525S | Obstruction due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.526A | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.526D | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.526S | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.527A | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.527D | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.527S | Obstruction due to foreign body accidentally left in body following removal of |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------|
| | catheter or packing, sequela |
| T81.528A | Obstruction due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.528D | Obstruction due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.528S | Obstruction due to foreign body accidentally left in body following other procedure, sequela |
| T81.529A | Obstruction due to foreign body accidentally left in body following unspecified procedure, initial encounter |
| T81.529D | Obstruction due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.529S | Obstruction due to foreign body accidentally left in body following unspecified procedure, sequela |
| T81.530A | Perforation due to foreign body accidentally left in body following surgical operation, initial encounter |
| T81.530D | Perforation due to foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.530S | Perforation due to foreign body accidentally left in body following surgical operation, sequela |
| T81.531A | Perforation due to foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.531D | Perforation due to foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.531S | Perforation due to foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.532A | Perforation due to foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.532D | Perforation due to foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.532S | Perforation due to foreign body accidentally left in body following kidney dialysis, sequela |
| T81.533A | Perforation due to foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.533D | Perforation due to foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.533S | Perforation due to foreign body accidentally left in body following injection or immunization, sequela |

| ICD-10 CODE | DESCRIPTION |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| T81.534A | Perforation due to foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.534D | Perforation due to foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.534S | Perforation due to foreign body accidentally left in body following endoscopic examination, sequela |
| T81.535A | Perforation due to foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.535D | Perforation due to foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.535S | Perforation due to foreign body accidentally left in body following heart catheterization, sequela |
| T81.536A | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, initial encounter |
| T81.536D | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.536S | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.537A | Perforation due to foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| ICD-10 CODE | DESCRIPTION |
| T81.537D | Perforation due to foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.537S | Perforation due to foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.538A | Perforation due to foreign body accidentally left in body following other procedure, initial encounter |
| T81.538D | Perforation due to foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.538S | Perforation due to foreign body accidentally left in body following other procedure, sequela |
| T81.539A | Perforation due to foreign body accidentally left in body following unspecified procedure, initial encounter |
| T81.539D | Perforation due to foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.539S | Perforation due to foreign body accidentally left in body following unspecified procedure, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------|
| T81.590A | Other complications of foreign body accidentally left in body following surgical operation, initial encounter |
| T81.590D | Other complications of foreign body accidentally left in body following surgical operation, subsequent encounter |
| T81.590S | Other complications of foreign body accidentally left in body following surgical operation, sequela |
| T81.591A | Other complications of foreign body accidentally left in body following infusion or transfusion, initial encounter |
| T81.591D | Other complications of foreign body accidentally left in body following infusion or transfusion, subsequent encounter |
| T81.591S | Other complications of foreign body accidentally left in body following infusion or transfusion, sequela |
| T81.592A | Other complications of foreign body accidentally left in body following kidney dialysis, initial encounter |
| T81.592D | Other complications of foreign body accidentally left in body following kidney dialysis, subsequent encounter |
| T81.592S | Other complications of foreign body accidentally left in body following kidney dialysis, sequela |
| T81.593A | Other complications of foreign body accidentally left in body following injection or immunization, initial encounter |
| T81.593D | Other complications of foreign body accidentally left in body following injection or immunization, subsequent encounter |
| T81.593S | Other complications of foreign body accidentally left in body following injection or immunization, sequela |
| T81.594A | Other complications of foreign body accidentally left in body following endoscopic examination, initial encounter |
| T81.594D | Other complications of foreign body accidentally left in body following endoscopic examination, subsequent encounter |
| T81.594S | Other complications of foreign body accidentally left in body following endoscopic examination, sequela |
| T81.595A | Other complications of foreign body accidentally left in body following heart catheterization, initial encounter |
| T81.595D | Other complications of foreign body accidentally left in body following heart catheterization, subsequent encounter |
| T81.595S | Other complications of foreign body accidentally left in body following heart catheterization, sequela |
| T81.596A | Other complications of foreign body accidentally left in body following aspiration, |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| | puncture or other catheterization, initial encounter |
| T81.596D | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, subsequent encounter |
| T81.596S | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.597A | Other complications of foreign body accidentally left in body following removal of catheter or packing, initial encounter |
| T81.597D | Other complications of foreign body accidentally left in body following removal of catheter or packing, subsequent encounter |
| T81.597S | Other complications of foreign body accidentally left in body following removal of catheter or packing, sequela |
| T81.598A | Other complications of foreign body accidentally left in body following other procedure, initial encounter |
| T81.598D | Other complications of foreign body accidentally left in body following other procedure, subsequent encounter |
| T81.598S | Other complications of foreign body accidentally left in body following other procedure, sequela |
| T81.599A | Other complications of foreign body accidentally left in body following unspecified procedure, initial encounter |
| T81.599D | Other complications of foreign body accidentally left in body following unspecified procedure, subsequent encounter |
| T81.599S | Other complications of foreign body accidentally left in body following unspecified procedure, sequela |
| T81.83XA | Persistent postprocedural fistula, initial encounter |
| T81.83XD | Persistent postprocedural fistula, subsequent encounter |
| T81.83XS | Persistent postprocedural fistula, sequela |
| T82.7XXA | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, initial encounter |
| T82.7XXD | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, subsequent encounter |
| T82.7XXS | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, sequela |
| T83.010A | Breakdown (mechanical) of cystostomy catheter, initial encounter |
| T83.010D | Breakdown (mechanical) of cystostomy catheter, subsequent encounter |
| T83.010S | Breakdown (mechanical) of cystostomy catheter, sequela |
| T83.018A | Breakdown (mechanical) of other urinary catheter, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------|
| T83.018D | Breakdown (mechanical) of other urinary catheter, subsequent encounter |
| T83.018S | Breakdown (mechanical) of other urinary catheter, sequela |
| T83.020A | Displacement of cystostomy catheter, initial encounter |
| T83.020D | Displacement of cystostomy catheter, subsequent encounter |
| T83.020S | Displacement of cystostomy catheter, sequela |
| T83.028A | Displacement of other urinary catheter, initial encounter |
| T83.028D | Displacement of other urinary catheter, subsequent encounter |
| T83.028S | Displacement of other urinary catheter, sequela |
| T83.030A | Leakage of cystostomy catheter, initial encounter |
| T83.030D | Leakage of cystostomy catheter, subsequent encounter |
| T83.030S | Leakage of cystostomy catheter, sequela |
| T83.038A | Leakage of other urinary catheter, initial encounter |
| T83.038D | Leakage of other urinary catheter, subsequent encounter |
| T83.038S | Leakage of other urinary catheter, sequela |
| T83.090A | Other mechanical complication of cystostomy catheter, initial encounter |
| T83.090D | Other mechanical complication of cystostomy catheter, subsequent encounter |
| T83.090S | Other mechanical complication of cystostomy catheter, sequela |
| T83.098A | Other mechanical complication of other urinary catheter, initial encounter |
| T83.098D | Other mechanical complication of other urinary catheter, subsequent encounter |
| T83.098S | Other mechanical complication of other urinary catheter, sequela |
| T83.110A | Breakdown (mechanical) of urinary electronic stimulator device, initial encounter |
| T83.110D | Breakdown (mechanical) of urinary electronic stimulator device, subsequent encounter |
| T83.110S | Breakdown (mechanical) of urinary electronic stimulator device, sequela |
| T83.111A | Breakdown (mechanical) of implanted urinary sphincter, initial encounter |
| T83.111D | Breakdown (mechanical) of implanted urinary sphincter, subsequent encounter |
| T83.111S | Breakdown (mechanical) of implanted urinary sphincter, sequela |
| T83.112A | Breakdown (mechanical) of indwelling ureteral stent, initial encounter |
| T83.112D | Breakdown (mechanical) of indwelling ureteral stent, subsequent encounter |
| T83.112S | Breakdown (mechanical) of indwelling ureteral stent, sequela |
| T83.113A | Breakdown (mechanical) of other urinary stents, initial encounter |
| T83.113D | Breakdown (mechanical) of other urinary stents, subsequent encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------|
| T83.113S | Breakdown (mechanical) of other urinary stents, sequela |
| T83.118A | Breakdown (mechanical) of other urinary devices and implants, initial encounter |
| T83.118D | Breakdown (mechanical) of other urinary devices and implants, subsequent encounter |
| T83.118S | Breakdown (mechanical) of other urinary devices and implants, sequela |
| T83.120A | Displacement of urinary electronic stimulator device, initial encounter |
| T83.120D | Displacement of urinary electronic stimulator device, subsequent encounter |
| T83.120S | Displacement of urinary electronic stimulator device, sequela |
| T83.121A | Displacement of implanted urinary sphincter, initial encounter |
| T83.121D | Displacement of implanted urinary sphincter, subsequent encounter |
| T83.121S | Displacement of implanted urinary sphincter, sequela |
| T83.122A | Displacement of indwelling ureteral stent, initial encounter |
| T83.122D | Displacement of indwelling ureteral stent, subsequent encounter |
| T83.122S | Displacement of indwelling ureteral stent, sequela |
| T83.123A | Displacement of other urinary stents, initial encounter |
| T83.123D | Displacement of other urinary stents, subsequent encounter |
| T83.123S | Displacement of other urinary stents, sequela |
| T83.128A | Displacement of other urinary devices and implants, initial encounter |
| T83.128D | Displacement of other urinary devices and implants, subsequent encounter |
| T83.128S | Displacement of other urinary devices and implants, sequela |
| T83.190A | Other mechanical complication of urinary electronic stimulator device, initial encounter |
| T83.190D | Other mechanical complication of urinary electronic stimulator device, subsequent encounter |
| T83.190S | Other mechanical complication of urinary electronic stimulator device, sequela |
| T83.191A | Other mechanical complication of implanted urinary sphincter, initial encounter |
| T83.191D | Other mechanical complication of implanted urinary sphincter, subsequent encounter |
| T83.191S | Other mechanical complication of implanted urinary sphincter, sequela |
| T83.192A | Other mechanical complication of indwelling ureteral stent, initial encounter |
| T83.192D | Other mechanical complication of indwelling ureteral stent, subsequent encounter |
| T83.192S | Other mechanical complication of indwelling ureteral stent, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------|
| T83.193A | Other mechanical complication of other urinary stent, initial encounter |
| T83.193D | Other mechanical complication of other urinary stent, subsequent encounter |
| T83.193S | Other mechanical complication of other urinary stent, sequela |
| T83.198A | Other mechanical complication of other urinary devices and implants, initial encounter |
| T83.198D | Other mechanical complication of other urinary devices and implants, subsequent encounter |
| T83.198S | Other mechanical complication of other urinary devices and implants, sequela |
| T83.21XA | Breakdown (mechanical) of graft of urinary organ, initial encounter |
| T83.21XD | Breakdown (mechanical) of graft of urinary organ, subsequent encounter |
| T83.21XS | Breakdown (mechanical) of graft of urinary organ, sequela |
| T83.22XA | Displacement of graft of urinary organ, initial encounter |
| T83.22XD | Displacement of graft of urinary organ, subsequent encounter |
| T83.22XS | Displacement of graft of urinary organ, sequela |
| T83.23XA | Leakage of graft of urinary organ, initial encounter |
| T83.23XD | Leakage of graft of urinary organ, subsequent encounter |
| T83.23XS | Leakage of graft of urinary organ, sequela |
| T83.24XA | Erosion of graft of urinary organ, initial encounter |
| T83.24XD | Erosion of graft of urinary organ, subsequent encounter |
| T83.24XS | Erosion of graft of urinary organ, sequela |
| T83.25XA | Exposure of graft of urinary organ, initial encounter |
| T83.25XD | Exposure of graft of urinary organ, subsequent encounter |
| T83.25XS | Exposure of graft of urinary organ, sequela |
| T83.29XA | Other mechanical complication of graft of urinary organ, initial encounter |
| T83.29XD | Other mechanical complication of graft of urinary organ, subsequent encounter |
| T83.29XS | Other mechanical complication of graft of urinary organ, sequela |
| T83.31XA | Breakdown (mechanical) of intrauterine contraceptive device, initial encounter |
| T83.31XD | Breakdown (mechanical) of intrauterine contraceptive device, subsequent encounter |
| T83.31XS | Breakdown (mechanical) of intrauterine contraceptive device, sequela |
| T83.32XA | Displacement of intrauterine contraceptive device, initial encounter |
| T83.32XD | Displacement of intrauterine contraceptive device, subsequent encounter |
| T83.32XS | Displacement of intrauterine contraceptive device, sequela |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------------------------------|
| T83.39XA | Other mechanical complication of intrauterine contraceptive device, initial encounter |
| T83.39XD | Other mechanical complication of intrauterine contraceptive device, subsequent encounter |
| T83.39XS | Other mechanical complication of intrauterine contraceptive device, sequela |
| T83.418A | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, initial encounter |
| T83.418D | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.418S | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.420A | Displacement of implanted penile prosthesis, initial encounter |
| T83.420D | Displacement of implanted penile prosthesis, subsequent encounter |
| T83.420S | Displacement of implanted penile prosthesis, sequela |
| T83.428A | Displacement of other prosthetic devices, implants and grafts of genital tract, initial encounter |
| T83.428D | Displacement of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.428S | Displacement of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.498A | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, initial encounter |
| T83.498D | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, subsequent encounter |
| T83.498S | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.512A | Infection and inflammatory reaction due to nephrostomy catheter, initial encounter |
| T83.512D | Infection and inflammatory reaction due to nephrostomy catheter, subsequent encounter |
| T83.512S | Infection and inflammatory reaction due to nephrostomy catheter, sequela |
| T83.590A | Infection and inflammatory reaction due to implanted urinary neurostimulation device, initial encounter |
| T83.590D | Infection and inflammatory reaction due to implanted urinary neurostimulation device, subsequent encounter |
| T83.590S | Infection and inflammatory reaction due to implanted urinary neurostimulation device, sequela |
| T83.592A | Infection and inflammatory reaction due to indwelling ureteral stent, initial |

| ICD-10 CODE | DESCRIPTION |
|-------------|-------------------------------------------------------------------------------------------------------------------------------|
| | encounter |
| T83.592D | Infection and inflammatory reaction due to indwelling ureteral stent, subsequent encounter |
| T83.592S | Infection and inflammatory reaction due to indwelling ureteral stent, sequela |
| T83.593A | Infection and inflammatory reaction due to other urinary stents, initial encounter |
| T83.593D | Infection and inflammatory reaction due to other urinary stents, subsequent encounter |
| T83.593S | Infection and inflammatory reaction due to other urinary stents, sequela |
| T83.598A | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, initial encounter |
| T83.598D | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, subsequent encounter |
| T83.598S | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, sequela |
| T83.61XA | Infection and inflammatory reaction due to implanted penile prosthesis, initial encounter |
| T83.61XD | Infection and inflammatory reaction due to implanted penile prosthesis, subsequent encounter |
| T83.61XS | Infection and inflammatory reaction due to implanted penile prosthesis, sequela |
| T83.69XA | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, initial encounter |
| T83.69XD | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, subsequent encounter |
| T83.69XS | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, sequela |
| T83.711A | Erosion of implanted vaginal mesh to surrounding organ or tissue, initial encounter |
| T83.711D | Erosion of implanted vaginal mesh to surrounding organ or tissue, subsequent encounter |
| T83.711S | Erosion of implanted vaginal mesh to surrounding organ or tissue, sequela |
| T83.712A | Erosion of implanted urethral mesh to surrounding organ or tissue, initial encounter |
| T83.712D | Erosion of implanted urethral mesh to surrounding organ or tissue, subsequent encounter |
| T83.712S | Erosion of implanted urethral mesh to surrounding organ or tissue, sequela |
| T83.713A | Erosion of implanted urethral bulking agent to surrounding organ or tissue, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|--------------------------------------------------------------------------------------------------|
| T83.713D | Erosion of implanted urethral bulking agent to surrounding organ or tissue, subsequent encounter |
| T83.713S | Erosion of implanted urethral bulking agent to surrounding organ or tissue, sequela |
| T83.714A | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, initial encounter |
| T83.714D | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, subsequent encounter |
| T83.714S | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, sequela |
| T83.718A | Erosion of other implanted mesh to organ or tissue, initial encounter |
| T83.718D | Erosion of other implanted mesh to organ or tissue, subsequent encounter |
| T83.718S | Erosion of other implanted mesh to organ or tissue, sequela |
| T83.719A | Erosion of other prosthetic materials to surrounding organ or tissue, initial encounter |
| T83.719D | Erosion of other prosthetic materials to surrounding organ or tissue, subsequent encounter |
| T83.719S | Erosion of other prosthetic materials to surrounding organ or tissue, sequela |
| T83.721A | Exposure of implanted vaginal mesh into vagina, initial encounter |
| T83.721D | Exposure of implanted vaginal mesh into vagina, subsequent encounter |
| T83.721S | Exposure of implanted vaginal mesh into vagina, sequela |
| T83.722A | Exposure of implanted urethral mesh into urethra, initial encounter |
| T83.722D | Exposure of implanted urethral mesh into urethra, subsequent encounter |
| T83.722S | Exposure of implanted urethral mesh into urethra, sequela |
| T83.723A | Exposure of implanted urethral bulking agent into urethra, initial encounter |
| T83.723D | Exposure of implanted urethral bulking agent into urethra, subsequent encounter |
| T83.723S | Exposure of implanted urethral bulking agent into urethra, sequela |
| ICD-10 CODE | DESCRIPTION |
| T83.724A | Exposure of implanted ureteral bulking agent into ureter, initial encounter |
| T83.724D | Exposure of implanted ureteral bulking agent into ureter, subsequent encounter |
| T83.724S | Exposure of implanted ureteral bulking agent into ureter, sequela |
| T83.728A | Exposure of other implanted mesh into organ or tissue, initial encounter |
| T83.728D | Exposure of other implanted mesh into organ or tissue, subsequent encounter |
| T83.728S | Exposure of other implanted mesh into organ or tissue, sequela |
| T83.729A | Exposure of other prosthetic materials into organ or tissue, initial encounter |

| ICD-10 CODE | DESCRIPTION |
|-------------|---------------------------------------------------------------------------------------------------------|
| T83.729D | Exposure of other prosthetic materials into organ or tissue, subsequent encounter |
| T83.729S | Exposure of other prosthetic materials into organ or tissue, sequela |
| T83.79XA | Other specified complications due to other genitourinary prosthetic materials, initial encounter |
| T83.79XD | Other specified complications due to other genitourinary prosthetic materials, subsequent encounter |
| T83.79XS | Other specified complications due to other genitourinary prosthetic materials, sequela |
| T86.10 | Unspecified complication of kidney transplant |
| T86.11 | Kidney transplant rejection |
| T86.12 | Kidney transplant failure |
| T86.13 | Kidney transplant infection |
| T86.19 | Other complication of kidney transplant |
| T86.41 | Liver transplant rejection |
| T86.42 | Liver transplant failure |
| T86.43 | Liver transplant infection |
| T86.49 | Other complications of liver transplant |
| T86.5 | Complications of stem cell transplant |
| T86.830 | Bone graft rejection |
| T86.831 | Bone graft failure |
| T86.832 | Bone graft infection |
| T86.838 | Other complications of bone graft |
| T86.850 | Intestine transplant rejection |
| T86.851 | Intestine transplant failure |
| T86.852 | Intestine transplant infection |
| T86.858 | Other complications of intestine transplant |
| T86.890 | Other transplanted tissue rejection |
| T86.891 | Other transplanted tissue failure |
| T86.892 | Other transplanted tissue infection |
| T86.898 | Other complications of other transplanted tissue |
| T88.8XXA | Other specified complications of surgical and medical care, not elsewhere classified, initial encounter |
| T88.8XXD | Other specified complications of surgical and medical care, not elsewhere classified, |

| ICD-10 CODE | DESCRIPTION |
|-------------|-----------------------------------------------------------------------------------------------|
| | subsequent encounter |
| T88.8XXS | Other specified complications of surgical and medical care, not elsewhere classified, sequela |
| Z48.22 | Encounter for aftercare following kidney transplant |
| Z48.23 | Encounter for aftercare following liver transplant |
| Z85.00 | Personal history of malignant neoplasm of unspecified digestive organ |
| Z85.01 | Personal history of malignant neoplasm of esophagus |
| Z85.020 | Personal history of malignant carcinoid tumor of stomach |
| Z85.028 | Personal history of other malignant neoplasm of stomach |
| Z85.030 | Personal history of malignant carcinoid tumor of large intestine |
| Z85.038 | Personal history of other malignant neoplasm of large intestine |
| Z85.040 | Personal history of malignant carcinoid tumor of rectum |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus |
| Z85.05 | Personal history of malignant neoplasm of liver |
| Z85.060 | Personal history of malignant carcinoid tumor of small intestine |
| Z85.068 | Personal history of other malignant neoplasm of small intestine |
| Z85.07 | Personal history of malignant neoplasm of pancreas |
| Z85.09 | Personal history of malignant neoplasm of other digestive organs |
| Z85.40 | Personal history of malignant neoplasm of unspecified female genital organ |
| Z85.41 | Personal history of malignant neoplasm of cervix uteri |
| Z85.42 | Personal history of malignant neoplasm of other parts of uterus |
| Z85.43 | Personal history of malignant neoplasm of ovary |
| Z85.44 | Personal history of malignant neoplasm of other female genital organs |
| Z85.45 | Personal history of malignant neoplasm of unspecified male genital organ |
| Z85.46 | Personal history of malignant neoplasm of prostate |
| Z85.47 | Personal history of malignant neoplasm of testis |
| Z85.48 | Personal history of malignant neoplasm of epididymis |
| Z85.49 | Personal history of malignant neoplasm of other male genital organs |
| Z85.50 | Personal history of malignant neoplasm of unspecified urinary tract organ |
| Z85.51 | Personal history of malignant neoplasm of bladder |
| Z85.520 | Personal history of malignant carcinoid tumor of kidney |

| ICD-10 CODE | DESCRIPTION |
|-------------|----------------------------------------------------------------------------------------------|
| Z85.528 | Personal history of other malignant neoplasm of kidney |
| Z85.53 | Personal history of malignant neoplasm of renal pelvis |
| Z85.54 | Personal history of malignant neoplasm of ureter |
| Z85.59 | Personal history of malignant neoplasm of other urinary tract organ |
| Z85.71 | Personal history of Hodgkin lymphoma |
| Z85.72 | Personal history of non-Hodgkin lymphomas |
| Z85.79 | Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues |
| Z93.3 | Colostomy status |
| Z93.50 | Unspecified cystostomy status |
| Z93.51 | Cutaneous-vesicostomy status |
| Z93.52 | Appendico-vesicostomy status |
| Z93.59 | Other cystostomy status |
| Z94.0 | Kidney transplant status |
| Z94.4 | Liver transplant status |
| Z94.82 | Intestine transplant status |
| Z94.83 | Pancreas transplant status |

ICD-10 Codes that DO NOT Support Medical Necessity

N/A

Additional ICD-10 Information

N/A

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

N/A

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report

this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

N/A

Other Coding Information

N/A

Revision History Information

| REVISION HISTORY DATE | REVISION HISTORY NUMBER | REVISION HISTORY EXPLANATION |
|-----------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10/10/2019 | R5 | This article is being revised in order to adhere to CMS requirements per chapter 13, section 13.5.1 of the Program Integrity Manual, to remove all coding from LCDs and incorporate into related Billing and Coding Articles. Regulations regarding billing and coding were removed from the CMS National Coverage Policy section of the related CT of the Abdomen and Pelvis L34415 LCD and placed in this article. |
| 10/01/2019 | R4 | Under Covered ICD-10 Codes Group 1: Codes added ICD-10 Codes N99.85 and R11.15. Under Covered ICD-10 Codes Group 1: Codes the code description was revised for ICD-10 Code N35.814. This revision is due to the Annual ICD-10 Code Update and becomes effective on 10/1/2019. |
| 05/22/2019 | R3 | Under Covered ICD-10 Codes Group 1: Codes added C69.00, C69.01, C69.02, C69.10, C69.11, C69.12, C69.30, C69.31, C69.32, C69.40, C69.41 and C69.42. |
| 03/28/2019 | R2 | The ICD-10 Codes that are listed in Revision 1 were added to the ICD-10 that Support Medical Necessity Group 1: Codes section with a retroactive effective date of 1/1/2019. |
| 03/28/2019 | R1 | Under ICD-10 Codes Group 1: Codes added S32.10XA, S32.10XB, S32.10XD, S32.10XG, S32.10XK, S32.10XS, S32.110A, S32.110B, S32.110D, S32.110G, S32.110K, S32.110S, S32.111A, S32.111B, S32.111D, S32.111G, S32.111K, S32.111S, S32.112A, S32.112B, S32.112D, S32.112G, S32.112K, S32.112S, S32.119A, S32.119B, S32.119D, S32.119G, S32.119K, S32.119S, S32.120A, S32.120B, S32.120D, S32.120G, S32.120K, S32.120S, S32.121A, S32.121B, S32.121D, S32.121G, S32.121K, S32.121S, S32.122A, S32.122B, S32.122D, S32.122G, S32.122K, S32.122S, S32.129A, S32.129B, S32.129D, S32.129G, S32.129K, S32.129S, S32.130A, S32.130B, S32.130D, S32.130G, S32.130K, S32.130S, S32.131A, S32.131B, S32.131D, S32.131G, S32.131K, S32.131S, S32.132A, |

| REVISION HISTORY DATE | REVISION HISTORY NUMBER | REVISION HISTORY EXPLANATION |
|-----------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | S32.132B, S32.132D, S32.132G, S32.132K, S32.132S, S32.139A, S32.139B, S32.139D, S32.139G, S32.139K, S32.139S, S32.14XA, S32.14XB, S32.14XD, S32.14XG, S32.14XK, S32.14XS, S32.15XA, S32.15XB, S32.15XD, S32.15XG, S32.15XK, S32.15XS, S32.16XA, S32.16XB, S32.16XD, S32.16XG, S32.16XK, S32.16XS, S32.17XA, S32.17XB, S32.17XD, S32.17XG, S32.17XK, S32.17XS, S32.19XA, S32.19XB, S32.19XD, S32.19XG, S32.19XK, S32.19XS, S32.2XXA, S32.2XXB, S32.2XXD, S32.2XXG, S32.2XXK, and S32.2XXS. |

Associated Documents

Related Local Coverage Document(s)

LCD(s)

L34415 - CT of the Abdomen and Pelvis

Related National Coverage Document(s)

N/A

Statutory Requirements URL(s)

N/A

Rules and Regulations URL(s)

N/A

CMS Manual Explanations URL(s)

N/A

Other URL(s)

N/A

Public Version(s)

Updated on 10/02/2019 with effective dates 10/10/2019 - N/A

Updated on 08/21/2019 with effective dates 10/01/2019 - N/A

Updated on 04/22/2019 with effective dates 05/22/2019 - N/A

Updated on 03/21/2019 with effective dates 03/28/2019 - N/A

Updated on 03/19/2019 with effective dates 03/28/2019 - N/A

Updated on 03/19/2019 with effective dates 03/28/2019 - N/A

Keywords

- CT of the Abdomen
- CT of the Pelvis